Machine Tool BLUE BOOK

OUNDED

SPEE

MAY 1937

190

P R

E

S

HARDINGE Ball Bearing Bench Lathe Unit

1º Collet Capacity-9º Swing-Four Smaller Sizes.

Ask for Bulletin BB. Use Quickmail Coupon No. 1

HARDINGE BROTHERS, INC., - ELMIRA, N. Y
CHICAGO - NEW YORK - PHILADELPHIA - DETROIT - HARTFORD
Sales Representatives in All Principal Cities


Low Priced Dry Cutting HACK SAWS

In automatic production saws, band saws, high speed cutting off equipment and giant hydraulics, MARVEL leadership is proverbial. In the less spectacular equipment, the small low-priced, dry-cutting back saws too, MARVEL dominates the field—80% in use are MARVELS.

These economical general purpose saws No. 1 and No. 2 are studier, with heavy rigid saw frames, hold blades at greater tension—assure straight cutting. All controls are set in front for convenience and eafety, and frame alides in "V" bearings that have screw take-up to compensate for wear. They are in every way "more saw for the money." Equipped with unbreakable MARVEL High-Speed-Edge Blades these dependable Hack Saws can be counted on to keep producing hour after hour, day after day.

Send Quickmail Coupon No. 5 for Catalog.

MARVEL No. 1 Capacity 4'x4"



ARMSTRONG-BLUM MFG. CO.

341 N. Francisco Ave., CHICAGO, U. S. A.

WELDON DOUBLE END END MILL Every tool made under Controlled theat Treatment

LESS BREAKAGE Because—

- 1. Weldon uses high speed steel up to its own high specified standards, steel carefully checked chemically and microscopically.
- Weldon endmills have
 a cupped end and rugged
 formed teeth, designed for
 strength and free cutting.
- 3. Heat treated by technically trained men, aided by the modern time and temperature controlled hardening equipment.

Let the Tool Itself Prove It! Send Quickmail Coupon No. 37 for Catalog

> Pioneers in Fast Spiral Double and End Mills



WELDON TOOL CO.

CLEVELAND OHIO

Low Priced Dry Cutting HACK

These economical general purpose saws No. 1 and No. 2 are studier, with heavy rigid saw frames, hold blades at greater tension assessment and another convenient and entert, and frame clicks in "V" because that have serve about 0 compensate for wear. They are in every way "more saw for the money." Equipped with unbreakable MARVEL High-Spead Edge Blades these dependent to keep producing bour after hose, day after day.

MARVEL No. 1 Capacity 4'x4"

MARVEL No. 2 Capacity 8"x8"



ARMSTRONG-BLUM MFG. CO. " The Hack Saw People CHICAGO, U.S. A 341 N. Francisco Ave.



LESS BRE

WELDON

LESS BREAKAGE Because—

- 1. Welden uses high speed steel up to its own high specified standards, steel carefully checked chemically and microscopically.
 - Weldon endmills have a cupped end and rugged formed teeth, designed for strength and free cutting.
- 3. Heat treated by technically trained men, aided by the most modern time and temperature controlled hardening equipment.

Let the Tool Itself Prove It! Send Quickmail Coupon No. 37 for Catalog

WELDON



Order From Stock

Scientifically heat treated to a true spring temper, "Rivett Mark" collets resist weer and hold their spring longer than collets of any other make. As standard equipment on all makes of lathes and millers, (see Rivett Bulletin 100B) they may be ordered for immediate delivery from the following stocks:—

CHICAGO
R. E. Ellis Engineering Co

DETROIT Charles A. Strelinger Co. 199 E. Lerned Screen


BOSTON Rivett Lathe & Grinder Inc. 18 Represe Reed, Brightee

RIVETT

LATHE CERINDER INC

To save time and trouble, use QUICKMAIL COUPON No. 24 when you write for Bulletin 100B.

COMBINATION TAP



DRILL GRINDER

This Grand Rapids Grinder does the work of two machines. It is rugged and fast enough for production grinding occupies very little floor space, and is inexpensive to flux. Capacity, Drills: to 1½°. Capacity, Taps: No. 6 5 1½°.

our Tap Troubles f your TAP COSTS

and would like to eliminate breakage arising would like to save the waste which results of frequent grinding—would like to have your half the power usually required—would like to save now spent in grinding—would like to have your taps stay sharp twice as long—would like to eliminate torn and apped threads in your tapped holes and have the thread just right—in short, if you want to get rid of your tap and drill troubles and most of your tapt cost—investigate this Grand Rapids Combination Grinder.

Write for Complete Information TODAY
Use Quickmail Coupon No. 72.

MANUFACTURED BY

GALLMEYER & LIVINGSTON CO.

Spring tempered COLLETS

Order From Stock

Scientifically heat treated to a true spring temper, "Rivett Mark" collets resist wear and hold their spring longer than collets of any other make. As standard equipment on all makes of lathes and millers, (see Rivett Bulletin 100B) they may be ordered for immediate delivery from the following stocks:

CHICAGO RE Ellis Engineering Co 202 # Washington Blod DETROIT Charles A Strelinger Co.


BOSTON
Rivett Lathe & Grinder Inc.
18 Riveriew Road, Brighton

RIVET

LATHE & GRINDER INC.

To save time and trouble, use QUICKMAIL COUPON No. 24 when you write for Bulletin 100B.

COMBINATION TAP



DRILL GRINDER

This Grand Rapids Grinder does the work of two machines. It is rugged and fast enough for production grinding, occupies very little floor space, and is inexpensive to huy. Capacity, Drills: 16 to 116. Capacity, Taps: No. 6 to 118.

Get RID of Your Tap Troubles

If you me tope and drift and would like to eliminate breakage arising from invertent griedly—would like to save the waste which results from excessive on the frequent grinding—would like to have your tools out with all the power usually required—would like to save half the the down spent in grinding—would like to have your taps and he stay sharp twice as long—would like to eliminate torn and aripped threads in your tapped holes and have the thread just right—in short, if you want to get rid of your tap and drill troubles and most of your tool cost—investigate this Grand Rapids Combination Grinder.

Write for Complete Information TODAY
Use Quickmail Coupon No. 72.

MANUFACTURED BY

GALLMEYER & LIVINGSTON CO.



COLLET AND FEED

Collets for your Lathes and Milling Machines



Collets for your lathes and milling machines when you want them . . . instantly ... promptly! HARDINGE Colletsrecognized for accuracy and durability since 1890-are held in stock in sufficiently large quantities in Elmira, Chicago, New York, Detroit and Los Angeles to insure immediate delivery at any time.

This prompt service includes HARDINGE Collets for American, Burke, Cataract, Flather, Hendey, LeBlond, Monarch, Porter - Cable, Pratt & Whitney, Rockford, Sebastian, Sidney, South Bend, Sundstrand, Van Norman and all other lathes and milling machines.

> Send Quickmail Coupon No. 2 for bulletin No. 36 -ALWAYS SPECIFY HARDINGE COLLETS-

ELMIRA, N. Y. HARDINGE BROTHERS, Inc. -

NGER SECTION :=

Collets and Feed Fingers for your **Automatic and Hand Screw Machines**



for immediate delivery

Typical MORRISON quality and quick delivery are planned to meet with the satisfaction of all users of Collets, Feed Fingers and Pada for Brown & Cleveland. Sharpe,

Cone, Gridley, National Acme, New Britain, Davenport and all other automatic screw machines. MORRISON Collets also for Bardons & Oliver, Foster, Garvin, Pratt & Whitney, Warner & Swasey, and all other hand screw machines.

Send Quickmail Coupon No. 3 for catalog No. 34-A

MORRISON MEANS ECONOMY AND PERFORMANCE-MORRISON MACHINE PRODUCTS, Inc., ELMIRA, N. Y.



Save On Your Set-Up Costs With This Combination Tool

By using various adjustments, one R & L turning tool can be made to perform a variety of operations, singly or together, thereby saving not only tool costs but time required for setting up machines. Extremely fine adjustments are provided both on the tool and on the pressure of the burnishers.

Ask for complete details

R AND L TOOLS

Turning Tool



Easily Changed In 10 Seconds For Right Or Left Hand Work

Speed in making set-ups is essential to economy. An R & L Turning Tool can be assembled and adjusted quickly for almost any kind of turning work. Tantalum carbide faces on the backrest act as a burnisher, eliminating rollers and misalignment due to roller wear and producing a highly polished surface.

Send today for your booklet

Nicetown, Philadelphia, Pa.

ANNOU

THE NEW Buffalo



BUFFALO

161 MORTIMER ST.,

Branch Engineering Offices in Principal Cities

NCING

No. 15 TAPPER

CAPACITY BETTER THAN 40 HOLES PER MINUTE

This tapper has everything that you need to cut threads accurate to size, and also to cut production time. The result: better work, less spoilage, and lower production costs.

You secure all of these advantages with the new "Buffalo" No. 15 Tapper because when you buy a "Buffalo" you get—a Good Spindle—a Good Reverse Clutch—the Right Tap—and Automatic Tapper Lubrication. You don't have to spend a third of your tapping time oiling the tap or "hunting the hole" with a loose and wobbly tap spindle.

Repeated tests on this new Tapper demonstrate that you can secure 10,000 or more tapped holes for one dollar.

If that interests you, write today for complete information on the new "Buffalo" No. 15 Tapper. For convenience, use Coupon No. 8 when you write.

FORGE COMPANY

BUFFARO, N. Y.

In Canada: Canadian Blower & Forge Co., Elichenes, Out,



COMPLETE COVERAGE OF ALL THREAD GRINDING NEEDS

WITH THE IAL AUTOMATIC THREAD GRINDER



The J&L Automatic Thread Grinding Machine will grind right- and left-hand threads from 2 to 48 pitch inclusive; threads with single, double, triple, quadruple, or sextuple lead; and from the

solid or from previously roughed threads.

With standard attachments the machine also will grind relief on taps and hobs, and jump flutes such as on insertedblade taps. A hob grinding attachment permits grinding thread hobs without lead.

The J&L Automatic Thread Grinding Machine is designed for single piece or small lot runs, as well as for continuous production, where all the automatic features may be used to full advantage.

SEND QUICKMAIL COUPON \$9 FOR CATALOG

JONES & LAMSON MACHINE COMPANY SPRINGFIELD, VERMONT, U. S. A. "SIMPLIFY"
your milling
problems

THE EKLIND

MILLING DRILLING and BORING HEAD

is just the Attachment you need.

The quill may be fed to depth at any angle—Then locked for succeeding milling operations.



- Correct speeds for end mills (%«"—¾") and boring bars to 1%".
- May be adapted to all your Milling Machines and other tools such as boring Mills and Planers.
- 4 inch quill feed thru worm or rack.
- Ideal for DIE MAKERS (duplicating attachments available).
- Rigidly Mounted (3" dia. quill, spindle 22" long.

Phone or write for trial or send Coapon No. 13 for literature a

UNIVERSAL HIGH SPEED TOOL CO. 549 Washington Blvd. Phone State 7761 Chicago, III. T. R. Wigglesworth Machinery

6432 Cass Ave. Phone Madison 6300 CLEVELAND 10465 Carnegie Ave. Phone Cedar 3545



- Accomplish joints of greater strength.
- Do it easily and efficiently.
- By using SOLID RIVETS, and by doing it on the

RIVITOR

An advanced type of riveting machine which solves the problem of automatically feeding and setting solid rivets.

The saving in cost through the substitution of solid rivets, where a quantity of rivets is used, will pay for a RIVITOR within a short space of time. We shall be glad to send you a circular

Use Quickmail Coupon No. 14 when you write for it.

THE TOMKINS-JOHNSON CO.

605 N. Mechanic Street Jackson, Michigan European Office: Gaston E. Marbaix, Ltd., Vincent House, Vincent Square, London, S. W. 1, England. 1905





FLEXIBLE SHAFTS

AND

MACHINES

METAL PATTERN SHOP MACHINE SHOP

> DIE SHOP and ALL METAL WORKING

PLANTS



HIGH QUALITY MACHINES ONLY



Type M 6 C



Type R F M 4

ROTARY FILES -



Send for our Catalog-Sixty Types and Sizes USE QUICKMAIL COUPON No. 26

A. STRAND & CO.

5001-5009 No. Lincoln St.

CHICAGO

QUICK SET-UP ON AN 18-HOLE



TAPPING JOB

One of a series of case histories showing tough jobs made easy by The Haskins Tapper.

Material-3155 S.A.E. Nickel Steel

Mat Production — 12 Hains per pione — 160 piones or 2020 holes per hour.

Size of Tap-1/4"-28 Style of Tan-3-flute, cam

fare Depth of Tapped Hole-3/16" R.P.M. of tap "in"-1750 R.P.M. of tas "sut"-2500

Previous Production - 78 pieces per hour

LOW TOOL COST-LONG TAP LIFE

Production by the old method-70 pieces per hour. By the Haskins Method - 160 pieces per hour,

No clamps. No hold-downs. No complicated fixtures. Merely a simple revolving post. A tough job made easy by the foot-pedal control and balanced. no-float spindle of the Haskins Tapper. These and other exclusive Haskins features are fully described in our new. illustrated booklet. It will pay you to write for it. R. G. Haskins Company, 4654 West Fulton

Use Quickmail Coupon No. 21

Street, Chicago.



WHITNEY TOOLS



Angle Mitre Notcher and Angle Iron Bender

Capacity 2*x2*x½* angle iron or smaller. A pair of tools that every shop ought to have. They are Nos. 50 and 51 in our catalog.

No. 20 Ball Bearing Punch

Capacity
%* thru ½*
iron





No. 10 Ball Bearing Punch

Capacity % inch through ¼ inch iron. Depth of throat 1% inch. Height of throat % inch. Furnished with one punch in any size from % to ½ by ½2.

Whitney manufactures over 80 types of punches, shears and other equipment for metal working. Send Quickmail Coupon No. 42 for a catalog of the complete line



No. 4 Angle Iron Shear

Capacity 2"x2"x1/4" angle iron or smaller

Whitney Metal Tool Co.



In Industries that Build

From generation to generation, the popularity of "bikes" and roller skates has seen little change. As a result, the principal companies engaged in supplying these products made for fun", have become a most substantial division of American industry. It is significant that the majority of the leading manufacturers of bicycles and roller skates are constant users of MODERN PRODUCTS. They have found-as have 1800 other MODERN customers-that when screw machine repair parts and tools are needed, MODERN PRODUCTS meet every requirement for dependable, efficient operation . . . for long life . . . for economy! You, too, will find it always pays to specify MODERN PRODUCTS.

MODERN COLLET & MACHINE



"For Fun"

. . . of our new Catalog No. 33? It's NEW from cover to cover. WRITE FOR IT TODAY! Use Quickmail Coupon No. 28.

COLLETS with a POSITIVE Grip

All Modern Collets Have Double Saw Tooth Serrations

Nothing has contributed more to the efficiency of collet operation than the MODERN COLLET Double Saw Tooth serration-developed and furnished only by this company. This serration, as the name implies, presents a series of wide sharp surfaces that grip the stock so securely that all slipping, either radially or longitudinally, is entirely eliminated. Much less locking pressure is required, which means a saving in power and longer life for the locking mechanism.



BOTH WAYS

403 Salliotte St.,

ECORSE, MICH.

2 xez...by test

LONGER LIFE

HEAT RESISTING

LOWER COST

STELLITE Red Heat CENTERS

The Scully-Jones Red Heat Stellite Center was developed for use on production machines... tests prove that Red Heat Centers will give many times the life of regular steel centers. Write for circular number 70 for description and prices.



SCULLY-JONES & CO.

1905 SOUTH ROCKWELL STREET CHICAGO, HALINOIS

Send Quickmail Coupon No. 40 for circular

21

Use Coupons on

TAKE THE TOOL TO THE WOR

Haskins H-6, a heavy duty grinder with four speeds. Recommended for use with grinding wheels up to 6" in diameter by 3/4" face.



Polishing Stainless St. to a mirror-like finish

The Portability and Floibility of Haskins Flexi Shaft Equipment enab the operator to quick easily and effectively presults, especially in thard-to-get-at-places.


Haskins Quality Construction Flexible Shaft Equipment sures long-life and dependabil

It insures you of meeting the increasing demand for spe in production with *lower* costs.

Investigate Haskins Equipment. Send today for our catalog No. 44 — it's full of valuable information.

USE QUICKMAIL COUPON No. 22

R. G. HASKINS CO. 4654 W. Fulton St. CHICAGO Haskins



This is but one of the many examples of the utility of universal milling attachments that save setup time on hundreds of jobs.

PORTER-CABLE Milling Machine Attachments

Built in seven types to fit every requirement on power or hand feed millers. Increase the range and production of your millers by asking for further details or a 15 DAY FREE TRIAL of one of these attachments today.

Stick Coupon No. 43 on your letterhead when you write.

PORTER-CABLE MACHINE CO. Salina St. Syracuse. N. Y.



PUTNAM Tools
REAMERS
COUNTERBORES
SPECIAL TOOLS



WHEN you order from PUTNAM, you get the finest precision tools that can be made, warranted both as to quality of material and workmanship. The "Hi-Speed" brand of cutting tools is recognized generally as a standard for accurate and economical performance—cutting faster and lasting longer.

PUTNAM HIGH-SPEED END MILLS

are made in various styles and sizes to meet practically any requirement. Among those illustrated and described in the Futnam Catalog are: Long Double-End Mills, also Two and Four Flute; Single-and Double-End Mills, also Two and Four Flute; Ball End Mills; Extra Long End Mills; Heavy Duty End Mills; Spiral Cut End Mills with Morse Taper Shanks, B. & S. Taper Shanks; Two Lipped End Mills; End Mill Holders, etc.

Complete details will be found in the PUTNAM CATALOG— Send Quickmail Coupon No. 67 for your copy.

TAPPING



NOTE— This illustration shows the new Procunier No. 1 Style 'E' high speed precision tapping attachment equipped with the new "TRU-GRIP" tap holder. Illustration approx. ½ actual size.

HERE IS THE
NEW
PROCUNIER
"TRU-GRIP"
TAP HOLDER

THE MOST SENSIBLE TAP HOLDER THAT EVER GRIPPED A TAP

SEND FOR FOLDER 436

ATTACHMENT

OPERATOR

WHY HE PREFERS THE NEW

"TRU-GRIP" TAP HOLDER

Furnished on Procunier style "E" high speed precision tapping attachments.

He will tell you—"The extreme smallness and lightness in weight permits more sensitive tapping at higher speed—increasing production. Eliminates inertia set up by the ordinary heavy tap holders—saving tap breakage. Gives more accurate results."

Why not prove them on your own tapping jobs.

PROCUNIER SAFETY CHUCK Co.

14 So. Clinton St.,

CHICAGO, ILL.

GET 30 DAYS TRIAL IN YOUR SHOP TO PROVE THAT THIS NEW 40 VOLT ARC WELDING WILL SAVE YOU HUNDREDS OF DOLLARS

Any one of these valuable books **Thee!**



tremendous profit possibilities that come from this new arc welding. Write for any of the three books you want and information on the liberal 30 Days Trial Offer. Hobart Brothers, one of the world's largest manufacturers of Arc Welders, Box TB-57, Troy, Ohio.

Use Quickmail Coupon No. 51.

for Your Copy Today

HOBART Simplified Welders

THE FASTEST SELLING ARC WELDER ON THE MARKET TODAY



HYDRAULIC

CYLINDER (Cast Iron)

ALL KINDS OF SMALL HOLES **QUICKLY AND** ACCURATELY

MOST plants that handle quantities of small parts are constantly, faced with the problem of rejects due

to the hole coming slightly undersize, tapered or out-ofround. Such parts can now be salvaged satisfactorily and economically with the Sunnen Precision Honing Machine. Machine can be set up ready to operate in one minute, will produce a hole accurate within .0001" straight and round free from bell-mouth, will produce mirror finished surfaces.

Will handle holes from .480" to 2.400" diameter and up to 7" in length. Holes should be open at both ends and without straight oil groove or keyway. The pictures at the left show four examples of the wide range of uses: For experimental, assembly, tool room, salvage, small run production it is ideal.

• If You Have a Grinding Problem

write us about it. Tell us the size of the hole, kind of metal. amount of stock to be removed, tolerances, and send along a print if possible. We will be glad to tell you what this machine will do for you. Use Coupon No. 64 when you write.

7928 Manchester Ave.

ST. LOUIS, MO.

CANADIAN FACTORY




CHATHAN ONTARIO

PRECISION HONING MACHIN

IT GRINDS-IT HONES-IT LAPS

Siewek Clampins Drill Jigs A TYPE FOR EVERY JOB!



The above jig is a Type C-12, tooled complete, for holding a 5ⁿ dia. tubing while lapping same. The tubing is held by clamping on end only, so as not to distort diameter of hole when finished.

The above jig is a Type C-12, tooled complete, for holding two Universal Joints with one clamping while drilling the large holes.

Quickmail Coupon No. 57 will bring a catalog showing the complete line of Siewek Rapid Drill Jigs. The catalog will sent only to those who give their names, titles and firm names.

SIEWEK TOOL COMPANY

FERNDALE, MICHIGAN

HAND SANDING and RUBBING IS EXPENSIVE!



- SAVE UP TO 75 PER CENT ON LABOR
- DO BETTER WORK
- INCREASE PRODUC-TION
- ON CURVED or FLAT SURFACES

EARN EXTRA DIVIDENDS-WITH THE

STERLING SPEED-BLOC SANDER

(ELECTRICALLY OR AIR DRIVEN)

UP TO \$2,295 YEARLY SAVINGS PER MACHINE, REPORTED by USERS in THE FURNITURE - MACHINERY - LEATHER - AUTO-MOTIVE and over forty other industries.

The oscillating setion of the Sterling replaces hand sanding, rubbing and finishing on metal, wood, fabric, leather, castings, stampings, and composition surfaces. Producing a smooth even finish without ridges, ripples or chasing. Perfect balance and light weight of 5½ pounds make the machine easy to operate in any position. For WE I and dry work on CURVED and flat surfaces,

"FLOATING" Bloc and Pad sands curved surfaces.



Write today! Quickmail Coupon No. 69 will bring complete information.

STERLING PRODUCTS COMPANY

FOR DEPENDABLE PRODUCTION ARC AND SPOT WELDING

ACE SPOT WELDERS adequately provide essentials to efficient, profitable spot welding service. They are designed to serve manufacturers and fabricators of sheet metal and wiregoods; machine, sheet metal or repair shops—anyons interested in reducing costs. Spot welding is more economical than using rivets or bolts. Equipped with many labor saving features.

Dependable Spot Welders in sizes from 3 K. V. A. up

Priced as low as \$85.00





A.C. ARC WELDERS with the ACE Exclusive Feature — SYNCHRO CONTROL

Portable, general purpose welders adaptable to individual requirements of manufacturers and repair shops, offering numerous advantages over gas welding, soldering and brazing. Performance equal to any well designed D. C. welder when used with a good grade of coated rod. The exclusive Synchro Control feature, covered by pending patents, provides perfect regulation of current and voltage comparable to D. C. welders. Made in sizes up to 250 amperes.

Priced as low as \$120.00

Investigate economies possible with ACE Arc or Spot Welders.

Send Coupon No. 53 today for full details and prices.

PIER EQUIPMENT MFG. CO.

WELDING EQUIPMENT DIVISION

622 Cross Street,

Benton Harbor, Michigan

NOPAK

3 and 4-Way Operating Valves

FOR AIR, WATER AND OIL



FOR OIL OR WATER

turdy yet simple in construction, OPAK Operating Valves offer ong, efficient operation without aintenance cost, and with absote freedom from leakage.

he NOPAK flat disc design proides advantageous port spacing, hich insures positive, accurate ontrol with both throttling or nick opening action, as desired.

FOR AIR

- * No Packing
- * No Maintenance
- * Leakproof
- Protected Disc and Seat
- * Quick or throttling action, as desired

WRITE for Bulletin 65

Use Quickmail Coupon No. 20

.AND-HENN

WYTO "ROLL EASY" 3 WHEEL TRUCK MOUNTING

WYCO Heavy-Duty FLEX-IBLE SHAFT GRINDERS EASILY MOVED! Not Easily Tipped Over! Designed for use in FOUND-RIES, RAILROAD SHOPS. out-door work, and all places where floors are unfinished or rough.

No. 43T

1 H. P. \$175.00

WYCO GRINDER Any from 1/2 H. P. to 11/2 H. P. CAN BE SUPPLIED WITH "ROLL-EASY" TRUCK MOUNTING AT \$10.00 extra.

Illustrations show MODEL, No. 43 and MODEL, No. 4 WYCO MACHINES ON TRUCK BASE.



Saves in Packing and freight Send Coupon No. 19 for

COMPLETE WYCO CATALOG!

YZENBEEK & STAFF, INC.

WASHINGTON BLVD..

CHICAGO, ILL.

N ANSWER TO PUBLIC PROTEST

THERE is developing a fastgrowing Consumer Protest against using every slight pretext to Raise Prices. We, who carry the lessons of 1929 in our little book of experience, remember what this form of protest finally takes. It is a form of sit-down strike that can not be handled by mediation.

To do our small part in solving this menace, we have not increased our prices and will continue in this course unless the present situation gets out of control.

PRESIDENT

WYZENBEEK & STAFF, INC.

В R



"Hallowell" Steel Work Benches are all made to a standard and are so accurately constructed and so designed that you can join two or more of them together, end to end, to make one continuous working surface of any desired length. This feature allows you to meet any change of production methods that should be encountered from time to time, something that cannot be done with wooden benches. Bolt holes in the steel feet make it easy to fasten to the floor and easy to move.

However used, the "Hallowell" is the market's biggest value. Our Bulletin gives details: get your free copy.

STANDARD PRESSED STEEL CO.

BRANCHES BOSTON

JENKINTOWN, PENNA.

CHICAGO ST. LOUIS SAN FRANCISCO

DETROIT INDIANAPOLIS Box 559



THEY'RE EASY TO WELD WHEN YOU KNOW HOW

A variety of metals and alloys are encountered in the everyday work of today's machine shop. To be able to weld them all satisfactorily and economically, greatly simplifies many a job and makes welding facilities pay for themselves in no time at all.

Here is a guide which gives the arc welding procedure for every essential problem in metal fabrication and repair. Your shop is not complete without it. To get a free

copy, simply mail the coupon or write to the address below.





THE LINCOLN ELECTRIC CO., Dept. AD-385, Cleveland, Ohio

Send a free copy of the Welding Supplies Bulletin.

Name
Position

Company

Address
Gity State

ANY SPEED

-AT YOUR FINGERTIPS-

A smooth, quiet, vibrationless, positive flow of power at the speed you desire . . . by effortless turning the speed control.



THE NEW LENNEY
Variable Speed Transmission
is the answer to your transmission
problem.

Built in Motorized and Unit Types from 1/4 to 5 H. P.

Territories available to agents of proved ability.

Write for New 1937 Catalogue Use Quickmail Coupon No. 70

The LENNEY MACHINE & MFG. CO.

WARREN

OHIO

Modern Design — Reliable Accuracy

Milling Machines

Grinding Machines

Screw Machines

Machinists' Tools

Cutters and Hobs

Pumps

Misc. Shop Equip.



Have you our general catalog No. 140? A copy gladly sent on request. Brown & Sharpe Mfg. Co., Providence, R. I., U. S. A.

BROWN & SHARPE



THE PRECISION UNIVERSAL TOOL HEAD

does not need an introduction! It has proved itself to have SPEED, RANGE, EFFICIENCY and ADJUSTABILITY, at all times and at all speeds, WITHOUT STOPPING EITHER TOOL OR MACHINE!

ONE COMPACT SIZE handles all diameters, internal or external from 1/16 to 16°. For Boring, Facing, Recessing, Trepanning, Undercutting, etc.

Bulletins sent on request. When you write, use Quickmail Coupon No. 60.

THE PRECISION TOOL COMPANY

Bridgeport, Connecticut



THIS CATALOG

is of real importance to any user of Phillips Recessed Head or Slotted Head Screws.

Complete information on all kinds of Power and Spiral Screw driver bits to fit all makes of Electric, Air and Spiral screw drivers.

Write for your copy on your Company letterhead,

MAIL COUPON No. 61

The APEX
—MACHINE & TOOL CO. Dayton, Ohio—



The New South Bend back-geared screw cutting Lathes are used in leading manufacturing plants and machine shops for work requiring the highest accuracy and precision in production and tool work.




CARRIED IN STOCK IN ALL PRINCIPAL CITIES THROUGHOUT THE WORLD



C. B. Burns Machinery Co., 541 W. Washington Blvd., Chicago, Ill. A. C. Colby Machinery Co., 183 Centre St., New York, N. Y. Eccles & Davies Mach. Co., 19 0 Santa Fe Ave., Los Angeles, Calif. W. A. Voell Machinery Co., 1533 North 16th St., Milwaukee, Wis. Reynolds Machinery Co., 2034 East Zand St., Cleveland, Ohio. The MacKenzie Machinery Co., 36 Oliver St., Boston, Mass. W. B. Rapp Machinery, 132 No. Third St., Philadelphis, Pa. Lee Machinery Company, 3318 E. Jefferson Ave., Detroit, Mich. Cassell Machinery Co., 28 Edison Place, Newark. N. J. Colcord-Wright Mach. & Supply Co., 1223 No Broadway, St. Louis, Mo. Ogden R. Adams Co., 266 State St., Rochester, N. Y. George T. Reynolds & Son, Inc., 171 Pine St., Providence, R. I.

SOUTH BEND Precision LATHES

FEDERAL INDICATORS



FEDERAL PRODUCTS CORP.


1144 EDDY STREET, PROVIDENCE, R. I.

Detroit . Chicago . Muncie . Cleveland . New York

The Vinco Angle Tangent to Radius Dresser

Internal, External and Surface Grinding Machines

Patented June 5, 1934, Other Patents Pending



Dressing Angles and Radii on a Surface Grinder


One of the outstanding features of The Vinco Dresser is the basic patented principle of dressing angles and radii from the same axis without moving the diamond. Angles and radii are always tangent. Radii dressed are accurate, for the Index Plate rotates on precision hardened steel balls. The balls are assembled under load and travel in a hardened and ground race. Angles are always accurate because the Index Plate and Vernier are graduated on a Vinco Master Dividing Head to a one ten thousandth of an inch accuracy. The Vinco Dresser is precision made of the finest materials by highly skilled mechanics. Dresser parts subject to wear are hardened, rough ground, normalized, finish ground and lapped. Adjustable stops on the index plate permits the setting of the Dresser at any desired angle for production grinding. It saves 75% in dressing costs and eliminates all worry and uncertainty in dressing angles and radii on abrasive wheels.

Send Quickmail Coupon No. 48 for Descriptive Circular

VINCO TOOL COMPANY
7348 CENTRAL AVE., DETROIT, MICHIGAN

SAVE 50% Die Making Costs ECONOMY with SPEED & ACCURACY







That's what all die makers have been looking for-an economical die making machine that is fast and accurate. The Oliver Die Making Machine, if KEPT BUSY, will pay for itself WITHIN 30 DAYS and reduce your die making costs 50% to 60%.

The Oliver is not to be confused with ordinary filing machines. The Oliver actually SAWS out the blank-then finishes the work with files and lapping stones. The die outline is easily followed, sawed within .010" to .012" and little metal is left to file.

For economy with speed and accuracy install OLIVER of ADRIAN Die Makina Machines.

Send Coupon No. 17 for our 16-page bulletin which will give you complete details.

OLIVER INSTRUMENT COMPANY

1408 EAST MAUMEE ST.

ADRIAN, MICHIGAN

PERFORMANCE



CAN'T BE FAKED!

Easy Engagement Instant Release Dragfree Idling Abundance of Power

-are Conway characteristics you should know about

When a clutch goes in and out of action with the ease, smoothness and dependability of a Conway Clutch, you just know it's "there"—performance like that can't be faked or simulated.

That's why Conways are getting the call wherever machine design is in shrewd hands—transmission costs watched. They're the last word in friction clutches.

"The Conway Disc is a splendid Clutch"

THE CONWAY CLUTCH CO.

1541 Queen City Ave. CINCINNATI, OHIO Ask us for catalog P-20, L-28 and XYZ.



STANLEY UNISHEAR REPLACES OLD CUTTING METHOD

Job Time Cut 70% Over Estimate. Salvage of Material \$1.40. Clean Edges and Better Work.

· That's what happened when Stanley Unishear-"The Electrically Driven Hand Shear" replaced hand-cutting tion, Other portable Unishears with capacity up to 14 gauge, stationary Unishears with capacity up to 14 gauge, stationary Unishears with capacity up to 1/4" manufacturing plant.

Cuts up to 16 gauge het rolled steel, speed as you feed. Other materials in proporboiler plate.

NO. 16

MINISHFAR

 Used to remove a scribed section of 18 gauge Stainless Steel to permit installation of a sink, Unishears do the work three times as fast-save valuable material and do better work.

· For duct work, bus bodies, electric signs, kitchen equipment. There is a Unishear made to handle every job faster and better. Cutting any pattern with hairline accuracy, without distortion of metal, Unishears make a place for themselves wherever sheet materials are cut. Ask your Stanley distributor for a demonstration, or write Stanley Electric Tool Division, The Stanley Works, 141 Elm St., New Britain, Conn.

ANLEY UNISHEARS

LECTRICALLY DRIVEN HAND SHEARS

There are many styles and sizes of Kellerflex Flexible Shaft Machines—each with hundreds of attachments and accessories for all kinds of jobs. Let us show you how these machines can improve and speed up your work. Use Quickmail Coupon No. 66 for some inter-



THE KELLERFLEX does it quicker . . . and better

Modern shops use Kellerflex power instead of muscle—with remarkable savings. Above is a typical example—smoothing up small castings with grinding wheels and abrasive belts,—a tremendous improvement over hand filing and sand papering. And there are hundreds of other uses. Kellerflex equipment is precision built, and will deliver years of efficient service. Send for literature.

PRATT & WHITNEY Div. N-B-P Co. HARTFORD, CONN.

Machine Tool BLUE BOOK

Selected Circulation 25,000 Monthly

MAY, 1937

THIRTY-SECOND YEAR

Going Up Again

The March Index of machine tool orders, including domestic and foreign, stood at 211.6, which has been exceeded during the last year by December only. This shows a good recovery over the two previous months.

While foreign orders fell off somewhat, the gain in domestic business was sufficient to make a substantial increase in the total. However, foreign orders for the first three months of 1937 slightly exceeded the volume for the last quarter of 1936, and were equal to 37% of the total foreign business for the full year of 1936.

Orders placed during the early part of April show a still further improvement.

Labor troubles have caused some apprehension, but they have not affected business materially except in their immediate vicinity.

Published By

Hitchcock Publishing Co. 508 S. Dearborn St., Chicago, III.

Consult the Classified Finding Index for your requirements

h'g

x of


Shown in Fig. 1 is an 8-Spindle Vertical Lathe, manufactured by the Sundstrand Machine Tool Co., 2531

Eleventh St., Rockford, Ill., which has several interesting features. This particular machine was supplied for rough turning and crowning castiron pistons as shown in Fig. 2. where the rough casting appears

at the left and the turned piston at the right. This is but one of applica-

tions which are possible with this type of machine.

many



The machine Fig. 1 has a heavy

cylindrical base on which an octagonal column is rotatably mounted. An electric motor, mounted horizontally on the base, provides power for rotating the column through a speed reducer and a gear box which contains pick-off gears for changing the speed of column rotation.

On each face of the octagonal column is securely bolted a sub-base having ways on which a Sundstrand self-contained hydraulic unit travels vertically in an automatic cycle of rapid approach, feed, and quick return, which is governed by easily adjusted dogs. On the spindle of each hydraulic unit is a push button controlled, hydraulically-operated expanding chuck for holding the work piece. At the lower end of each sub-base on which the hydraulic unit slides is mounted a stationary tool block as indicated at "A" in Fig. 3.

Use Coupor

DO IT-

Better—Faster—for Less!

with ODIN UNIVERSAL

Precision Vises Swivel and Plain

with Interchangeable Jaws and Hardened and Ground Parallels

They quickly pay their costs in savings on High Tool Costs -Expensive Fixtures -Patterns and castings-Extra Set-Ups.

Investigate the money saving possibilities of ODIN VISES

Send Quickmail Coupon No. 71 for full facts and prices.



Let us show you how to make cheaper and better jigs and fixtures at a greatly reduced cost—with a great saving in time.

ODIN UNIVERSAL

CHICAGO

Sales Division 110 S. Dearborn st.,

Telephone Franklin 3281 As the central column rotates, downward movement of the hydraulic unit feeds the work piece against the tool in block "A" to turn the outside diameter of the piston.




Fig. 2

Pivoted on the side of each hydraulic unit is a heavy bell crank "B" having its inner end connected to a stationary adjustable rod "C". This arrangement causes the bell crank to swing about its pivot as the hydraulic unit moves downward. At the right time in the cycle tool "D," carried on the arm of the bell crank, turns the curved head of the piston to the correct radius.

Operation is simple and easy. At the right of the operator's position is a four-button station in which one pair of buttons starts and stops rotation of the central column, while the other pair starts and stops the eight motors which is simple.




Fig. 3

drive the hydraulic units. In normal operation, rotation of the central column is continuous. As a hydraulic unit approaches the operator, he presses one of the buttons in control box "E" (Fig. 3). This

(Continued on Page 52)

HERE'S PROOF of the power and speed of SKILSAW'S new low priced

DEFENDER DRILLS



\$1950

Never before such performance ... sucquality construction and engineering i low priced drills! Bearings are ball an self-lubricating Oilite bronze. Moto has extra overload capacity for corunning and longer life. Special allo steel gears, helical cut for quiet oper tion. Die-cast alloy frames for strengt and lightness. Compare their specifications, power and speed and you wisee why DEFENDER Drills are the biggest drill "buy" on the market.

See Your Distributor and Write for Our Catalo
Use Quickmail Coupon No. 16

CKII CAW INC

3318 ELSTON AVE., CHICAGO 210 E. 40th St., New York — 52 Brooklin causes the hydraulically operated chuck to contract and release the work piece. Operator then substitutes a rough casting for the piece of work which has just been turned, and presses the other button in control box "E" which causes the chuck to expand and grip the new work piece securely. As the central column continues to rotate it passes a limit switch which starts the automatic operating cycle of the hydraulic unit on which the work piece has just been changed. As rotation of the column continues, the hydraulic unit feeds downward, turns and crowns the work piece, and automatically returns to its upper position. The column has now practically completed one revolution and the hydraulic unit is approaching the operator again for changing work pieces. In the meantime, the work pieces on the other seven hydraulic units have been changed successively as each one has passed before the operator in its turn.

Tungsten carbide cutting tools are used throughout and provision is made for a copious supply of strained coolant to carry away dust and chips as well as to keep the tool and work pieces cool. The hydraulic units, including their pumps and control valves, are standard products manufactured entirely by the Sundstrand Machine Tool Co. The units are entirely self-contained, each is independent of the others, and one or more units can be removed from the machine at any time without interfering with the operation of the remainder. The pistons machined measure 3½ inches diameter by 4¼ inches long and are turned by this machine at a rate of slightly more than 400 per hour

at 85% efficiency.

Anaconda Wire and Cable Company, 25 Broadway, New York City, announce the publication of Bulletin No. C-35 entitled "Industrial Guide for Selection of Wire and Cable". Factors affecting the selection of wire and cable and a treatise on the importance of up-to-date wiring design in relation to avoiding industrial headaches are discussed. Colored lay-outs illustrate typical power supply circuits and tables covering practical limitations to be considered are included. Nine charts for recommending insulation and protective coverings to meet exposures and conditions of use are so arranged as to make for ease in selecting the wire or cable for different industrial circuits.

ARMINISTED NG

NO JOB WILL SUPPORT WASTE



Today's competition, today's costs will tolerate no waste. Profits must come from greater efficiency. Where before tooling-up could be by trial and error, could be deliberate or failtering, present machine hour costs, man-hour costs, taxes and close figuring leave no cushioning margins. Today a delay can wipe out profit. There is no time for forging tools, for "tool dressing" and heat treating. Profitable work must start immediately, must proceed without interruption, must finish on schedule.

That is why today 96% of the Machine Shops use ARMSTRONG TOOL HOLDERS—permanent multi-purpose tools, that "Save all Forging, 70% Grinding, 90% High Speed Steel". With the complete Armstrong System you are permanently tool-up, are always ready to start earning on any operation on any lathe, planer, slotter or shaper; for tooling-up is reduced to the selection of the cutter and adjustment for clearance.

Build your Armstrong System, from the stocks of your nearest Mill Supply house. Send Quickmail Coupen No. 6 today for a B-35 Catalog.



Armstrong Bros. Tool Co.

"The Tool Holder People"


308 N. Francisco Ave., Chicago, U.S.A.

"Toledo" No. 54 Repunching Press

In large quantity production of field and rotor laminations, blanks are cut from full size sheets in a large automatic press for maximum economy of material. These blanks are then completed in suitable compound dies operated in repunching presses which must be exceptionally rigid and accurate. For this service The Toledo Machine and Tool Division, E. W. Bliss Company, 1420 Hastings St., Toledo, Ohio, is announcing a new design of their No. 54 straight sided, single crank press. It is of the flywheel type, with a direct connected

m o t o r drive to the flywheel by means of a silent pinion meshing with teeth on the flywheel. A 3 h.p., 820 r.p.m. motor is required to drive the press.

The frame is of compact onepiece construction, cast in chrome - nickel pearlitic semisteel for maximum rigidity. Has 21/2 inch stroke, distance bed to slide is 13 inches, full eccentric shaft and bolster with Tslots and poppets for inclined die setting. The shaft has a diam-



eter of 4 inches at the bearings and 6½ inches at the pin. It operates at the rate of 65 to 90 strokes per minute. The fixed legs hold the press at an angle of 40 degrees with the vertical and support the press at the back by heavy steel rods.

The slide face measures 14 inches square, with a 2-

Gairing Counterbore Sets



ose time finding
the right sized
to right sized
to report or
potfacer when it
could be at their
imger-tips? For their
tonvenience and to
avoid those profit-stealing delays, consider one
of these handy sets.

Regular tool rooms, die hops, machine shops and epair work is handled efficiently and expensive delays ue to lack of proper cutting lols are greatly reduced. Why time ma suitable too Group plant v Garing Cou bore and Spodin Tools are availed in the manufactur your product, or in tool room or mac thoo, a set of Gan preparing manufactur tools force idleness whit tools force idleness waiting men and mach

Write for a catalog describing complete line of Gairing End (ting Tools. Use Coupon No. 6:

THE GAIRING TOOL (

COD_DE HICCT INCRHETTA

inch diameter recess and T-slots. The slide, which has extra long and accurate gibbing, actuates a cam stripping device, adjustable for stripping at any point of the stroke. It also has an adjustment of ½ inch for the length of stem. Lubrication requirements are taken care of by a one-shot, manual operated grease device, along with sight feed oil cups.

Carboloy Offers Micrometer Tipping Service

Carboloy Company, Inc., 2985 E. Jefferson Ave., Detroit, Mich., manufacturers of cemented carbides, announces a special micrometer tipping service available to all micrometer users. All that is necessary is to send your micrometer to the Carboloy Company who will tip the wear points at the ends of the anvil and spindle with Carboloy cemented carbides. The micrometer is




then accurately adjusted and returned, ready for immediate use.

It is stated that the micrometers will hold to a closer degree of accuracy during a period of use that averages at least 50 times longer than with regular steel micrometers without Carboloy tips.

Formerly, Carboloy tips were applied principally on micrometers used as "masters" to check other gages. However, because of the low price the use of Carboloy tips has been extended to practically all applications. One standard price for tipping all micrometers, regardless of size, has been established. A descriptive leaflet may be obtained by writing the Carboloy Company at the address above.

POWERFUL MACHINES



STEPTOE SHAPERS

Force feed continuous lubrication, heavy construction and Timken bearings throughout insure rigidity, accuracy and long life. Centralized controls are within easy reach of the operator at all times.

Instantaneous feed and speed changes may be made with fingertip control while the machine is running.

Send today for catalog No. 130.



CHARD Twelve-Speed All Geared Lathes

Precision Timken or plain bearing spindle—Instantaneous start or stop of spindle—12 speed changes in 15 seconds—Heat treated and hardened gears run in oil in speed box—All shafts mounted on ball bearings—Powerful, accurate, and easy control—Built in 16°, 18° and 20° standard engine lathes, manufacturing lathes and tool room lathes.

Send today for full information.


Western Machine Tool Works HOLLAND, :-: MICHIGAN

New Brown & Sharpe "Standard Type" and "Dual Control Type" Plain and Universal Milling Machines

The Brown & Sharpe Mig. Co., Providence, R. I., announces that the eight newly-designed plain and universal milling machines in the No. 2 and No. 3 sizes retain all of the best features of the standard and high speed models which they replace, and in addition, have numerous improvements which have been made to meet present day milling requirements

and to facilitate operation.

These new machines are available in two styles - the "Standard Type", for the more straightforward run of manufacturing or toolroom work, and the "Dual Control Type" where the work is such that wide feed range and complete control from both front and rear operating positions are important. Both styles are high-



speed machines, with 16 spindle speeds ranging from 30 to 1200 r.p.m. All machines of the new design are available for either overhead or motor drive, and when motorized, a single standard type motor mounted in the base is the source of power. Sturdily built, the machines have ample strength and rigidity to utilize the full power input without loss of accuracy.

Other important features are: fast travel for all movements (140 inches per min. longitudinal, 56 inches per min. transverse and vertical); safety hand-crank for longitudinal adjustments of the table; automatic lubrication of knee and column mechanisms;

MARSCHKE

Formerly Van Dorn, Black & Decker

HEAVY DUTY GRINDERS AND BUFFERS



In foundries, plating plants and other industries wherein grinding and polishing is done on a production basis, grinders and buffers are selected with the knowledge that the best is the cheapest in the end.

In such industries, experience teaches that quality accounting for dependable durability of grinders and buffers—is by far the most important requirement.

That is why MARSCHKE GRINDERS and BUFFERS
—formerly made by Van Dorn, Black & Decker—
are so popular wherever there is need for continuous,
hard service.

The best is the cheapest in the end.

VONNEGUT MOULDER CORP. 1805 Madison Avenue, Indianapolis, Ind.


A Catalog showing machines with 10° to 30° wheels and 1 to 25 H. P. motors will be sent promptly upon request. Use Coupon No. 47 when you write for it.

and rotating speed and feed rate selective levers, designed for greater ease of operation. All eight machines have two-position control of feed engagement, of the direction of all feeds, and of the starting and stopping of the entire machine. In addition, the "Dual Control Type" machines have dual control of all fast travel movements and hand adjustments, so that complete control from both front and rear operating positions is provided. Machines of this style also have 32 rates of feed, from 32 inch to 401/4 inches per min. longitudinally and from 1/8 inch to 161/8 inches per min. for transverse and vertical feeds.

"Standard Type" milling machines have 16 feed rates, to inch to 26 inches per min. longitudinal and inch to 26 inches per min. transverse and vertical. A wide feed range mechanism, giving 32 feed rates of the same range as on the "Dual Control Type" is available as an extra for the "Standard Type" machine.

New Quills for No. 7 Dumore Grinder


Two new quills, illustrated herewith, are now available for use with the No. 7 Dumore grinder, manufactured by the Dumore Company, Racine, Wis. The upper quill shown is known as the P quill. It is equipped with the 1/4-inch chuck for using mounted wheels and a sleeve collet of 1/8-inch capacity is also furnished. Its primary use is for grinding small internal holes of diameters less than an inch to a depth of 11/4 inches.



The lower quill is the N-6 which is capable of grinding a hole 11/16 inch in diameter to a depth of 6 inches. It is also capable of grinding smaller diameters to a respectively shorter depth. For instance, it can grind a 7/16 inch hole for a depth of 2 inches.

Another quill, not illustrated, is the N-5 which is equivalent to the N-6, except that its maximum depth of grind is 5 inches. A fourth quill, known as the V-6, is equivalent to the N-6, except that it is used with the

No. 5 Dumore grinder instead of the No. 7.



Angular Grinding Set-Ups of ABSOLUTE PRECISION ACCURACY

NO OTHER CHUCK OR SIMILAR DEVICE offers the precision accuracy of the MAGNA-SINE in grinding work requiring either single or compound angles. The MAGNA-SINE itself is built to the finest precision limits. By utilizing standard gauge blocks, rather than graduated scales or similar methods, every angle is determined to the exact limits of the blocks used. The MAGNA-SINE principle is the only scientific method of measuring angles—and your assurance of absolute accuracy in either grinding or checking.

The MAGNA-SINE saves hours of set-up time... has no screws or nuts to tighten or loosen... requires no clamps... offers guaranteed magnetic efficiency... pays for itself many times over in its first year of use! Quickmail Coupon No. 63 will bring you complete information.

The MAGNA-SINE

ROBBINS ENGINEERING COMPANY

639 MT. ELLIOTT AVE., DETROIT, MICHIGAN

Progressive Hydraulic Spot Welding Gun

What is said to be the smallest and most compact portable hand welding gun, has been developed and perfected by the Progressive Welder Company, 737 Piquette, Detroit, Mich., for all sheet metal assembly and fabrication. This hydraulic, cableless gun is easy to handle because of the elimination of the heavy conductor cables, which are stiff and awkward to manage especially in small spaces.

The combining of the upper pressure bar as conductor bar and acting as back up bar and support, simplifies and reduces fixture costs. The lower bar, as in expansion type fixtures, is the other lead to the transformer, and also serves as a loading table to locate and position the The transformer and booster are built into the fixture, making a more compact set-up. For pro-



duction hand spot welding fixtures, this gun will give increased parts per hour because of its light, compact

design, speed and ease of handling.

The hydraulic principle of operation insures perfect welds, as the "squeeze action" pressure insures the uniting of the parts to be welded; and "non beat" timing does not complete the electric welding cycle until the parts are united, preventing premature and imperfect welds. The off-center mounting of the piston decreases arcing and flaring at the welding points, materially increasing their wearing life or servicing periods. For production work the gun can be equipped with various points

Gone with the Wind

HAMMOND TOTALLY ENCLOSED FAN COOLED JOB



HAMMOND GRINDERS WITH TOTALLY-ENGLOSED FAN-COOLED MOTORS

Set New Standards of Electric Grinder stamina and dependability by elimination of iron dust, metal chips, emery grit and shop dirt from motor windings. Write for bulletins showing complete line grinders and polishers.

Use Quickmail Coupon No. 23

Nammond Prachiney Builders


Eastern Branch: 148 W. 23rd St., New York

and adapters. Only the positioning of the welding gun and pressing the operating button is necessary to make perfect welds. Automatic timing, correct hydraulic pressure and application of electrical current after uniting of parts to be welded, eliminates the "human element" failure. Spade handles or regular grips will adapt this gun to almost any shape, section or set-up.

Cochrane-Bly No. 2-B Metal Sawing Machine

The Cochrane-Bly Co., St. James St., Rochester, N. Y., announce an improved model of their No. 2-B Metal sawing machine, with multiple cutting equipment for small round bars.

The illustration shows a small circular saw arranged with support track and stock feed for cutting small round bars in multiple. The vise has capacity for holding 8, 11/4" round bars or 118, 1/4" bars at one time, and will make a cut in 11/2 minutes.



Other sizes are held in proportion. The machine uses a 16" diameter saw blade, and is driven by a 2 h.p., 1200 r.p.m. motor through multiple V belts with

welded steel guard.

If desired, the machine may be furnished with a three screw vise for holding the pieces being cut off outside of the saw blade, insuring clean cuts without prong. A lubricant pump with flexible tube and distributing nozzle over the saw blade is provided. The machine may be arranged for cutting single bars, and is provided with three changes of feed for hard and soft stock.

Samuel C. Rogers & Company, 191-205 Dutton Ave., Buffalo, N. Y., have issued a new 4-page illustrated price list, effective April 20, covering their line of automatic knife and saw grinding machines.



THE E-O SCREW DRIVER

A fast, handy screw driver with friction clutch for driving Parker Kalon Screws as shown above.

Write us about your screw driving problems and let us send you the right tool for a ten day trial.

Use Quickmail Coupon No. 27 when you write.

ROTOR

AIR TOOL

South Bend Underneath Belt Motor Drive Lathe

The South Bend Lathe Works announce a new line of back geared, screw cutting, precision lathes in the new underneath belt motor drive. This new series is offered in 9", 11", 13", 15" and 16" swing, and in bed lengths of from 3' to 12'. The new underneath belt drive is unusually compact and is said to be silent, powerful and economical in operation. The motor and driving mechanism are fully enclosed in the cabinet leg underneath the lathe headstock. There are no exposed pulleys, belts or gears and no overhead belts or pulleys to obstruct vision or cast shadows on work.

The reversing motor and reversing switch permit starting, stopping and reversing the lathe spindle from an easy working position in front of the lathe. Lathe spindle may be instantly reversed when cutting screw

threads.



Among the new features and improvements are: heat treated headstock spindle with all bearing surfaces hardened and ground, including the taper hole; spindles are

(Continued on Page 68)

FEDERAL Heavy Duty Open Back Inclinable PRESSES

"Built for Service"



No. 5 Flywheel Type Capacity 50 Tons,

- * Efficient
 - * Dependable
 - * Accurate
 - * Safe

All models of FEDERAL Presses are equipped with Timken bearings to increase efficiency and pro-duction at the lowest possible upkeep cost. Clutches are equipped with a positive locking device for die setting or adjustment and a device which makes it impossible for the press to repeat when momentum carries the crankshaft beyond center. This non-repeat safety feature reduces the danger of accidents to operator or dies.

Write today for information on the FEDERAL PRESS line: Use Quickmail Coupon No. 68

FEDERAL PRESS CO.

ELKHART, INDIANA

special alloy steel, with phosphor bronze bearings, line bored and adjustable for wear; new double wall apron with self-oiling steel gears, and all gear shafts supported on both ends; multiple disc friction clutch in apron.


The new line is built in both the quick change gear and standard change gear types. The quick change gear lathes are equipped with a quick change mechanism for cutting 48 right and left hand standard screw threads ranging from 2 to 112 per inch, including 11½" pipe thread. Standard change gear lathes are equipped with a set of loose change gears for cutting right and left hand screw threads from 2 to 40 per inch, including 11½" pipe thread.

The company is issuing a new catalog No. 96, containing descriptions of these lathes with accompanying illustrations giving valuable instructions on lathe practice and operation. Any reader interested in securing a free copy should write the Technical Service Department, South Bend Lathe Works, South Bend, Ind., mentioning this publication.

Colonial Universal Broaching Machine

A modern all-purpose broaching machine is announced by the Colonial Broach Company, Detroit, Mich. Des-

ignated as the "Universal" broaching machine it represents a combination of utmost flexibility and adaptability, together with high production speed and automatic operation. Designed for pull type broaching and hydraulically operated, it is



as readily adapted to surface broaching as to the broaching of holes, round or splined, helical or straight, keyways, etc.

Incorporated in this machine are all the findings of years of intensive cooperation on broaching with in-

Forming a PITTSBURGH LOCK on Verson ALLSTEEL JR. PRESS BRAKES



Whether the machine used is our No. 1038, having 22 tons capacity, or our No. 2062 Heavy Duty, having 45 tons rating, PITTSBURGH LOCKS MAY BE FORMED IN TWO OPERATIONS—at ONE HANDLING.

This is only one of thousands of jobs our machines are capable of producing which makes them the ideal machine for the sheet metal industry.

Built in sizes ranging from 14 gauge x 52" to 14 gauge x 78" and 10 gauge x 48", these machines are unequalled for CAPACITY—EFFICIENCY—and ECONOMY.

It will pay you to consider **VERSON** ALLSTEEL PRESS BRAKES as the solution of your manufacturing problems.



Copy of Bulletin JP-103 will be mailed on request.


THE ALLSTEEL PRESS CO.

Verson Pittsburgh Lock Die 12017 So. Peoria St. CHICAGO, ILL.



800 illustrations. Mailed without charge


dustry by Colonial. It is available in two basic stroke designations—48" and 60"—and in four tonnage capacities—6, 10, 15 and 20 tons. Standard cutting speed is 30' per min. A conveniently placed control permits adjusting of cutting speed to any speed up to this figure that may be desired. Return speeds of either 60' or 100' per min. are optional.



For surface broaching, the large face plate capacity, with its two keyways for ease and accuracy of location of even extremely large surface broaching fixtures is noteworthy. Tools up to 9" in width, or slightly larger may be used with this machine. For broaching of internal helical splines, either straight or involute, a spiral drive attachment has been developed. It consists of a rigidly mounted spiral master bar which, through gears, causes the broach to rotate as it passes through the work, producing the correct helical lead in the finished part with great accuracy, eliminating side thrust and drag on the sides of the splines. Machine may be operated from right or left sides as dual controls are provided.

A bulletin, No. 100-8A, describing this new "universal" is available upon request from the manufacturer.

Thompson-Bremer & Co., 1640 West Hubbard St., Chicago, Ill., is distributing a new catalog covering their line of "Everlock" Washers.



ROCKFORD

INCLINABLE

STRAIGHT SIDE PRESSES

Rockford Presses are sturdily built of the best materials and incorporate many features that are the result of years of experience in building presses of various types. You can depend upon a Rockford—for it is designed to maintain exact adjustment throughout long runs and under heavy duty.

Write for Catalog.

ROCKFORD IRON WORKS

New Line of Ace Arc Welders

The Pier Equipment Mfg. Co., Welding Equipment Division, 622 Cross St., Benton Harbor, Mich., announce a new series of a.c. portable arc welders which they claim has many advantages over gas welding, soldering, brazing and other methods of join-

ing metals.

These welders incorporate a specially designed transformer with reactance and employ a circuit that provides a stable, nonblasting arc without spatter loss. These welders may be used for fillet, horizontal, vertical or overhead welding, and can be used for welding from 22 gauge sheet metal to heavy castings. They provide a very obedient arc without the magnetic blow that is usually experienced with d.c. welders.

The manufacturers state these welders are exceptionally efficient, more than 90% at full load, and that they are designed and built in keeping with the standards prescribed by both the American Welding Society and

Welding Society and American Institute of Electrical Engineers. It is claimed that the production efficiency, performance and penetration of these welders is equivalent to any well designed motor generator, d.c. welder, when used with a good grade of coated welding rod.

Through a special circuit and control, the "Ace Synchro Control", protected by pending patent application, it is stated that both welding current and



manufactured by Rockford Machine Tool Co., of Rockford, Ill., thousands of these drills have been installed in plants the country over, where they have been giving universal saturactions.

Counterbalanced, eightapeed spindle,
made from high
carbon special
steel, has quick
advance and return; positive
feeds are instantly available
while machine
is in operation;
all controls within easy reach.



POWERFUL-SIMPLE-DURABLE-ACCURATE

We have been builders of Drilling Equipment for more than 20 years and, in addition to the above drills, manufacture the Cleereman Automatically Oiled, Anti-Friction, High Speed Drilling, Boring and Tapping Machines; Gang Drills and Special Drilling Machinery.

CLEEREMAN MACHINE TOOL CO. GREEN BAY, WISCONSIN


(Formerly Green Bay Barker Machine Tool Works)

voltage is controlled in a manner comparable to that used on all successful motor generator, d.c. arc welders. These welders are designed for use on 220 or 440 volts, with a frequency of 60 cycles and are made in sizes from 15 up to 250 amperes for use with from ½" to ½" welding rod. Complete information may be obtained by writing the manufacturer at the address above.

Bliss Automatic Double Crank Press

The E. W. Bliss Company, 1420 Hastings St., Toledo, Ohio, announce a new and improved design of their No. 4 high speed automatic blanking press. This press, although single geared, will operate from 30 to 90 strokes per minute through a variable speed drive. This range of speed is to permit selection of the best operating conditions to suit the length of feed and the gauge of metal to be run. A convenient hand chain controls the speed adjustment of the variable speed drive.

A magnetic line starter and push button controls the 5 h.p. driving motor, which in turn is connected to the flywheel by means of V-belts. The high speed rolling key clutch. locking pawl and releasing brake are standard features. The stroke of 11/2 inch and an adjustment of 3 inch has been provided. shutheight bed to slide, stroke down, adjust-



ment up, is 11½ inches, while the bolster is 4 inches thick with a 25-inch cored hole in the center. All main and connection bearings are bronze bushed with a crankshaft running on Timken roller bearings.

(Continued on Page 76)

For the First Time! Vacuum Cleaning Made Applicable to All Plant Cleaning Requirements at Low Cost With



Breuer's Ball Bearing

TORNADO

Portable Industrial Vacuum Cleaner

This new machine is designed to solve all industrial cleaning problems without the expense of installing a stationary plant or using so-called portable cleaners which are too beavy and expensive for average plant applications.

TREMENDOUS POWER

1 H. P. Motor-461/4 Waterlift

Do not confuse the TORNADO with light-duty cleaning machines. Model 112 combines light weight (only 40 pounds) with tremendous cleaning power (1 H. P. G. E. ball bearing Motor—46½ waterlift). Patented principle of separating fine dust from refuse and depositing heavy dirt in tank makes this cleaner as applicable to heavy duty work as the largest machines. Sturdy construction insures long life and low yearly cost.

Has plenty of power and capacity to handle dust, dirt, sand, sawdust, metal scraps, filings, etc. Attachments available for cleaning boiler tubes, ovens, machinery, walla, floora, pipes, etc.

Motor unit can be quickly removed for blowing dust from
motors, etc. The handiest heavy duty, low cost, time and labor saving unit ever built.

We prove TORNADO advantages right in your plant without obligation. Send Quickmail Coupon No. 30 for details of trial offer and further information or write.

BREUER ELECTRIC MFG. CO.

842 Blackhawk Street.

Chicago, Illinois

A few of the principal dimensions: slide area 28 inches by 31 inches, bed area 34 inches by 35½ inches, 4 inch diameter of crankshaft at bearings, 6 inch diameter at connections and a distance of 36 inches between uprights. A Bliss high speed double roll feed, with a seven roll driven straightener and a shear type scrap cutter with regular press gibbing is mounted on the press. It is arranged to take coil stock 24 inches wide, right to left through openings in the housing. The upper blade of the scrap cutter can be adjusted to increase or decrease the cutting clearance. Feed rolls are 25 inches wide and the feed length is adjustable from 0 to 25 inches.

New Fafnir Heavy Duty Ball Bearings

To meet the severe problems of shock loads, vibration and wear coincident with the operation of heavy duty machinery, The Fafnir Bearing Company of New Britain, Conn., has recently added a new series of high capacity ball bearings to its present extensive range of

types and sizes.

Using as a basis the ever popular single row radial design, the new bearings are furnished in the heavy duty series, but with specially designed, sturdy, wear resistant, bronze retainers to 'take care of these extra duty requirements to 'take care of these extra duty requirements.



dependable and accurately fabricated so that they will be exactly balanced in operation, they meet all demands imposed by this type of equipment. A folder entitled "Endurance" has just been published telling of the development of this new line, describing the new bearings with bronze retainers as well as other standard and special ball bearings suited to severe service uses. A copy may be obtained by writing directly to the Fafnir Bearing Company.



THE HOME of SHEAR CUT



17

END MILLS

A BOVE is pictured the plant of the PROGRESSIVE TOOL & CUTTER CO., at Ferndale, Michigan. Here, amid attractive surroundings and under ideal working conditions, is where the entire PROGRESSIVE line of quality tools is manufactured. The Progressive line of Shear Cut End Mills and Holders and other related Cutting Tools is made here from high grade materials with the finest of workmanship.

An End Mill for Every Job!

Send us your blue prints on special end mills. Our many years of experience in their design and manufacture is at your disposal without obligation. We can give you good prices and guick deliveries. "When You Think of End Mills—Think of PROGRESSIVE."

Send Quickmail Coupon No. 58 today for your copy of the Progressive catalog. It illustrates and describes our entire line.

PROGRESSIVE TOOL & CUTTER CO.

Farrel-Sykes Gear Generating Machine

The new Farrel-Sykes 2-C gear generating machine recently introduced by Farrel-Birmingham Company, Inc., Buffalo, N. Y., is especially designed to meet the exacting demands for high-precision gearing, coupled with high-speed production. A single operator can attend from two to four machines. To change work often takes only a few seconds, and the usual set-up time is said to be less than an hour. Automatic infeed mechanism is adjustable to take from one to seven cuts. Changes in the depth feed are made without special equipment and except for mounting the work and taking it off, the new 2-C is entirely automatic.

It is equally suitable for tool room or general jobbing work or line production. It will cut every type of gear connecting parallel axes; machine cylindrical surfaces on shafts or pistons; cut parallel and tapered spline shafts; two



members of a cluster gear or many gang-mounted gears simultaneously. According to the manufacturers, this new machine will execute perfectly such difficult assignments as cutting double helical gears for aero-plane power transmission, or special increasing gears for driving superchargers. Its maximum cutting speed is 800 strokes per minute. Weighing 13,900 lbs., it oc-

cupies only 111"x87" of floor space.

It is claimed that owing to special hardening of the sliding surfaces this new model will operate 30,000 hours without wearing enough to appreciably affect the mechanism. Speed and feed controls are on the front; speed and feed change speed gear box is in one unit. All high speed moving parts are forced lubricated, and slide-ways are covered to keep grit out of the sliding surfaces. Full information may be obtained by writing directly to the manufacturer at the address above.



They Grip Tighter under Less Tension



Single - piece collets for all automatic and hand screw machines, listed on pages 6 to 11 of Sutton No. 12 Catalog.



Master type with diamond-serrated pads. Also Master Compensating Collets to handle hot-rolled stock.

Send Coupon No. 59 for Catalog No. 12 showing complete Sutton line of screw machine accessories.

SUTTON TOOL CO., 2836 W. Grand Boulevard, MICHIGAN

A Correction

In an article we published last month, we stated that the Modern Collet & Machine Company had recently introduced and have an exclusive feature of felt filler pads for collets.

The Morrison Machine Products, Inc., Elmira, N. Y., inform us that they have applied the same arrangement

for the last four years.

The Landis Machine Company, Waynesboro, Penna., are distributing a unique booklet which they call the "Landis Check Book". Bound in check book form are the blue prints and records of 43 different threading production jobs, while the perforated stubs are numbered to correspond with each job and may be detached and sent in for further information on any job which particularly interests you. Tables of cutting speeds and thread standards are also included. A copy may be obtained by writing directly to the Landis Machine Company.

The General Electric Company, Schenectady, N. Y., has published an attractive and useful bulletin, GED-650, entitled "Electric Heating Units and Devices". Much useful information is given in its 60 pages as well as descriptions and illustrations of their various units including immersion heaters, cartridge units, strip heaters, calrod and fin calrod units, unit and oven heaters, metal melting pots, control equipment, etc.

J. H. Williams & Co., 75 Spring St., New York City, have published two new booklets. The first, Booklet No. A-409 illustrates and describes their line of "Supersocket" Wrenches (Detachable Sockets); "Supercetor", a new heavy duty, reversible ratchet wrench; "Non-Sparking" Safety Wrenches (Beryllium-Copper); and two recently announced lines of adjustable wrenches. Booklet A-81 describes the full drop-forged carbon steel wrench line, 50 patterns, more than 1,000 sizes. Bull dog types and screw wrenches are included. Copies of these booklets may be obtained by writing the manufacturer at the address given above.



For specifications sheet and price lists use Quickmail Coupon No. 55.

Hannifin Manufacturing Co., 621-631 South Kolmar Ave., Chicago, Ill., has purchased the machinery, equipment and name of John F. Allen Co., of New York, makers of air operated riveting machines. Manufacture, sales and service of Allen riveting machines will be continued as the Allen Riveter Works, Division of Hannifin Manufacturing Co., at St. Marys, Ohio. The Hannifin Manufacturing Co. has recently completed a new plant at St. Marys, Ohio. equipped for the production of large machinery.

The Rotor Air Tool Company, 17325 Euclid Ave., Cleveland, Ohio, are distributing an attractive catalog, No. 15, covering their line of air tools including drills, reamers, screw drivers, nut setters, wood borers, grinders, buffers, sanders and wire brushing tools. They are also issuing a booklet entitled "The Facts about High Cycle Electric Tools" which gives considerable information on the engineering, operating and production facts on such tools.

"Haynes Stellite J-Metal Cutting Tools", a new 52-page booklet of interest to users of machine tools, has just been published by Haynes Stellite Company, a unit of Union Carbide and Carbon Corporation. This booklet, which contains more than 60 illustrations of tools and machining operations, gives complete, detailed information on how to obtain maximum results in machining cast iron, malleable iron and most steels. Copies of this booklet will be gladly furnished on request by Haynes Stellite Company, Kokomo, Indiana.

The Nice Ball Bearing Company, 30th & Nicetown Lane, Philadelphia, Penna., have issued their Catalog No. 102 covering their line of ball bearings of various types as well as other products they manufacture such as balls, sheaves, wheels and casters.

Consolidated Air Conditioning Corp., 114 East 32nd St., New York City, has issued a bulletin describing their Odor Absorber. It is claimed that this surprisingly simple device will extract virtually all odorcreating organic and inorganic gases and vapors, rendering the effluent air free from all trace.



SAVE TIME! GET BETTER RESULTS! INCREASE YOUR PROFITS!

with a

MALL UNIVERSAL GRINDER

More horsepower per pound of weight in the operator's hands than any other grinder on the market.

It will pay you to investigate this PORTABLE, EFFICIENT, HIGH SPEED machine for grinding and casting snagging. Also, inquire about the various other MALL grinders. There is a type for every job!

Use Quickmail Coupon No. 46

MALL TOOL COMPANY


7742 South Chicago Avenue Chicago, Illinois

Offices and Distributors in all Principal Cities

Tolhurst Centrifugal Chip Wringer

The Tolhurst Division of American Machine and Metals, Inc., 100 Sixth Ave., New York City, announce an improved model of the Tolhurst centrifugal chip wringer. This type of extractor is used to recover cutting oil from metal chips and turnings. A removable basket is filled with chips and placed in the centrifugal and the rapid rotation of the basket separates the oil from the chips, recovering in some instances as much as 97% of the lubricant.

The improvements lie in the design and method of handling the basket cover, which retains the chips while the machine is in motion. These covers are secured to the basket and machine spindle by a handwheel at the center, which operates radial bars locking at both the periphery and center. A lifting yoke is provided to facilitate the removal of the basket and cover. To



remove the basket, the yoke is lowered onto the basket, guided by a pilot at the center. The cover handwheel is turned through a short arc which at once releases it and simultaneously attaches it to the yoke. The yoke is also attached to links on the basket. By this means, the basket and cover are removed in one operation and may be easily transferred to any point for dumping.

For a detailed description of the machine, together with specifications and capacities of the various sizes, write directly to the manufacturer at the address given

above.

DRILL JIG



BUSHINGS



Standardized



Prompt delivery from stock on over 10,900 standard items — over 6700 ACME Standard — over 4200 A. S. A. Standard — all completely finished ready for use. Special sizes made to order.



Made in our new plant by the most exacting and scientific methods — insuring accurate fit plus long wear—concentric within .0003* full indicator reading.

Types shown at left, top to bottom, are: plain stationary press fit, type 'P'; shouldered stationary press fit, type 'S'; removable slip, type 'R'.



Send Quickmail Coupon No. 39 for bulletin containing complete data and low prices. Satisfactory service guaranteed.

ACME INDUSTRIAL CO. 210 N. LAFLIN ST., CHICAGO. ILL.

R. L. Carter Introduces New Grinder

A new grinder with a multitude of uses made possible with the application of a variety of attachments was introduced recently by the R. L. Carter Division

of the Stanley Works, New Britain, Conn. The new tool. No. GR7, may be used free hand to grind dies, to remove burrs on small metal parts and flashing on diecastings and to carve wood. With a lathe holder, it may be used to true up lathe centers and for shallow internal and external grinding on work held in the lathe. With attach-



ments it may be used to grind small tools and to

rout in wood or non-ferrous metals.

The 1/7 horsepower, 18,000 r.p.m. universal motor operates on either D. C. or A. C. at 60 cycles or less. Features include large ball bearings, an aluminum alloy housing and a ¼-inch chuck that holds grinding points, drills, rotary files, arbors for wheels and Carter adapters for points with shanks as small as 1/16 inch.

The tool is packed in a wooden box with six grinding points, a tube of grease and a wrench, as

shown in the illustration.

The Independent Pneumatic Tool Co., 600 West Jackson Boulevard, Chicago, Ill., have issued a handsome catalog, No. 51, illustrating and describing their line of "Thor" Pneumatic Tools.

ITTEK.

Roll Feeds

For Every Size and Make of Punch Press



Increases Punch Press Production

Keeps production at the same steady high level day in and day out—no fatigue or other human "let down". Easily instal ed on any press without alteration. Feeds automatically any stock from coils in lengths from

0" to 24" per press stroke. Saves time, operating costs and dies-reduces scrap to a minimum. A type for every requirement—Single Roll, Double Roll, and Compound with straightener.

Wittek Reel Stands

Automatic, Self - Cent-ring, Ball - Bearing. Adjustal le to any height, balanced at any angle, 500 lb. capacity. Prompt deliveries from stock. Also made in four other models.

Write Today for Bulle'in "HF" giving com-plete details and specifications of WITTEK Automatic Roll Feeds and Reel Stands.

USE QUICKMAIL COUPON No. 25



TEK MANUFACTURING COMPANY CHICAGO ILL.

NICHOLSON EXPANDING MANDRELS



They act as internal chucks for holding work while being machined on lathes, millers, grinders or shapers. Made in 14 different sizes taking bores of every fractional part of an inch from ½" to 7". Sold singly or in sets. Write for Bulletin 530.

CONTROL VALVES 2, 3 and 4 Way Types



For operating air, water, steam or oil, single and double acting cylinders. Made in lever, foot, solenoid and motor operated styles for pressures up to 300 lbs. Hydraulic Valves up to 4000 lbs.



Send Quickmail Coupon No 45 for Bulletin.

Other Products—Arbor Presses, Flexible Couplings, Steam Traps, Steam Separators, Steel and Stainless Steel Floats, etc.

W. H. Nicholson & Company 117 Oregon Street, Wilkes-Barre, Pa.



askina

FILL IN AND MAIL THIS COUPON F you use cap screws or set screws in the manufacture of your product, you should have a copy of this book. It shows the advantages of the knurled construction of "Unbrako" Socket Head Cap Screws and

"Unbrako" Hollow
Set Screws. It gives
sizes, and pictures the
many types in the
"Unbrako" Line. In
fact, it's just loaded
with information you
should have at your
elbow. Fill in the coupon
and get your copy.

STANDARD PRESSED STEEL CO.


BRANCHES JENKINTOWN, PENNA. BRANCHES
BOSTON CHICAGO
DETROIT BOX 559 SAN FRANCISCO

Send me my copy of this Catalog.

COMPANY

89

ADDRESS



ROSS Operating Valves

MODEL 4-PS

Four-Way Solenoid Controlled for the control of Double Acting Cylinders

Simple in design—lightning swift in operation. The fastest operating valve on the market. All ports on one face, making installation and servicing easy. Made in hand, foot, mechanical and solenoid controlled types, for the control of both single and double acting cylinders.

Use Quickmail Coupon No. 32 when you write for new catalog.

Ross Operating Valve Company 6484 Epworth Blvd., Detroit, Mich.

BALDOR

BEARING GRINDERS



Line — each guaranteed for 1 year QUALITY BUILT

A Complete

QUALITY BUILT HEAVY DUTY GRINDERS





6' to 12' Bench and Pedestal Types

USE QUICKMAIL COUPON No. 18
for Bulletins on Complete Line.

BALDOR ELECTRIC CO.

(Electrical Manufacturers for 17 years)

4368 Duncan Ave.,

St. Louis, Mo.



Triplex Set Screws

THEY STAY "SET"

TRIPLEX makes hardened set screws, accurately formed and threaded, that stand the gaff of tightening and stay set.

Send for samples, catalog and price list.

THE TRIPLEX SCREW CO. 5377 Grant Ave., Cleveland, Ohio

TRIPLEX

Complete Line of CAPAND SET SCREWS, BOLTS AND NUTS



SAVING by cutting all die parts in one operation illustrates a striking advantage gained by users of DOALL Contour Sawing. As the American District Telegraph Company says of their DOALL operations, "Two days' work in two hours." Similar remarkable savings are reported by such companies as American Stove, Curtiss Airplane, Stevens Arms, General Electric, General Motors, and American Can. DOALL, the adaptable tool, is easy to investigate, simple to put in operation, quick to pay for itself. It belongs in every tool room.

The DOALL Contour machines are equipped with the Job Selector Dial, enabling operators to quickly determine the saw or file speed and other specifications for most efficient cutting. This exclusive DOALL advantage is one of the many features that bring enormous savings to DOALL users.



JOB SELECTOR DIAL

INVESTIGATE THESE SAVINGS

 Write us for formal quotation on DOALL.
 Send for Contour Sawing Handbook, sent free when requested on business letterhead Use Quickmail Coupon No. 65 when you write

CONTINENTAL MACHINE SPECIALTIES

1301 Sauth Washington Arrows
MINNEAPOLIS
MINNESOTA

DESMOND GRINDING WHEEL DRESSERS AND CUTTERS



We manufacture the only complete line of Dressers and Cutters and will gladly advise the proper dresser for your wheels. A well dressed wheel grinds faster and more accurately at a lower cost.

SIMPLEX STEEL VISES



The exclusive solid steel slide makes these vises stronger and more serviceable than iron slide vises at no extra cost to you.

Attach Quickmail Coupon No. 41 to your letterhead for literature on Dressers and Vises and name of your nearest dealer.

DESMOND-STEPHAN MFG. CO.

SHELDON ARBOR PRESSES and VISES





Plain and Swivel
Milling Machine Vises
4 Sizes

31/2 to 81/2 inch laws

Arbor Presses 12 Sizes From ¾ to 10 ton Pressure



Drill Press Vises 3 Sizes 4½-6½ and 9 inch Jaws

Shaper Vises
2 Sizes
12 and 14 inch laws

Use Quickmail Coupon No. 15 for Catalog and Price List

SHELDON MACHINE CO. 3257 Cottage Grove Ave., Chicago, III.

THE ONLY TAPPER WITH A LEATHER CLUTCH

Ettco-Emrick

TAPPING ATTACHMENTS

ETTCO pioneered sensitive tapping 15 years ago with a leather lined friction driving clutch.

As yet we have found no substitute to equal the smooth, consistent super-sensitive action of leather for the exacting requirements of tapping.



The 1937 clutches have about double the "pull" and wear. Taking the Tapper apart and changing clutches is now a matter of a few minutes.

The Tappers have ball bearing spindles—needle bearing intermediate gears and all helical gears to insure the greatest possible speed.

The Tap Idles "In"—Not Reverse— This Means Better Holes and Far More Tap Life.

> Drop us a line for our catalogue. Send Quickmail Coupon No. 49

These tappers are used with the ETTCO multiple tapping system and our No. 71 gravity foot operated tapping machine.

ETTCO TOOL CO.
594 JOHNSON AVE. BROOKLYN, N. Y.

Here's your pass to SMALL TOOL economy

STEEL BURS

ABRASIVE POINTS DISKS WHEELS

ROTARY FILES, etc.



Your name and address on the ticket below will bring a copy of Catalog TA illustrating and describing

S. S. WHITE SUPER-QUALITY CUTTING and GRINDING TOOLS

When you mail it in, you will be taking the first step in cutting your small tool expense, because these tools will give you more hours of service than ordinary tools although they cost no more. Best materials, accurate construction and over half a century of manufacturing experience are the reasons. S. S. WHITE Tools will mean better work too, because they cut fast, true and retain their cutting edges. FILL IN AND MAIL THE TICKET—TODAY.

ONE WAY TICKET TO SMALL TOOL ECONOMY

The S. S. WHITE Dental Mfg. Co. INDUSTRIAL DIVISION

| 10 East 40th St., Room 2310H, New York, N. Y. | Good for a copy of CATALOG TA with prices

ADDRESS


CITY ____STATE

ERRINGTON HYSPD

Super-Sensitive Ball Bearing

Cone Drive

2 to 1 Auto-Reverse Tapping Chuck



Size	Taps in Steel	Taps in Cast Iron	Price	Code
No. 00	0° to 3/16°	to 1/4" to 1/2"	\$35.00	Phlam
No. 0	to 3/8°		\$50.00	Phalanx


The principle on which this Style is designed is especially effective on very small tapping; whereas in the

No. 0 size the Frictional Grip is Greatly INTENSIFIED, to cover a wider range, without loss of sensitiveness.

Errington Mechanical Laboratory

Main Office and Works: STATEN ISLAND; New York
Chicago Office: New York Office: Boston Office:
6047 N. Talman Ave. 220 Broadway 930 Old South Bldg.

TEMCO Portable DRILLS



Will Give You POWER and PERFORMANCE at a Low PRICE

That's Why there are over

50,000 Satisfied Users

For more than 27 years we have been manufacturing portable electric drills and the constant improvements—the practical experience gained—over that period is your assurance that TEMCO Drills will render satisfactory

TOUGH Tools for TOUGH Jobs

TEMCO Drills are ruggedly built to withstand the roughest usage. Norma high grade ball bearings are used to eliminate friction, with a special ball thrust bearing which removes all end friction. Power is furnished by a 25 to 60 cycle universal motor for direct and alternating current which is fan cooled and will not run hot. Deep cut, wide face, oil hardened gears will stand the hardest wear. Made in ½, ½,6,8,3,8,1,½,7,8,8 and 3½ capacities. All sizes from the ½,8 up have these exclusive TEMCO features: oval aluminum handles, automatic switch and a balance on the side handle which makes the drill seem lighter than it really is and greatly reduces operator fatigue.

Send Quickmail Coupon No. 50 for Complete Information and Prices

The TEMCO ELECTRIC MOTOR CO.

• Leipsic, Ohio, U. S. A. •

Oh Lead! Was this a tough baby to thread -very difficult to hold



I'll Say! And we gave them 1200 threaded pieces per machine every hour. That's production, Pitch, old boy!



The above electrical connector was just a sample sent to our Machine Designers. Today it is just one of 1200 threaded pieces per hour spit from a new automatically indexing, cam controlled R&S threading machine. Send Coupon No. 38 for full information

THE RICKERT-SHAFER CO.

Specialists in Thread Cutting Equipment
650 WEST 11th STREET, ERIE, PA.

New 17" Two-Spindle DELTA" DRILL PRESSES



Again Delta rings the bell with more astonishing drill press values

The heads of this drill press with the streamlined guards completely covering the spindle pulleys and belts, are of the same design that has proved so popular in the previous models. Heads are interchangeable, so that either two spindles with No. 2 Morse tapers, two spindles with Jacobs chucks, or one of each type can be used on the machine as desired. Spindles also may be quickly interchanged without changing heads.

Exclusive inverted-spindle design, with automobile-type 16-tooth spline drive and floating spindle sleeve. Spindles carried in New-Departure self-scaled ball bearings. All hall bearings are lubricated at the factory, and require no further attention or lubrication during their entire life.

Send Coupon No. 29 for name of nearest dealer and special circular giving full details.

DELTA MFG. COMPANY
651 E. VIENNA AVE., MILWAUKEE, WIS.

DUMORE Announces a new MORE POWERFUL HAND GRINDER Here's the "very latest" in offhand grinding tools...the new Dumore No. 10. Compact, well balanced and weighing but 2 lbs. 12 oz., it is identical in size and shape to the popular No. 8 Dumore grinder ... yet the No. 10 has twice the horsepower (1/18) and 1/3 greater speed _ 20,000 r. p. m.

Driginally custom-made for one of the large automobile nanufacturers who wanted EXTRA CAPACITY without ncreased size, the Dumore No. 10 has found increasing sefulness in practically every industry. Available with a ariety of wheels and abrasive bands. Write for catalog nd name of nearest Distributor for demonstration.

or information, send Quickmail Coupon No. 10 today!

HE DUMORE CO.,

RACINE, WIS.

Hitchcock's Blue Book send date of Bench Lathe Unit

HARDINGE BROTHERS, INC.

ELMIRA, N. Y.

Per your ad in M. Hitchcock's Blue Be send building on Pre Brakes.

DREIS & KRUMP MFG. CO.

7440 Loomis Blvd. CHICAGO, ILL.

nek's Blue Book nek's Blue Book nek's Blue Book

HARDINGE BROTHERS, INC.

ELMIRA, N. Y.

Hitchcock's Blue Bes send builde on N

BUFFALO FORGE CO.

161 Mortimer St. BUFFALO, N. Y.

or your ad in May litchcock's Blue Book end date or Cellets ind Feed Massers

MORRISON MACHINE PRODUCTS, INC.

ELMIRA, N. Y.

Hitchcock's Blue Bee and catalog Three Grinders.

JONES & LAMSON MACHINE CO.

SPRINGFIELD, VT.

shoock's Blue Bool

CULLMAN WHEEL CO.

1359 Altgeld St. CHICAGO, ILL. 10

THE DUMORE CO.

RACINE, WIS.

hoock's Blue Book

ARMSTRONG-BLUM MFG. CO.

341 N. Francisco Av. CHICAGO, ILL. Hitchest ed in Military and Cond catelog. on C

CHICAGO WHEEL & MFG. CO.

101 W. Monroe St. CHICAGO, ILL.

Hebesek's Blue Boand out of Arm

ARMSTRONG BROS. TOOL CO.

308 N. Francisco Av. CHICAGO, ILL. Md Haber Ile Bring

CHICAGO WHEEL & MFG. CO.

IIOI W. Monroe St. CHICAGO, ILL.

Patent Pending in U. S. and Foreign Countries-Louis Galter

Stick coupon on a postcard or letterhead and sign name, title and firm. It will bring a bul-letin on Chicago Press Brakes.

DREIS & KRUMP MFG. CO. Stick coupon on letterhead or postcard and sign name, title and firm for bulletin on Bench Lathe Unit.

HARDINGE BROS., Inc.

Stick coupen on letterhead or postcard and sign name, title and firm for bulletin on No. 15 Tapper.

BUFFALO FORGE CO.

Stick coupon on letterhead or postcard and sign name, title and firm for bulletin on Hardinge Collets.

HARDINGE BROS., Inc.

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Thread Grinders.

JONES & LAMSON MACHINE CO.

Stick coupon on letterhead or postcard and sign name, title and firm for bullatin on Collets and Feed Fingers.

MORRISON MCH. PRODUCTS

....................

Stick coupon on letterhead or postcard and sign name, title and firm for information on Dumore Grinders.

THE DUMORE CO.

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Culiman Lathe Drives.

CULLMAN WHEEL CO.

Stick caupan on letterhead or postcard and sign name, title and firm for catalog on DeLuxe Handes Grinders.

CHICAGO WHEEL

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Marvel Hacksaws.

> ARMSTRONG-BLUM MFG. CO.

Stick coupen on letterhead or postcard and sign name, title and firm for Handee Grinder on 10 day trial.

CHICAGO WHEEL

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Armstrong Bros. Tools.

ARMSTRONG BROS. TOOL CO.

Iteheorie Des

UNIVERSAL HIGH SPEED TOOL CO.

549 Washington CHICAGO, ILL.

tehcoot at in Bridge in Br

WYZENBEEK & STAFF

642 Washington Bl. CHICAGO, ILL.

14

TOMKINS-JOHNSON CO.

JACKSON, MICH.

20

GALLAND-HENNING MFG. CO. 2753 S. 31st St. MILWAUKEE, WIS.

15

SHELDON MACHINE CO. 3255 Cottage Grove Ave. CHICAGO, ILL. 21

R. G. HASKINS CO.

4654 W. Fulton St. CHICAGO, ILL.

iteheesi ting and be not be no

SKILSAW, INC. 3318 Elston Ave. CHICAGO, ILL. tchoose of in May tchoose of us Book of catherine Floxio Shaff Fols. R. G. HASKINS

4654 W. Fulton St. CHICAGO, ILL.

itehantier die Bee

OLIVER
INSTRUMENT CO.
1408 Maumee St.
ADRIAN, MICH.

Hitchcool Can in Hitchcool Can of Can in Hitchcool Can in Hitchcool

HAMMOND MACHINERY BUILDERS

KALAMAZOO, MICH.

tohosely ad in Be

BALDOR ELECTRIC CO. 4368 Duncan Ave. ST. LOUIS, MO. telecond to Ba

GRINDER, INC.

Brighton BOSTON, MASS.

Stick coupon on letterhead or postcard and sign name, fille and firm name for catalog on the complete Wyco line.

WYZENBEEK & STAFF

Stick coupon on letterhead or postcard and sign name, title and firm for your bulletin on Name's Values Nopak Valves.

GALLAND-HENNING MFG. CO.

Stick coupon on letterhead or postcard and sign name, title and firm for booklet on Haskins Tappers.

R. G. HASKINS CO.

22

Stick coupon on letterhead or postcard and sign name, title and firm for a catalog of Flex-Ible Shaft Tools.

R. G. HASKINS CO.

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Grinders & Polishers.

HAMMOND MACHINERY BUILDERS

Stick coupon on letterhead or postcard and sign name, title and firm for bulletin on Rivett Collets & Chucks.

RIVETT LATHE & GRINDER, Inc.

Stick coupon on letterhead or postcard and sign name, title and firm for information on Eklind Milling Attachment.

UNIVERSAL HIGH SPEED TOOL CO.

Stick coupon on letterhead or postcard and sign name, title and firm for circular on The Rivitor.

TOMKINS-JOHNSON CO.

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Sheldon Tools.

SHELDON MACHINE CO.

14

Stick coupon on letterhead or postcard and sign name, title and firm for information on Defender Drills.

SKILSAW, INC.

Stick coupon on letterhead or postcard and sign name, title and firm for full information on Oliver Die Making Machines.

OLIVER INSTRUMENT CO.

Stick coupon on letterhead or postcard and sign name, title and firm for bulletin on Ball Bearing Grinders.

BALDOR ELEC. CO.

WELLS MFG. CORP.

Stick coupon on letterhead or postcard and sign name, title and firm for information on Wittek Roll Feeds.

WITTEK MFG. CO.

32

Stick coupon on letterhead or postcard and sign name, title and firm for catalog of Ross Operating Valves.

ROSS OPERATING VALVE CO. 24

Stick coupon on letterhead or postcard and sign name, title and firm for your catalog on Flexible Shaft Machines.

N. A. STRAND & CO.

33

Stick coupon on letterhead or postcard and sign name, firm and address for circular on Titan Stud Satters.

TITAN TOOL CO.

27

Stick coupon on letterhead or postcard and sign name, title and firm for information on E-O Screw Drivers.

ROTOR AIR TOOL CO.

1

Stick coupon on letterhead or postcard and sign name, title and firm for catalog of Atlas Timken Bearing Equipped Lathes.

ATLAS PRESS CO.

28

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on "Modern" Products.

MODERN COLLET & MACHINE CO.

-

Stick coupon on letterhead or postcard and sign name, title and firm for full information on BASA Hammers & Reversible Ratchet Wrench.

GREENE-TWEED & CO.

29

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Delta Drills.

DELTA MFG. CO.

100

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on the L-W Line.

L-W CHUCK CO.

30

Stick coupon on letterhead or postcard and sign name, title and firm for information on the Tornado Cleaner.

BREUER ELECTRIC MFG. CO.

25

WITTEK MFG. CO. 4305-9 W. 27th Pl. CHICAGO, ILL. itehcock of in Man and dails of Mets cutting Band Sawe.

WELLS MFG. CORP.

315 Seventh Ave. THREE RIVERS, MICH.

26

N. A. STRAND & CO.

5001 N. Lincoln St. CHICAGO, ILL. 32 Oper Clair

ROSS OPERATING
VALVE CO.

6484 Epworth Blvd.
DETROIT, MICH.

itchese In May old Interest and Interest he E-O Serie Driver.

ROTOR AIR TOOL CO.

CLEVELAND, OHIO

3

TITAN TOOL CO.

.................

28

MODERN COLLET & MACHINE CO. 403 Salliotte St.

ECORSE, MICH.

Hitchcost of in Hitchcost

ATLAS PRESS CO. 550 N. Pitcher St. KALAMAZOO, MICH.

29

DELTA MFG. CO. 651 E. Vienna Ave. MILWAUKEE, WIS. 35

GREENE-TWEED & CO.

NEW YORK, N. Y.

ditchoog is May ditchoog in Board and in Oatlon on the York Cleaner.

BREUER ELECTRIC MFG. CO. 842 Blackhawk St. CHICAGO, ILL.

36

L-W CHUCK CO.

I-7 N. St. Clair St.

TOLEDO, OHIO

Patent Pending in U. S. and Forbign Countries-Louis Galter

L-W HIGH SPEED 6x6 POWER SAW

AN IDEAL SAW FOR ANY SHOP

The highest grade of material and workmanship is employed in the making of this heavy duty power hack saw. It is efficient and accurate in operation.

The saw frame is so designed that maximum rigidity is obtained. The sliding bearing is dovetailed to fit the arm and is adjustable in all directions. Automatic trip is provided which stops the machine on completion of the cut, also automatic relief of the saw blade on the non-cutting stroke. To make a clean and compact assembly, the coolant pump is mounted inside the base. Capacity 6°x6" with 10° to 14° blades.



145 Weight 460 lbs.

Gravity feed Length gauge Expanding clutch Automatic stop Dovetailed saw frame Automotive relieving device Fast and accurate



New Feature! Automotive Releasing Device

To start cut, relieve weight of saw frame, hold down on release lever and lower saw to work—then start machine. The rest of the operation is automatic.

L-W also manufactures magnetic chucks, lathe chucks, demagnetizers, vises and dividing heads. Send coupon No. 36 for a catalog of the complete L-W line.

L-W CHUCK CO. 1-7 N. ST. CLAIR ST., TOLEDO, OHIO



The most versatile actually a whole one. More than a able.

Indispensable in a experimental lab duction line in la

For making, sha metal products, a tion materials, we precision jobs places on intric without removing machine.

Reaches those

hard-to-get-at

places. Its light

weight and easa of handling in any position

save time on a

uide range of operations.

The finest, fastest tool for its typ ounces. Speed, portable; simply socket. 110 volts,

Try a Hand e-y its smooth, apid sponse and he v it will do.

Order one Inday

The De Luze Handee pays for itself many times over, often on one job.

Indispensable in die shops and all metal working plants for touching up and polishing every type of die, even when set on presses.

versatile tool ever offeredwhole shop full of tools in e than 200 accessories avail-

ablain model and tool room. ntal laboratory, on the prone in large and small plants.

ing, shaping, polishing all ducts, alloys, glass, composierials, wood, stone, etc. For jobs and hard-to-get-at n intricate machine parts, emoving parts or dismantling

, fastest and most powerful its type and weight, 12 Speed, 25,000 r.p.m. It is simply plug in any electric 10 rolts, AC or DC.

nd e-you'll be amazed at h, Papid, almost human red he wide range of work

16day on 10-Days Trial.

· Grinds

· Drills

· Saws

Routs

Sands

Carves

Polishes

Engraves

Sharpens

Cleans

· Cuts

CONTRACTOR SALARIAN See COMPON No. 13

CHICAGO WHEE AND MFG. CO.

Chicago I



AUTOMATIC RIVET SETTERS WILL HANDLE RIVETS



AS SMALL AS THIS-

OR AS LARGE AS THIS!

A wider range of tubular and split rivets in all metals, the most com-plete line of power and manual automatic riveters, plus a competent consulting service makes "Chicago" best equipped to lick production prob-lems. Send sample assembly with inquiry.

Single and Multiple Setters.

hicago

MACHINE CO. 1855 South 54th Street

(Cicero P.O.) Chicago, Ill.,

One of the World's Largest Manufacturers of Split and Tubular Rivets and Rivet Setting Machines

Use QUICKMAIL COUPON NO. 56

It will bring you our rivet price list and illustrations of Chicago Automatic Rivet Setters. On specific production problems write letter and send sample assembly or blue print.

37

WELDON TOOL CO.

321 Frankfort Ave. CLEVELAND, OHIO itehcocket Milling

PORTER-CABLE MACHINE CO.

Salina Street SYRACUSE, N. Y.

RICKERT-SHAFER CO.

650 W. 11th St.

Per your at in Ma Hitchescheroup Boo end darner Unith Valves.

HANNA ENG. WORKS

1763 Elston Ave. CHICAGO, ILL.

Hitchcock and Mark

ACME INDUSTRIAL CO. 210 N. Laffin St.

CHICAGO, ILL.

Hitchnock Lue Bo

W.H.NICHOLSON & CO.

WILKES-BARRE, PA.

40

SCULLY-JONES & CO.

1905 S. Rockwell St. CHICAGO, ILL. Hitchrock in 1991

MALL TOOL CO.

7742 So. Chicago Ave. CHICAGO, ILL.

itrhiock ad in May litrhiock blue Book and me details on frances and Vises.

DESMOND-STEPHAN MFG. CO.

URBANA, OHIO

itchnock and in Man

VONNEGUT MOULDER CORP. 1805 Madison Ave. INDIANAPOLIS. IND.

heart ad in May mercial line Bask mercials on the key with of Tools.

WHITNEY METAL TOOL CO.

ROCKFORD, ILL.

48 AN

VINCO TOOL CO. 7348 Central Ave. DETROIT, MICH. Stick coupon on letterhead and sign name, firm and address when you write for a Porter-Cable Milling Attachment on 15-day trial.

PORTER-CABLE MACHINE CO.

Stick coupon on letterhead or postcard and sign name, title and firm for full information on Weldon End Mills.

WELDON TOOL CO.

383

Stick this coupen on a postcard or letterhead to receive information on Hanna Unitite Valves.

HANNA ENGINEERING WORKS

......

Stick this coupen on your letterhead and sign. If you wish only one catalog, cross out either valves or mandrels.

W. H. NICHOLSON

46

Stick this coupon on a postcard and sign name, title and firm name to get catalog on Mall Power Tools.

MALL TOOL CO.

47

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Marschke Grinders.

VONNEGUT MOULDER

40

Stick coupon on letterhead or postcard and sign name, fitte and firm for circular on Vinco Angle Dressers.

VINCO TOOL CO.

28

Stick coupon on letterhead or postcard and sign name, firm and address for data on R. & S. Threading Machines.

RICKERT-SHAFER CO.

31

Stick coupon on letterhead or postcard and sign name, title and firm for bulletin on Drill Jig Bushings.

ACME INDUSTRIAL CO.

40

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Scully-Jones Centers.

SCULLY-JONES & CO.

44

Stick coupon on letterhead or postcard and sign name, title and firm fer a catalog on Wheel Dressers and Vises.

DESMOND-STEPHAN MFG. CO.

-

Stick coupon on letterhead or postcard and sign name, title and firm for a catalog on the Whitney line of tools.

WHITNEY METAL

-

Stick coupon on letterhead or postcard and sign name, title and firm for information and prices on Colonial Bushings.

COLONIAL BUSHINGS, INC.

5

Stick this coupon on a postcard or letterhead and mail to receive a rivet price list and lilustrations of Chicago Automatic Rivet Setters.

CHICAGO RIVET &

5

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Siewak Drill Jigs.

SIEWEK TOOL CO.

200

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Progressive End Mills,

PROGRESSIVE TOOL

RN

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Diamond-Grip Collets.

SUTTON TOOL CO.

40

Stick this coupon on a postcard or letterhead to receive data on the Precision Tool Head.

PRECISION TOOL CO.

1986

Stick coupon on letterhead or postcard and sign name, title and firm for information on High Speed Tappers.

FTTCO TOOL CO.

EA

Stick coupon on letterhead or postcard and sign name, title and firm for a catalog on Electric Drills.

TEMCO ELECTRIC

.

Stick coupon on letterhead or postcard and sign name, title and firm for information on your new Arc Welder.

HOBART BROTHERS

.

Stick coupon on letterhead or postcard and sign name, title and firm for your General Catalog.

VICTOR MACHINERY EXCHANGE, Inc.

E3

Stick coupon on letterhead or postcard and sign name, title and firm for information on Ace Welders.

PIER EQUIPMENT MFG. CO.

54

Stick coupon on letterhead or postcard and sign name, title and firm for your new Catalog No. 36-G on Dial Indicators.

FEDERAL PRODUCTS CORP.

Hitchood and in May

ETTCO TOOL CO.

598 Johnson Ave. BROOKLYN, N. Y.

TEMCO ELEC. MOTOR CO. Hitchcool Tue

COLONIAL BUSHINGS, INC. DETROIT, MICH.

Iteheses

CHICAGO RIVET & MACHINE CO. 1855 S. 54th Ave. Cicero P. O. CHICAGO, ILL.

house and in Ray

HOBART BROTHERS Box TB-47 TROY, OHIO Historical in Ma Historical Con Boo send cata Con Sieve Drill Jigi.

SIEWEK TOOL CO.

FERNDALE, MICH.

ditchood 5 in Ma

VICTOR MACHY. EXCHANGE, INC.

251 Centre St. NEW YORK, N. Y. Hitcheos Cain May Hitcheos Cain Book and mo Cain Book Progressi Office on Progressi Office on

PROGRESSIVE TOOL & CUTTER CO.

FERNDALE, MICH.

Hitchesser ed in Besk send dogen Ans Woldors.

PIER EQUIPMENT MFG. CO. 622 Cross St. BENTON HARBOR, MICH. itchoosica in Maj litchoosica ue Beel end me Calets

SUTTON TOOL CO.

2836 W. Grand Bl. DETROIT, MICH.

recepture Back

PRODUCTS CORP.

1144 Eddy St.

Itchcool ad in Ra

PRECISION TOOL CO.

BRIDGEPORT, CONN.

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Putnam End Mills, etc.

PUTNAM TOOL CO.

Stick coupon on letterhead or postcard and sign name, title and firm for cetalog No. 9 and Reference Manual.

THE APEX MACHINE

44

Stick coupon on letterhead or postcard and sign name, title and firm for full information on Federal Presses.

FEDERAL PRESS CO.

62

Stick coupon on letterhead or postcard and sign name, title and firm for catalog of Counterbore Sets.

THE GAIRING TOOL CO.

48

Stick this coupen on a postcard or letterhead and mail for information on the Sterling Sander.

STERLING PRODUCTS CO.

43

Stick coupon on letterhead or postcard and sign name, title and firm for information on the Magna-Sine.

ROBBINS ENGINEERING CO.

71

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Transmissions.

LENNEY MACHINE & MFG. CO.

44

Stick coupon on letterhead or postcard and sign name, firm and address for data on Sunnen Honing Machines.

SUNNEN PRODUCTS CO.

7

Stick coupon on letterhead or postcard and sign name, title and firm for full information on Universal Vises.

ODIN UNIVERSAL CORP.

AK.

Stick coupon on letterhead or postcard and sign name, title and firm for information on the Do-Ali Machines.

CONTINENTAL MCH.

77

Stick coupen on letterhead or postcard and sign name, title and firm for bulletin on Combination Tap and Drill Grinders.

GALLMEYER &

*

Stick coupon on letterhead or postcard and sign name, title and firm for catalog on Keller-flex Machines.

PRATT & WHITNEY Div. Niles-Bement-Pond Co. cheecing in May destruction of the ference

& TOOL CO.

3rd & Madison Sts. DAYTON, OHIO cheeced in May cheeced to Beek d mo gales on taam Eff Mills.

PUTNAM TOOL CO.

2981 Charlevoix Av. DETROIT, MICH.

heerles Both merber Sets.

THE GAIRING TOOL CO. 1629-35 W. Lafavette

Lafayette DETROIT, MICH. Cool Of the Back

FEDERAL PRESS CO.

ELKHART, IND.

hoosiga in May buck on the

ROBBINS ENG. CO.

639 Mt. Elliott DETROIT, MICH.



STERLING PRODUCTS CO.

303H Donovan Bldg. DETROIT, MICH.

Hitchcool Oue Book

SUNNEN PRODUCTS CO.

7928 Manchester Av. ST. LOUIS, MO.



LENNEY MACHINE & MFG. CO.

WARREN, OHIO

Itshoot ous Book and Information on Call Marines.

CONTINENTAL MACHINE SPECIALTIES

1301 Washington Av., So. MINNEAPOLIS, MINN.



ODIN UNIVERSAL CORP.

CHICAGO, ILL.

Ilahradgus Bask and an 1991 Kel-

PRATT & WHITNEY
Div. Niles-BementPond Co.
HARTFORD, CONN.

Hitchese of in Renders, and Brill of the Tand

GALLMEYER & LIVINGSTON CO. 303 Straight Ave. GRAND RAPIDS, MICH.



• The high-speed Wells Metal Cutting Band Saw will save you many precious minutes on those odd jobs in any part of the plant or shop. With its versatility and precision cutting any shape and practically any metal —it offers a way to increase your production.

Quickmail Coupon No. 31 will bring our latest folder.

WALKER — TURNER



THE SM900 Universal Surfacer sets a new high in single machine values. Never before has so much been offered at so low a price. The SM900 surfaces wood, metal, bone, plastics, cork and countless other materials with amazing ease and speed.

Write to-day for complete details and specifications



WALKER-TURNER CO.

16126 Berckman St.,


Plainfield, N. J.

Engineered POWER TOOLS

EACH HEAD CAN TURN TWO DIFFERENT-SIZED NUTS



Lower Storage Costs Mean Higher Profits!



money paid to carpenters-no time wasted using tools. Temporary stockrooms can be set up anywhere in your plant.

STACKBIN Storage Is Convenient Storage

These strong steel sections nest together to form a storage unit of any size or shape. Parts and materials are always visible-always accessible. The hopper front and perfectly smooth interior speed up handling-eliminate loss of parts.

STACKBIN CORP.



PROVIDENCE, RHODE ISLAND

Keep Your Parts Boxes Usable with STACKRACKS


These welded steel racks allow you to use any box in the pile as easily as if they were drawers in a file. Write for the complete story on the money-saving STACKRACKS! Send the coupon to-day-find out how STACKBINS can cut your storage costs.

Stackbin Corp., 55 Troy St. Providence, R. I.

Without obligation, send literature on STACKBINS dimensions).

Firm ...

SPEED UP PRODUCTION



FASTER! — faster! When that demand goes around the shop remember that you can handle a lot of the small lathe jobs quicker and easier on Atlas Lathes equipped with Timken Bearings—and run at capacity production continuously. Timken Bearings are available for all 10° lathes and must be installed in our plant.

See page 24 in the Atlas Catalog. Use Quickmail Coupon No. 34 when you write for it.

ATLAS PRESS CO.

550 N. Pitcher St.,

Kalamazoo, Mich.

CHICAGO 35 E. Wacker at Wabash Factory Displays at: NEW YORK 130 W. 42nd St.

PHILADELPHIA 113 N. Third St.

SPEED LATHES

Timesavers for your plant



Hand, foot or air operated 3-jaw chucks.

Hand or Foot operated collet, sizes from 1/4" to 11/4".

1, ½ or ¼ h. p. AC 2 speed motor.


Steel bed plate or hand rest optional.

Send For Cir. 351 Today Just the tools for Finishing, Polishing or Lapping of small parts.

been looking for to produce those small parts quickly and economically. Eliminates tying up larger equipment with its slow and make-shift production methods. Built-in features of this new tool allow you to handle rod, tube and chuck stock better than ever before.

Schauer Machine Co. 9th & Broadway, Cincinnati, Ohio

UNIVERSAL COLLET CHUCKS RIGID GRIPS AS STRONG AS SOLID STEEL WRITE FOR CATALOG UNIVERSAL ENGINEERING CO. FRANKENMUTH, MICHIGAN



TITAN STUD SETTER

Sets Studs to a Uniform Degree of Tightness without Strained or Mutilated Threads

The Titan Stud Setter is a new controlled drive type for driving stud bolts, being full automatic in loading and releasing. It is a power-driven unit adaptable to all types of drill presses, air or electric tools, both portable and stationary. Operates at high or low speeds. Positive in driving and automatic in releasing. Studs may be set to any predetermined degree of tightness.



The possibilities of increased production with this tool, due to its capacity, speed range and service, plus the added economy that its safety features assure by automatic operation—all contribute toward making it a tool worthy of investigation and profitable to use.

Send Quickmail Coupon
No. 33 for Illustrated Circular

TITAN TOOL COMPANY



FAIRVIEW, PENNA., U. S. A.



Coiled Stock

Can be

Handled

Most

Efficiently

with

Littell Automatic Centering Reels

Littell Automatic Centering Reels enable one man to load and center heavy coils in less than two minutes regardless of the difference in inside

diameters between one coil and the next. Centered coils turning on ball bearings revolve with the greatest of ease. This condition means greater production for both hand feeding and automatic feeding of coiled stock.

Write today for circular No. 5

F.J. LITTELL MACHINE CO., 4125 Ravenswood Av., CHICAGO Mfr's of Punch Press Feeds and Reels

You Can't Beat a HANDNIB

for Toolroom—and Experimental Work

Save 90% on templates, trial blanks by elimination of costly hand work.

Six different models for inside nibbling, outside nibbling, shearing, drillrod cutting or punching are easily mounted on a vise or bench.

Write for full descriptions



Model No. 4 has capacity of 3/16" flat stock

NATIONAL MACHINE TOOL 1536B Clark Street.

CO. Racine, Wis.

SET OF DIES



threads **4** sizes of pipe

Instead of 16 separate dies usually needed to thread 1°, 1¼°, 1½°, 1½° and 2° pipe, this PLEMID No. 65R threader threads them all perfectly with one set of 4 dies, that stay in the threaders, can't get lost.

Move the change plate to the size of pipe and the threader is ready for work. Even the new style workholder sets to size with a twist of a gauge ring—put it on the pipe and tighten with one screw,

You'll like these and other features of this remarkable tool. Ask your Jobber to show you a RIMID No. 65R.

THE RIDGE TOOL CO., ELYRIA, OHIO

RID PIPE TOOLS



75% of your wrench repairs are stapped when you use REMEDs with the unconditionally guaranteed bearing.

We Specialize In Hollow Boring



LATHE SPINDLES
SPINDLE SLEEVES
PISTON RODS
RAMS
HYDRAULIC CYLINDERS,
etc., etc.
ANY GRADE OF STEEL—
CARBON OR ALLOY.

Send Blueprints for Estimates

AMERICAN HOLLOW BORING CO.

In Detroit PLANT MEN THINK OF Ralph J. Hutchinson, when they need COUPLINGS

Every direct connected machine deserves the protection of a flexible coupling. Ralph J. Hutchieson, associate of H. H. Haley & Associates, knows couplings and their correct application. He sells by serving the plantmen throughout the Detroit territory.



AJAY FLEXIBLE

OCOUPLING CO

92 English Street,

WESTFIELD, NEW YORK

SALES OFFICES: Atlanta, Birmingham, Boston, Buffalo, Chicago, Cincinnati, Cleveland, Detroit, Fort Worth, Indianapolis, Los Angeles, Louiville, Minneapolis, Montreal, New York City, Philadelphia, Pitubungh, St. Louis, San Antonio, San Francisco, Syracus

KRW Hydraulic and Sensitive ARBOR PRESSES

New Improvements, Special Built-in Features and Lower Prices make them an outstanding value.

THE last word in convenience, efficience and ease of operation. Built extra strong and well braced, with steel trusses electrically welded, these presses will withstand strains that would cause presses of lighter and inferior construction to buckle or collapse.

Fland wheel for sensitive press operations has sliding handles which pull out to the ends for increased leverage. Work does not have to be changed from the work table as in the case with other make presses having a separate sensitive press until mounted on the side or elsewhere.

The importance of this K R W feature as a time and labor saver can be appreciated. Also there is NO EX I RA CHARGE for this important bulk in feature on a KRW Press. Work table can be raised easily with one hand. A strictly one-man Press.

Write for special circular, just off the press, giving full details and specifications of all KRW Arbor Presses.




F. O. B. Factory, Arcade, N. Y.

No. 37-35 ton Hydraulic and Sensitive Arbor Press \$150.00
No. 37E-50 ton Hydraulic and Sensitive Arbor Press 180.00
No. 37F-70 ton Hydraulic and Sensitive Arbor Press 300.00
Gauge and fittings, \$15.00 extra on all presses.

K. R. WILSON

10-16 Lock Street, Buffalo, N. Y., U.S.A.

EXPORT DEPARTMENT 90 West St., New York, N. Y. WEST COAST BRANCH 722 Mateo St., Los Angeles



An Inexpensive

ABRASIVE BAND GRINDER-

"Built Like A Machine Tool"

The Hormel-M Grinder is sturdily built with a supporting leg under the grinding table to eliminate vibration and tipping due to pressure on belt. Ball bearing throughout, equipped with Alemite lubrication, complete with grease gun. Write for illustrated folder on this and other styles and sizes.

HORMEL-M GRINDER

WALLS SALES CORP., 96 Warren St., New York, N. Y.



Use Layout Fluid for general machine shop and tool room use on dies, jigs, fixtures, and machined parts. With the use of the die blue layout fluid, you do not have to polish the surface of work. Simply wipe surface fairly clean and brush on.




DRIES INSTANTLY

Write on your letterhead for free shop sample

DAYTON ROGERS MANUFACTURING CO...

Minneapolis, Minn.

COMPOUND ANGLE MAGNETIC CHUCK



For Tool Rooms, Die Rooms Grinding Rooms

Built in two sizes, with "V" Block and Vise Attachments, to Fit.

Send for circular

GRINDING MACHINERY CO.

2832 E. Grand Blvd...

Detroit, Mich.

Hard Usage Doesn't Phase The HARTFORD MILLING VISE

Because it was designed to "take it"—and it does! It will stand up, day after day, under the heaviest, toughest strain of production milling work. Made of the best materials, with all parts interchangeable, it will outlast four or five ordinary vises. Rapid and accurate in operation—the top eccentric handle gives tremendous binding force, while the lower camfaced handle gives instantaneous quick-opening and return. A trial in your shop will convince you better than anything we might say.

Write for Folder and Complete Details



Jaw	width				5	9
	depth				11/4	8
	mumi	open	ing.			
Wei	ght			40	Ibs	,

Also made in the swivel-jaw type with hard or soft jaws, maximum opening 2¼".

We also Build Machinery on a Contract Basis, Design and Develop Special Automatic Machinery—Gears and Cams Cut to Order.

HARTFORD SPECIAL MACHINERY CO. 285 HOMESTEAD AVE., HARTFORD, CONN.

WARDWELL No. 35T AUTOMATIC SAW SHARPENER Sharpens Metal Saws in Gangs



100 saws of 26 gauge can be sharpened at one time

Milling, Slitting and Screw Slotting saws from 2° to 5½° diameter can be sharpened in gangs up to 1¾° in thickness, with tooth spacing up to ¾°.

The saws are automatically indexed and sharpened within a variation of plus or minus. 001 of exact diameter of entire lot.

Circular Free Upon Request

WARDWELL MFG. CO. 3165 Fulton Rd., O. CLEVELAND, O.

ADJUST TWO BOLTS AND -PRESTO!

Your lathe becomes a machine of many functions

THE MASTER LATHE CONVERTER



ing, grinding, broaching. Cuts keyways, spline shafts, gears. Does grinding, internal and external.

Master Machine & Tool Company
North Kansas City, Missouri

Write for illustrated pamphlet.

is precision built, mounts easily and quickly upon your lathe. Performs

lathe. Performs accurately such operations as milling, hobbing, drill-



QUALITY FAMCO LOWER PRICES

FOOT (KICK) PRESSES 3 in.—6 in.—10 in.

ARBOR PRESSES

1/2 to 12 tons

AT YOUR DEALER'S, Or Write for Descriptive Literature to

FRIIS & MILLER MACHINE CO.
RACINE, WISCONSIN

THE NEWEST DEVELOPMENT IN METAL CUTTING MACHINES


Full automatic—capacity 10°x10° and 6°x6°. The only machine that will make angular cuts automatically.

Stops when desired number of pieces have been cut.

Length of cut is gauged by scale without end stop. Swivels on base for angular cutting. Three speeds by V

Also built for man-

belt.



Send for circulars containing complete information.

RASMUSSEN MCH. CO., RACINE, WIS.

Heavy Duty Long Shaft VALLEY Ball Bearing 1/3 H. P. BENCH GRINDER AT \$30.00



Full 1/3 H. P. motor 3450 R. P. M. Oversize Ball Bearings mounted in dust tight housings. Repulsion-Induction Single Phase Motor (Not Split Phase). Can be attached to any light socket. Fully guaranteed.

Equipped with two 7° dia. x 3/4° face wheels (Not the usual 1/2° face wheels). Substantial base with cord and plug and switch in base.

VALLEY ELECTRIC manufactures a complete line of Bench, Pedestal type Buffers and Grinders. 1/4 H. P. to 71/2 H. P.

VALLEY ELECTRIC CORPORATION ST. LOUIS,
M/rs. of Ball Bearing Motors 1/4 to 40 H. P.



SEMI-STEEL LAYOUT PLATE

Furnished With or Without All-Steel Frame

Ideal for use wherever a true, rigid, smooth surface is required for mechanical or assembly work. Standard sizes 12x18 to 48x96 inches. Latter size is a full 6 inches high. Arc-welded frame, optional, has 32 lock-leveling screws. Write today for further information and prices.

The CHALLENGE MACHINERY Co. CHICAGO GRAND HAVEN, MICH. NEW YORK



DRILL CHUCKS With Hardened Steel Jaws

Capacity 0 to ½" fitted with No.1 or No. 2 Morse taper shank. \$1.25ea.

No. 1 or No. 2 Morse taper shanks with ½" x 24 thread 73cea.


Chucks without shanks . . . 52cea.

WHY PAY MORE?

MADE BY

NIELSEN, INC.


HOLD EVERYTHING



ROOKLET DESCRIBES OUR ENTIRE LINE

J. E. Martin Tool & Die Works 518 W. State St., Established 1912 Springfield, Ohio

RIGID RESILIENT LIVE CENTER



LATHE builders are rapidly becoming our best Agents. They know that no Lathe can show its best, without a Live Center. But they cannot offer an inferior one, of which there have been many. But the Rigid Center gives them confidence.

Rigid Tool Holder Co., Detroit, Michigan

Why Not Buy The Original Electric Etcher Mark IRON and STEEL

The ETCHOGRAPH Way

New Baby Grand Model at a lower price.

New ELKONITE Tip pencil.

2,000 in use.



WILLIAM BREWSTER & CO., Inc. 42 Church St., New York, N. Y.

for these BULLETINS





GEAR AND MACHINE CO

12 WEST 16" SE CHICAGO ILLINOIS

OWN A REAL DRILL VISE

Jaws 5 in. wide, hardened, reversible; open 5 in. Hold round, square and odd shapes. Vise is usable three ways. Satisfaction or no obligation to you.

Write for information and folder.

Only \$12.50

JOHNSON TOOL CO., Inc., 65 Massasoit Avenue, Inc., East Providence, R. I.

WODACK Portable Electric GRINDERS



Built for heavy duty production work in machine and welding shops, foundness and all industrial plants. Two models operating 5° and 6° grinding, scratch and buffing wheels. Universal motor—110 or 220 volt. Full ball and roller bearing. Ask for Catalog of Drills, Grinders, Hammers, Buffers and Groovers.

Wodack Electric Tool Corp., Chicago, Illinois, U.S.A.



Cuts a Clean Sheared Edge Without Knurl or Distortion

Ywo Sizes—No. 1 weighs 16½ lbs., cuts up to 14 gauge. No. 2 weighs 32 lbs., cuts up to 10 gauge.

Priced low-Send for free circular

Beverly Throatless Shear Co. 3007 W. 110th Place Chicago, Ill.



STOP spoilage by getting the exact temperature of the work -not merely the heat



Of the furnace.

Direct reading; no calculations; no installation; no maintenance expense. Always ready to tell within 3 seconds any shortcomings in your equipment. Range 1000—3600° F. Bulletins on other PYRO Pyrometers sent on request.

THE PYROMETER INSTRUMENT CO.

102-105 Lafavette St., New York

ARMGLO WELDERS

for 100% welds

ARMGLO automatic timing produces perfect welds, increases production and reduces time costs. To build up your profits, investigate ARMGLO welders. Made in sizes from 5 to 200 KVA, foot, motor and air operated.

Send samples for test welds with your inquiry



ARMGLO CO., 3530 W. Pierce St., MILWAUKEE, WIS.

DRILL BUSHINGS

MADE TO A.S.A. SIZES MEET ALL YOUR REQUIREMENTS WITH A 10% SAVING IN COST



INTERCHANGEABLE LONG-LIFE EASILY REPLACEABLE PROMPT SERVICE



- WRITE FOR CATALOG .

UNIVERSAL ENGINEERING CO.



SENECA FALLS

Self Centering . . . Quick Acting . . . No slip. Attaches to any chuck plate or spindle. Provides a slip-proof, balanced drive reducing chatter. Handles rough forgings or turned pieces—straight or taper. Eliminates dogging time. Reduces tool breakage. Write for details and size range. SENECA FALLS MACHINE CO., 314 Falls St., Soneca Falls, N. Y.



- Hydraulic Feed
- Screw Feed
- Gravity Feed

"Standard the World Over"

RACINE TOOL & MACHINE COMPANY 1754 State St.

Racine, Wis.

DETRO

Affords No Finer

810 OUTSIDE ROOMS daily

CADILLAC SQUARE AT BATES STREET

ANDERSON Improved Balancing Ways



Swing	Greatest Distance Between Standards	Capacity in lbs.
20 in.	20 in.	1,000
40 in.	30 in.	2,000
60 in.	30 in.	2,000
72 in.	66 in.	5,000
96 in.	88 in.	10,000

Four Chilled iron discs rotate on sensitive special bearings.

No Leveling Required

A simple and excellent device for balancing straightening and truing.

Write for Full Information

Anderson Bros. Mfg. Co. 1907 Kishwaukee Street, ROCKFORD, ILLINOIS

T. H. L. FRONT LEVER BENCH PUNCH

Malleable iron body; working parts hardened. Steel shaft and plunger. Die cannot lose alignment with punch. All parts interchangeable. Built for hardest, toughest work. Weight 70 lbs.

We can supply extra Punches at 20 cents each; extra Dies at 30 cents.

Capacity ½ holes through 1/8 steel; 1½2 through ½ steel. Can also be made for up to % holes through thinner metal. Punches and dies in stock from ½ to ½ .

Immediate shipment from stock

T. H. LEWTHWAITE MACHINE CO.

(Est. 1890)

311 E. 47th St., NEW YORK



Hundred-and-one usesl—pumping from drums and barrels, handling oils, paints, etc. Rotary type - no priming. Same "Bucket" design as our large rotary power pumps, providing AUTOMATIC take-up-for-wear. FOURTEEN different models-Priced Rightl



CARROLL Universal Dividing Heads

Twenty Years of Popularity. "Quality at a reasonable price"

6-inch, 101/2-inch and 12-inch swing. Furnished either Right or Left hand type, for all makes of plain or universal milling machines,

See your Dealer or write for bulletin showing complete line

Wm. Carroll & Son 1776 Lexington Ave.

(Norwood) Cincinnati, Ohio




Grind Your Radii

Save time in your shop . . . eliminate costly hand-fitting . . . grind the various radii of your sectional dies, forming dies, punches, models, form tools, etc., after heat treating with grinding wheels dressed with a Universal Radius Dresser.

Send for latest bulletin and prices

Universal Tool & Machine Co. 1123 W. Hillcrest Ave., Dayton, Ohio



correct grinding of twist drills.

PRICE ONLY 518. Why not own one that you may be able to grind your twist drills the way they should be ground.

Write to

C. H. CARLSON MFG. CO. 13-15 Main Street N. E. Minneapolis, Minn.

Don't Look for a Needle in a Haystack



Moderately Priced

\$1.00 size has drill holes numbered from I to 60.

\$1.25 size has 32 drill holes graduated in 1/64" sizes from 1/16" to ½".

Drill Stand

The Friend of the Mechanic-Has These Exclusive Features

- 1. All drills and numbers face the mechanic.
- 2. The six horizontal radially spaced rows of drills provide ease in extracting even the smallest drill.
- 3. The largest fingers will find it easy to pick any drill.
- 4. The horizontal and vertical arrangements of the numbers can be easily appreciated.
- 5. A well balanced, precision, zinc die cast product.
- 6. A great time saver.

Immediate Shipments

2621 W. 21st Place. CHICAGO, ILL.



There's a Ruthman pump for every machine at a price you can afford. Send for complete information.

This portable pump and tank combination is a complete pumping unit, always ready for use. Gusher pumps need no priming, have no valves or gears and are so constructed that chips and abrasives pass through them without injuring the mechanism. Centrifugal seal eliminates packing. Ball bearing motor mounted safely above the water line delivers a steady, high volume at low pressure. Elimination of piping and extra valves and parts makes the Gusher simple to operate and easy to keep clean. Heavy duty casters are optional.

538 E. Front St.,

MACHINERY CO. Cincinnati, Ohio



MIDWEST

Portable Hydraulic Elevating Tables For your portable lifting problems the Midwest Hydraulic Table will meet your requirements. 2000 lbs. Capacity. Max. Height 46½°. Min. Height 31°. Capacity. Max. Height 40½°. Min. Height 31°. Capacity acting, study for moving dues from rack to press. Supporting overhang on machines, etc. A money saver in machine shop or production factory.

Write for illustrated circular

Midwest Tool & Engineering Co.
112 Webster Street, Dayton, Ohio



TANNEWITZ Abrasive Cut-off Machine

Uses Abrasive Wheels or Saws, and instantly swivels and cuts any angle from 45° left to 45° right, doing clean, instantaneous work on metal bars, shapes or tubes.

THE TANNEWITZ WORKS

McMAHON

Adjustable Angle Plate

For grinding any angle accurately.

Made in two sizes

Model "A" with T slots 31/2x31/2. Price \$12. Model "D" with tap hole 6x71/2. Price \$30.

Desirable territory open for dealers

FRANK McMAHON CO. 1320 Richard St., Dayton, O.



BURR Portable Keyseaters



Indispensable for repair and maintenance work. BURR keyesates mill keyways in the run or on the ends of shafts while they are still on the machine accurately, quickly, economically and save the necessity of taking down large shafts and housings. Made in 7 sizes, hand or power driven.

JOHN T. BURR & SON 429 Kent Ave., Brooklyn, New York

132

A UNIVERSAL ETCHER



that will etch any metal from the softest to the hardest, (lead to carboloy).

Not an ordinary marking pencil, but a new and revolutionary tool.

Sixteen selective power ranges.

Write for descriptive bulletin and price.

JOSEPH M. BURNS

2021 Atkins Ave., Lakewood, Ohio

M-B Automatic Air Line Lubricator and Filter

First removes foreign matter, dust, pipe scale, moisture, etc., then saturates the air with any desired volume of oil. Eliminates costly shut downs.





"Super Speed" Air Grinder

Has revolutionized the hand air-operated grinder field. First in its capacity class to have ball bearings. First and ONLY grinder to have spindle speed of 100,000 R. P. M. Amazing power. Weight, 8½ ounces.

Write today for full details

M-B PRODUCTS 130 E. Larned Street, DETROIT, MICH.

WHY NOT MODERNIZE



RUSSELL BORING BAR CO. adjustment. MIDDLETOWN.

your present equipment, by using the RUSSELL BORING BAR? Bores holes from 9/16 to 12 dia. with axis of boring bar parallel to axis of the shank, in one compact tool, with micrometer

OHIO Askforillustrated folder.

SMOOTH!



L-R Type IA FLEXIBLE COUPLING

Just as a chain is no stronger than its weakest link, the most ingeniously designed machine can be no smoother in peration than the coupling used. L-R Flexible Couplings are the smoothest performers—proved so by all tests. Type IA in ½16 to 2½4 bore—other types to 14*. Write for literature.

Lovejoy Flexible Coupling Co. 5026 W. Lake St. CHICAGO

HOW

-can our advertisers know that your inquiry comes from Hitchcock's Machine Tool Blue Book unless you tell them? When writing them, won't you kindly say just where you saw their ad?

Thank you!



Using Hamilton Elevating Tables

in your tool room or stamping shop, one man will handle dies that formerly required two to three men to lift. Send for our illustrated circular and see for yourself the many jobe to which this handy tool adapts itself.

The Hamilton Tool Co. Hamilton, Ohio, U. S. A.



RED HEAD

ETCHERS and DEMAGNETIZERS

New models now cover all currents and work ranges.

SEND FOR LATEST CIRCULAR

Jobbers Wanted: Territories Now Open

PRINTZ
ELECTRIC CO.
9362 Burnette
Detroit Mich.





STANDARD VERTICAL ANGLE PLATE GRINDER

For use an Planer, Boring Mill, etc. 2 H. P. to 10 H. P. sizes. Heavy Duty Grinders and Buffers, Divect Driven and Behed Motor Drive. ¼ H. P. to 20 H. P. 6 to 30° wheels. Write for Catalog covering Electric Drills, (Duc) Grinders, Buffing and Polishing Machines.



c

THE STANDARD ELECTRICAL TOOL CO.

COMMERCIAL

GENTERLESS GRINDING

COMPANY

Contract Centerless Grinding
Accuracy—Prompt Service


THE CHAMPION LINE

6538 Carnegie Ave.



Toolholders, Expanding Mandrels, Shop Furniture, Emery Wheel Dressers and Cutters. Etc., Etc.

The Western Tool & Manufacturing Co., Springfield, O.



STRIPPIT

Cleveland, Ohio

The most dependable and economical stripping device made.

A—Broken punches can be replaced without delay B—Stripper can be removed with die in press by

c—No stripper plate required for stripping scrap— Strippins alone will strip it.

Write for catalog

THE STRIPPIT CORP., 1559 Niagara St., Buffalo, N. Y.

GRONKVIST DRILL CHUCKS

QUICK CHANGE—SELF CENTERING
RAPID, EASY EXCHANGE OF DRILLS
WHILE RUNNING
CANNOT MAR DRILL SHANKS
PERFECT CENTERING
REDUCES DRILL BREAKAGE
NO KEYS OR WRENCHES
POSITIVE GRIP
NO SLIPPING

CATALOG ON REQUEST

SWEDISH GAGE CO. OF AMERICA
7300 WOODWARD AVE., DETROIT, MICH.

INTRODUCING THE NEW DYER Spot Welder

Bench Type

Complete line from 21/2 to 20 K. W.

2½ K.W. 6ⁿ arms. .\$110 5 K.W.12ⁿarms. .\$135 7½ K.W.20ⁿarms. .\$150

Immediate stock shipment. Highest power factor of any welder on the market. Economical with current. Investigate the savings possible with Dyer welders. Do away with old methods of riveting and bolting.

Prices are on present stock-will be advanced after May 20-Act now!

Send for Literature.

INTERSTATE MACHINERY CO., 109 S. Clinton St.,

A

CENTERLESS GRINDING

Straight, cylindrical, double diameter. Shoulder and profile surfaces.

All kinds of materials

SCREW MACHINE PRODUCTS, HEAT-TREATED AND GROUND, IF NECESSARY

Send Blueprints or Samples for Estimates



PORTER MACHINE COMPANY

3120 Forrer Ave.


Cincinnati, Ohio



Now you can get your belt hooks on processed card (Pat. Applied For). Not only protests fingers from sharp hooks but holds them to the last hook in correct position. There's no card end waste with WIREGRIP—easily cut to size with scissors or knife. Coming in all sizes, easily applied with a WIREGRIP Lacer or any other standard lacing machine.

Write for No. 10 Catalog

ARMSTRONG-BRAY & CO.





40 TYPES OF MEYLAN STOP WATCHES

A watch for every purpose

folder No. 5H fully illustrating and describing some 40 types of stopwatches. No salesmen will call.

REPAIR SERVICE

for all kinds of plain and complicated stopwatches. Send to us for estimates; no charge, no obligation.

A. R. & J. E. MEYLAN

"Specialists in timing instruments"
266-68 West 40th St.,

New York City

Weld EISLER WELDERS

SPOT WELDERS
BUTT • WIRE • SEAM
A. C. ARC WELDERS

Welders as low as \$25.00
Submit Samples for Test. No Obligation
EISLER ENGINEERING CO., Inc.
746 So. 13th St. NEWARK, N.J.



QUICKMAIL COUPONS

To Save Time

In Writing to Advertisers:

USE THE QUICKMAIL COUPONS

Found on Pages 102 & 106

Be Sure

- Your NAME and POSITION
- FIRM NAME and ADDRESS before mailing

This
Will Assure
An IMMEDIATE REPLY

A SIMPLE - SPEEDY - SERVICE

SLEEVE CLUTCHES-CLUTCH PULLEYS



DISC TYPE

The Carroll single plate disc type clutch was adopted by us in 1913. The disc type clutch today is by far the most popular type. Modernize your countershaft. It will cost you little for this lasting service. Write tuday

L. W. Carroll Mfg. Co. 2046 Ross Ave., Norwood, Ohio

Vacuum Cup Metal Pulley



Revolutionizes pulley performance. The only pulley on the market with the vacuum principle. Guaranteed to eliminate slippage and increase life of belts and equipment. Adaptable for short center drives. Write for descriptive folder. Sent on 30 days 'trial. Motor pulleys and pulleys up to 72' diameter.

VACUUM CUP METAL PULLEY CO.

1010 Ford Building. Detroit, Mich.

The Only Indicator With Two Live Ends



Scientifically designed for extreme sensitiveness combined with ruggedness. Soft, smooth action and high magnifying power. Two live ends -inside and outside to .001*. Write for illustrated bulletin and prices.

KOCH TEST INDICATOR 29 2nd Ave., NYACK, N. Y.



Ask for catalog RW illustrating a great many shapes and sizes of rotary files and rasps.

Ask also for catalog NW, illustrating more than 4000 different precision Swiss files.

GROBET FILE CORP. OF AMERICA
3 Park Place, New York City

Why Waste Time On Broken Taps?

The same of the sa

Every minute spent by your high-priced mechanics in digging out broken taps is a dead loss. When a tap breaks it should be removed quickly with

The Walton Tap Extractor

This handy tool has steel fingers which back out the tap without injuring the threads. It will save you many hours in the course of a year—paying for itself over and over again. Made in two, three and four-flute styles.

Try One in YOUR SHOP-Sent on 60-day Trial Basis

The Walton Company 95 Allyn St., Hartford, Conn.

100% Adjustable



Place Light Where It Is Needed

Models for Office, Factory and Drafting Room carried in stock.

Send for illustrated catalog

PRICE \$3.50 in single lots \$3.25 in lots of six F. O. B. Factory

Chicago Die Casting Mfg. Co. 2502 W. Monroe St., Chicago, III.

Abrusive Cut-off Machines Tannewitz Works, Grand Rapids, Mich.

Air Cylinders Hanna Engineering Works, 1763 Eleton Ay Tomkins-Johnson Co., Jackson, Mich.

Air Valves
Galland Henning Mfg. Co., Milwaukes, Wis.
Hanna Kagineering Works, 1763 Elston Av.,
U.S. H. Nicholson & Co., Wilkes-Barre, Pa.

Air Velocity Meters Illinois Testing Labiratories, 150 W. Austin Ave., Chicago, Ill.

Angle Dressers Vinco Tool Co., Detroit, Mich.

Angle Plates, Adjustable McManon Co., Frank, Dayson, Obio

Arbor Presses
Attas Press Co., Kaiamasco, Mich.
W. H. Nicholson & Co., Wilkes Harre, Pa.
Sheldon Machine Co., 2556 Cottage Grove
Ave., Chicago, III.
Witson K. R., Buffalo, N. Y.

Arbor Presses, Air Operated Hanna Engineering Works, 1763 Eleton Av Chicago, II icago, III. Tomkins-Johnson Co., Jackson, Mich.

Balancing Ways Anderson Bros. Mfg. Co., Rockford, Ill.

Baling Presses Galland-Henning Mfg. Co., Milwaukee, Wis. Band Saw Machines, for Metal Armstrong-Blom Mfg. Co., 841 N. Francisco Av., Chicago

Grob Bros., West Allis. Wis.
Oliver Machinery Co., Grand Rapids, Mich
Porter-Cable Machine Co., Syracuse, N. Y
Tamewith Werks, Grand Haelds, Mich.
Wells Mfg. Co., Three Rivers, Mich.

Band Saws, Open End Grob Bros., West Aills, Wis.

Bar Cutters Buffalo Forge Company, Buffalo, N. Y.

Bearings Chicago Die Cesting Mfg. Co., 2802 W. Manyoo St., Chicago

Reit Lacing Acoustrong-Bray & Co., 216 M. Sheldon St., Chicago, Ili.

Belt Sanders Skilaaw, Inc., 3304 Elston Av., Chicago, Ill.

Belts, V-Type Dolta Mtg. Co. Milwaukee, Wis, Bench Legs, Steel Standard Pressed Steel Co., Jenkintown, Pa.

Bench Lather Shables Machine Co., 2255 Cottage Green Avo., Chicago, III. Hardinge Brothers, Inc., Emirs, N. Y. Beach Punches

Whitney Mfg. Co., W. A., Rockford, Ill. Bending Machines, Hand and Power Armstrong-Blum Mfg. Co., 341 N. Francisco Ave., Chlonge Buffulo Forga Company, Buffulo, M. Y. Lewthwalto Mcho. Co., Y. H. 511 E. 47th., N. Y.

Stackbin Corp., Providence, R. I.

Histowers Breusr Elset. Co., 846 Hischbawk St., Chgo. Buffalo Forge Co., Buffalo, N. Y. Clements Mfg. Co., 6650 Narayansett. Chicago General Blower Co., 401 N. Peerla St., Chicago Standard Electrical Tool Co., Cincinnati

Blowers, Portable Electric Breuer KlectricCo., 346Blackhawk St., Chgo Buffalo Forge Co., Buffalo, N. Y. Clements Mfg. Co., 5450 Naraganaett Chicago Skileaw . Inc . 2304 Elston Av ., Chicago, Ill.

k

Bolts and Nuts Triplex Serew Co., Cleveland, Ohio

Bering Bars Rigid Tool Helder Co., Detroit, Mich. Russell Bering Bar Co., Middletown, Ohio

Boring Heads Fivon Manufacturing Co., Detroit Minh. Rickert-Shafer Co., Erie, Pa.

Bering Machines Cleareman Mche. Tool Co., Green Bay, Wis. R & L Tools, Nicetown, Phile., Pa. Rickert-Shafar Co., Eric, Pa.

Breaching Machine Tools Colonial Breach Co., Detroit, Mich. Broach Sharpening Machines Co cotal threach Co., Detroit, Mich.

Breaches, Spline and Square Coloniat Bushings Co., Detroit, Mish Taylor Machine Co., Claveland, Ohio Brakes, Hand and Power Allisteel Press Go., 12015 S. Peoria St. Chicago

Dreis & Krump Mfg. Co., 7440 So. Loon Hivd., Chicago, Brazers, Electric

Grob Brothers, Grafton, Wis. Oliver Machinery Co., Grand Rapids, Mich. Briquetting Machines Grob Bros , West Alile, Wis.

Buffers, Beach Hammond Mchy. Bullders, Inc., Kalas Mich. Botor Air Toel Co., Cloveland, Ohio Valley Electric Corp., St. Louis, Mo. Voncegut Moulder Corp., Indianapolis, Ind.

Buffers, Pedestal alley Electric Corp., St. Louis, Mo.

Burs, Steel Burs, Steel White Deptal Mfg. Co., 10 B. 60th Street, New York, N. Y.

Beshings, Steel
Acme Industrial Co., 210 N. Leffin St.,
Chiesge, III.
Sepanach Mfg. Co., B. A., 1812 No. Kinge
haurne Ave., Chiesge Baumbarh Mfg. Co., E. A., 1812 Sc. Kil-bourne Ave., Chinage Universal Eng. Corp., Frankenmuth, Mich.

Bashings, Jig Aome Industrial Co., 210 N. Laffin St., Chicago, Hi. Colonial Bu-bings Co., Detroit, Mich. Call Systems
Call Systems
Wysonbook & Staff, Inc., 642 Washington
Bird., Chicago

Cams, Alloy Steel Medern Collet & Mahe Co., Hooree, Mich.

Cap Screws Triplex Screw Co., Cleveland, Obio

Centering Machines
Outlinen Wheel Co., 1989 Altgold St., Chgo. Centers, Latho Rigid Tool Holder Co., Detroit, Mis Modern Mohe, Corp., Brooklyn, N.

142

AN ALL PURPOSE AIR VELOCITY METER

Instantaneous **Direct Reading**


The "Alnor" Velometer removes guesswork as to air speed, direction, drafts, dead spots in heating, ventilating and air conditioning work in the open or in the duct system. Measures total and static pressure as well as velocities.



WRITE FOR FOLDER

Illinois Testing Laboratories, Inc. 150 W. Austin Ave. Chicago, Illinois

NIELSEN HEAVY LIVE CENTERS



Here is a tool especially adapted for unusually heavy work. It is equipped with a combination of precision type roller and ball bearings to assure the rigidity and maximum capacity for high speed production and longest possible service.

Bearings can be renewed if necessary at slight cost. Tests in your machine shop will quickly demonstrate the precision, low maintenance cost and the durability that have established the "Nielsen" reputation. Write for catalog showing our line of improved live centers and tailatock apindles, with adjustments to take up wear and preload the bearings.

NIELSEN, Inc., Lawton, Mich.

Chains, Silent and Roller Chicago Gear Works, 760 W. Jackson Bird., Chicago Cullman Wheel Co., 1859 Altgold St., Chgo.

Chamfering Machines, Automatic Grant atrg. & Mcho. Co., Bridgeport, Conn.

Chasers, Thread Jones & Lat

Ettoo Tool Co., 894 Johnson Av., Strooklyn. Houser Mfg. Co., 1698 No. Paulina St., Chicago, III. Universal Eng. Corp., Frankenmuth, Mich.

Chucks, Air seo Co., Jackson, Mich.

Chucks, Automatic
Procunier Safety Chuck Co., 14 S. Clinton
St., Chicago

Chucks, Collet Apex Machine Co., Dayton, Ohio Freeumier Safety Chuck Co., 14 S. Clinten St., Chinage Tomkins-Johnson Co., Jackson, Mich.

Chucks, Drill and Tap CHECKS, D'RII ANN LAND APAN MASIÈNE CO., Playton, Ohlo Errington Mech. Labo. Staten Islamd, N. Y. Ettec Tool Co., Brooklyn, N. Y. Hartferd Special Michy. Co., Hartferd. Cenn, Freeunier Safety Chuck Co., 14 S. Chicago Scully-Jones & Co., 1905 S. Rockwell St.,

Chucking Fingers
Modern Collet & Mcha. Co., Ecores, Mich.
Morrison Mach Products, Inc., Elmira, N.Y.

Chucks, Quick Change Procunier Safety Chuck Co., 14 flo. Clinton St., Chicago

Clutches, Friction Carroll Mfg Co., L. W., Cincinnati, O. Conway Clutch Co., Cincinnati, Ohio Cold Saws

Burks Machine Tool Co., Conneaut, Ohio

Collets for all Lathes and Millers
Apex Machine (in., Dayton, Oble
Hardings Brothers, Inc., Eimira, N. Y.,
Modern Collet & Mebe. Co., Ecoros, Mich.
Sutton Fool Co., Iberori, Mick.
Universal Eng. Corp., Frankenmuth, Mich.

Collets for Auto, and Hand Screw Machines Merrison Mach, Products, Inc., Elmira, N. Y. Sutton Tool Co., Datroit, Mich. Collets, Spring Modern Collet & Mobo. Co., Ecorso, Mich. Morrison Mach Products, Inc., Elmira, N. Y.

Collex Tubes Modern Gollet & Mche. Co., Ecorse, Mish. Sutton Tool Co., Detroit, Mich.

Comparators Federe | Products Corp., Providence, R. I. Jones & Lamson Mche. Co., Springfield, Vt.

Contract Work Wanted Burke Machine Tool Co., Connaaut, O.

Cere Drilla Gairing Tool Co., Detroit, Mich.

Counterbares
Gairing Teol Co., Detroit Mich.
Scully-Jones & Co., 1905 S. Rackwell St.
Chicago, B Chicago, Ill

Couplings, Belt Armstrong-Bray & Co., 215 N. Sheldon St Chicago

Couplings, Compression Shaft
. H. Nicholson & Co., Wilkes Barre, Pa.

Couplings, Flexible Ajax Floxible Coupling Co., Westfield, N.Y. Chicago Dis Casting Mfg. Co., 2502 W. Monres St., Chicago W. H. Nicholsen & Co., Wilkes-Barra, Ps. Lovejoy Flex. Coupling Co., 5025 Lake, Chg.

Couplings, Friction Clutch Conway Clutch Co., Cincinneti Couplings, Shaft
Ajax Flexible Coupling Co., Westfield, N.Y.
W. H. Nichelson & Co., Wilkes-Barre, Pa.

Cut-off Machines

numen Machine Co., Harine, Wis. Cut-off Saws

Oliver MachineryCo., Grand Rapids, Mich. Tannewitz Works, Grand Rapids, Mich.

Putnam Tool Co., Detroit, Mich. Progressive Tool & Cutter Co., Fern Mich. Temkins-Johnson Co., Jackson, Mich. Weldon Tool Co., Cleveland, Ohio

Cutters, Milling frown & Sharpe Mfg. Co., Providence, R.I. sully-Jones & Co., 1905 S. Backwell St., Chicago, III.

Cutters, Gear Michigan Tool Co., Datroit, Mich. Cutters, Keyway

Cutters, Keyway cully-Jones & Co., 1905 S. Rockwell St., Chicago, III,

Demagnetizers
Grinding Machinery Co., Detroit, Mich.
Luma Electric Equipment Co., Tolado, Obia
w Chuck Co., Tolado, Obia

Dies, Blank and Forming American Teel Works, Inc., Hartford, Conn. Hamilton Teel Company, Hamilton, Oblo Bickert-Shafer Co., Eric, Pa. Die Casting Machines Madison-Kipp Corp., Madison, Wis.

Die Castings Chicago Die Casting Mfg. Co., Marz W., Monroe St., Chicago Madison-Kipp Corp., Madison, Wie.

Die Filers Continental Mche. Specialties, Minneapolis Grob Brothers, Grafton, Wis.

Die Heads, Self-Opening pax Machine Co., Dayton, Obio

Apax Machina (or., and analysis)
Dis Making Machine, wis.
Armeio Co. Milwankes, wis.
Continental Miche. Specialties, Minneapolis
Grob Brothers, Grafton, Wig.
Henry & Wright Mfr. Co., Herviord, Conn.
Hich.
Oliver Instrument Co., Advian. Mich.
Universal High Speed Tool Co., 54W anhous
too Bird., Chicago., il.

Baumbach Mfg. Co., E. A., 1812 So. Kil-bourne Ave., Chicago

Die Sinking and Engraving Machines Pratt & Whitney Co., Hartford, Conn. Dividing Heads Wm. Carroll & Son, Norwood, Cincinati, O.

Dowel Pins, Steel Aeme Industrial Co., 210 N. Laffin St., Chicago, III. Baumbach Mfg. Co., E. A., 1812 So. Kii-bourne Ave., Chicago

Draftsmen's Tables Hamilton Mfg. Co., Two Rivers, Wis. Dressers, Angle Tangent to Radius Vinco Tool Co., Detroit Mich.

144

GEARS

Spur - Helical - Worm - Bevel - Miter, Etc.

Latest type of Hydraulic Operated Broaching Machine and Grinders.

We carry a large stock of spline and square broaches which on small orders saves you money.

Prompt service and quality has retained a large list of customers for 25 years.

The Taylor Machine Company 1919 E. 61st St., Cleveland, Ohio

For Light and Heavy Etching

With 24 Stages of Control.

The LUMA Master Etchtool fulfills every marking requirement that can be done by an electric Etching outfit.

A Production Tool with as many as 24 different stages or varieties of control for regulating the depth of marking, this tool can be used for extra light marking of machinest scales, micrometers and fine tools or can be used, or extra heavy and deep marking of rough and unfinished iron, cast iron, forgings, steel plates, etc.

Send for circular sizing complete data and details of this modern Instrument.



LUMA ELECTRIC EQUIPMENT CO.

DEPT. H .- Main P. O. Box No. 131-TOLEDO, OHIO

Brills and Tape Etter Tool Co., 604 Johnson Av., Brocklyn, N. Y.

Drill Bushings
Acme Industrial Co., 210 N. Laftin St.,
Prackenth, Mich.

Drill Holders E. Toman & Co., 2621 W 21st Place, Chys.

Drills, Air Bater Air Tool Co., Cleveland, Ohlo

Drills, Electric Brilles, Flectist Skiles, Nr., Shicage, Ill. Speedway Mig. Co., 1822 So. 52nd Av., Chicage, Ill. Speedway Mig. Co., 1822 So. 52nd Av., Standard Electrical Tool Co., Cincinnati, O. Temco Electric Motor Co., Leipnic, Ohio Wodack Electric Tool Corp., 2823 W. Hurch, Chicago, Ill.

Drill Grinders Star Mobe, & Eng. Co., Bloomfield, N. J.

Brill Jigs, Special Heuser Mfg., Co., 1638 No. Paulina St., Chicago, III. Siewek Tool Co., Ferndale, Mich.

Drill Jigs, Universal Henser Mfg. Co., 1638 No. Paulina St., Chicago, Ill. Slewek Tool Co., Ferndale, Mich.

Drilling Attachments, High Speed Graham Manufacturing Co., Providence. I Henry & Wright Mfg. Co., Hartford, Co.

Drilling Machines, Bench Atlas Press Co., Kalamanoo, Mich. Ruffalo Forga Company, Boffalo, N. Y. Clastrema Mche. Teol Co., Green Rey. Wis. Drilling Machines, Multiple Spindle Buffale Forge Co., Huffalo, N. Y Henry & Wright Mfg. Co., Hartford, Cons.

Drilling Machines, Portable Electric Skilsaw, Inc., 2804 Elston Av., Chicago, Ill. SpeedWay Mig. Co., 1822 So. 52nd Ave., Cleare, Ill. Strand Co., N. A., 6001 N. Lincoin Street Chicago, Ili. Temes Electric Meter Co., Leipzic, Ohio White Deotel Mfg. Co., 10 E. 40th Street, New York, N. Y.

Drilling Machines, Post Buffalo Forge Co., Buffalo, N. Y. Henry& Wright Mfg. Co., Hartford, Cons

Drilling Machines, Radial enry & Wright Mfg. Co., Hartford, Comp. estern Machine Tool Was., Holland, Mich.

Western Machine Tool Was., Holland, Mich. Drilling Machines, Sensitive Atlas Frees Co., Kalamasoo, Mich. Buffalo Forge Company, Buffalo, H. Y., Burks Machine Tool Co., Canneatt, Y., Berry & Wright Mig. Co., Bartford, Oson. Drilling Machines, Vertical Atlas Frees Co., Kalamason, History, Buffalo Forge Company, Hart M., Harry & Weight Mig. Co., Hartford, Comp.

Drives, Lathe Culiman Wheel Co., 1200 Altgold St., Chao. Hardings Strothers, Inc., Elmira, N. Y.

Electric Motors with Integral Brakes Star Mche. & Eng. Co., Bloomfield, N. J. Electrical Instruments
Electrical Instruments
Elicoratories, Inc., 180 W.
Austin Ave., Chicago

Elevating Tables Hamilton Tool Company, Hamilton, Oblo Midwest Tool & Engineering Co., Dayton, O.

Emery Stands Carroll Mfg, Co., L. W., Cinciuncil, O.

Emery Wheel Drassers and Cutters Desmend Stephan Mfg. Co., Urbann, Obli Western Toold Mfg. Co., Springfield, O.

End Mills Progressive Tool & Cutter Co., Ferndale,

Putnam Tool Co., Detroit, Mich. Weldon Tool Co., Cleveland, Obio

Etching Machines, Electric Brewster Co. William, 60 Charch St., N.Y.C. Burn-, Joseph, M. Lakewsed, Ohio Grinding Machinery Co., Deirelt, Mich. Lama Electric Equipment Co., Toledo. Ohi, Printz Electric Co., Detrett, Mich.

Exhaust Blowers Buffale Ferge Co., Buffale, N. Y.

Experimental Work American Tool Works, Inc., Hartford, Corn.

Feeder Tubes Button Tool Co., Detroit, Mich.

Feed Fingers arrison Mach. Products, Inc., Elmira, N.Y.

Feed Fingers for Auto, Screw Mcha, Modern Collet & Machine Co., Ecorso, Mish. Sutton Tool Co., Detroit, Mich.

Files Grobet Pile Co., S Park Place, New York City Files, Rotary White Dontal Mfg. Co., 10 S. 40th Struct, New York, N. Y.

White Machines Continental Mche. Specialties, Minneapolle Good Broc., West Allis, Wi Giver Instrument Co., Adviso, Mich. Universal High Speed Tool Co., 568 Washing-ton Bivd., Chicago, III.

Filing Room Equipment
Wardwell Manufacturing Co., Cleveland, G.

Flexible Couplings Ajax Flexible Coupling Co., Westfield, N.Y. Levejoy Flex, Coupling Co., 5025 Lake, Chgo, Flexible Shafts and Accessories Wysenbook & Staff, Inc., 642 Washington Wysenbook & Staff, Inc., 642 Washington

Flexible Shaft Couplings Levejoy Flex. Coupling Co., 5026 Lake, Chec. W. H. Nicholson & Co., Wilkes-Barre, Pa.

W. H. Numbers.
Flexible Shaft Machinery
Hashine Co., N. G., 4854 W. Pulton, Chgo,
Fratt & Whitney Co., Hartford, Conn.
Walker-Torner Co., Inc., Platford, N. J.
Wysosbook & Staff, Inc., 442 Washington
Bird., Chicago

Floating Holders iring Tool Co., Detroit, Mich.

Forgings, Hollow Bored merican Hollow Boring Co., Rris, Pa.

Forming Tools Bishigan Tool Co., Detroit, Mich. Willey's Carbide Tool Co., Detroit, Mich.

Furniture, Machine Shop tendard Pressed Steel Co., Jenkintown, Western Tool & Mfg. Co., Springfield, U.

•

Faderal Products Corp., Providence, R. I. Iwedish Gage Co. of Amer., Detroit, Mich.

Gages, Chrome Plated Viace Tool Co., Detroit, Mich

Gages, Gears, Spur and Helical new Tool Co., Detroit, Mich.

New STURDIMATIC

The Live Center That Turns with the Work



For Lathes, Grinders and Milling Machines

Sturdimatic high speed heavy duty live centers eliminate chatter and friction of the dead center and save driving power. Job turns freely on ball-bearings. Center hole is never damaged.

Sent on free trial. Write for information.

5224 Third Ave., Detroit, Mich.

For Your RIVETING



LINLEY NOISELESS ROTARY RIVET SPINNING MACHINES

Assure Peak Production and Lower Maintenance, Rigid and Powerful, Bench and Floor Types. Motor or Belt Driven. There is a Linley machine for every riveting job.

Send samples of your work for riveting, cost of equipment, and true estimates on production.

"Built to Last-Riveting Fast"

LINLEY BROTHERS CO.

579 Fairfield Avenue. Bridgeport, Conn.

Gages, Pin, Plug, Ring and Snap nerican Tool Works, Inc., Hartford, Coun.

Gages, Taper Hartford Special Mehy, Co., Hartford, Coan. Vinco Tool Co., Dutrolt, Mich.

Gear Cutters Brown & Sharpe Mfg. Co., Providence, R.L.

Genra Abart Gear & Mche. Co., 4832 W. 16th St., Cleare, III. Chicago Gear Wks., 769 W. Jackson, Chgo. Taylor Machine Co., Cleveland, Chin

Gears, Master Vince Tool Co., Detroit, Mich.

Gears, Worm Michigan Tool Co., Detroit, Mich.

Gear Checking Machines Michigan Tool Co., Detroit, Mich.

Gear Mature Star Mche. & Eng. Co., Bloomfield, N. J.

Generators Licenstates Co., 1888 W. 22nd St., Chicago Blectric Co., 1888 W. 22nd St., Chicago, Bl., Janetts Mfg. Co., 552 W. Monroe St., Chgo. Star Mchs. & Eng. Co., Bleomfield, N. J.

Grinders, Air Madison-Kipp Corp., Madison, Wis. M-B Products, Detroit, Mich. Rotor Air Tool Co., Cleveland, Obis

Grinders, Beach Baldor Electric Co., St. Louis, Mo. Carroll Mfg. Co., L. W., Cincinnati, O. Hammond Machinery Builders, Kalame

Vonnegut Meulder Carp., Indianapolis, Grinders, Disc Officer Machinery Co., Grand Rapids, Mic Percer-Cable Machine Co., Syracose, N. Wysenbeek & Staff, Inc., 642 Washingtv Bird., Chica Grinders, Disc

Grinders, Electric Glicago Wheel & Mig Co. M. C. Tool Div., 101 W. Monroe St. Chicago. III. Skilsaw, Inc., 3304 Elston Av., Chicago, III. Standard Electrical Tool Co., Cincinati, O.

Grinders, Electric Bench Raldor Electric Co., St. Louis, Me. Valley Electric Corp., St. Louis, Mo.

Grinder, Flexible Shaft Haskins Co., R. G., 4654 W. Fulton, Chgo. Mall Tool Co., 7742 S. Chicago Ave., Chicago N. A. Strand & Co., 5801 N. Lincoin, Chgo. Grinders, Hand

Grinders, Hand hicage Wheel & Mg. Co., M.C. Tool Div., 1101 W. Monroe St., Chicage, Hi. Dumore Co., Bacine, Wis. 1-B Products, Datroit, Mich. Britan Air Tool Co., Cleveland, Ohio Stitusw., Inc., 3304 Elston Av., Chicago, Ill.

Grinders, Heavy Duty Vennegut Moulder Corp. . . Indianapolis, Ind. Grinders, High Speed

Grinders, High Dapeed
Chicago Wheel & Mig. Co., M. C. Tool Div.,
Chicago Wheel & Mig. Co., M. C. Tool Div.,
Chicago Wh. W. Moorton Bh., Chicago, H.
Busson & Chicago Ave., Chicago
M.B. Products, Detroit, Meb.
Universal High Speed Tool Co., 560 Washington Blyd., Chicago, H.
Walker-Turner Co., Inc., Plainfield, N. J.

Grinders, Pedestal Electric Saldor Electric Co., St. Louis, Mo. Valley Electric Corp., St. Louis, Mo.

Grinders, Swing Frame Vannagut Moulder Corp., Indianapolis, Ind.

Grinders and Polishers, Belt Oliver Machinery Co., Grand Rapide, Mich. Porter-Cable Machine Co., Syracuos, N. Y.

Grinding Attachments, Drill Carleon Mig. Co., C. H., Minneapells, Minn. Oliver Instrument Co., Adrian, Mich.

Grinding, Centerless (Contract)
Commercial Centerless Grinding Co., 8538
Carnegie Ave., Cleveland, Ohto
Porter Machine Co., Cincinnati, Ohto

Grinding Machines, Belt Armgio Co., Milwaukee, Win. Production Machine Co., Greenfield, Mass. Walls Sales Corp., 96 Warren St., New York

Grinding Machines, Cutter, Reamer and Teel Brown & Sharpe Mfg. Co., Providence, R.I. National Machine Tool Co., Racine, Win. Oliver Instrument Co., Adrian, Mich.

Grinding Machines, Drill Gallmeyer & Livingston Co., Grand Rapids

Grinding Machines, Floor Hammond Mchy, Builders, Kalamagoo, Mich. Standard Electrical Tool Co., Cincinnati, O. Grinding Machines, Internal

Dumore Co., Racine, Wis. National Machine Tool Co., Marine, Wis. Sunnan Products Co., 88, Louis, Mo.

Suness Products Co., Bl. Louis, Mo. Grinding Machines, Pertable Electric Chicago Wheel & Migre Go., M. C. Tool Div., Dumore Cil. & Microsoft, Chicago, M. H. G. W. G. W.

Grinding Machines, Surface alimoyer & Livingston Co., Grand Rapids agers & Co., Samuel C., Buffalo, N. Y.

Grinding Machines, Tap Gallmoyer & Livingston Co., Grand Rapids Grinding Machines, Tool Hammond Machinery Builders, Kalas Rogers & Co., Samuel C., Buffalo, N.

Grinding Machines, Universal Brown & Sharpe Mfg. Co., Providence, R.I

Grinding Wheels heel & Mfg. Co., M.C. Tool Div., 1101 W. Monroe St., Chicago, III.

Grinding Wheels, Mounted bleage Wheel & Mfg. Co., M.C. Tool Div., 1101 W. Mosroe St., Chicago, III, Grinding Wheels On Shanks

Chicago Wi theel & Mfg. Co., M.C. Tool Div., 1101 W. Mouros St., Chicago, Ill. Hack Saw Blades trong-Blum Mfg. Co., 841 N. Francisco Ave., Chicago

Hack Saw Machines Hack Jaw machine. Armstrong-Blum Mfg. Co., 341 N. Francisco Av., Chicago

Hammers, Electric odack Electric Tool Corp., 2629 W Huron St., Chicago, Ill. Hammers, Tinners Whitney Mfg. Co., W. A., Rockford, III.

Whitney Mig. Co., Walls
Hammers, Mallets and Malls
Chicage Rawhide Mig. Co., 1200 Eleten Av.,
Chicage, Ill.

Hammers, Soft Faced Greens Twood & Co., 100 Duane S NewYork, N.



CHICAGO RAWHIDE MFG. CO.

SIMPLEX STOP MOTION

Today, in AUTOMATIC MACHINERY, SPEEDS are INCREASING.

MACHINES are built HEAVIER.

INERTIA FORCES go UP, UP, UP.

The old style Mechanical Stop is INADEQUATE, OUTGROWN, OBSO-LETE.

Protect your machines with ELECTRIC STOPS.



The SIMPLEX STOP MOTION is a SIMPLE, INEXPENSIVE electromechanical latch device, designed to control a heavy spring and RELEASE your clutch INSTANTLY when an ELECTRIC CONTACT is made.

You do not need expensive electrical equipment to secure the benefits of an ELECTRIC STOP.

THE ATLANTIC CO.

Box 406,

Rochester, N. Y.

Hand Pumps schmar Pump Co., Grand Rapids, Mich.

Hand Punches Whitney Mfg. Co., W. A., Rockford, Ell.

Hand Saws, Portable Electric Skilsaw, Inc., 2004 Elston Av., Chicago, M.

Hand Screw Machines, Precision Beach Type Rimirs, N. Y. Hardings Brothers, Inc.

Hangers, Ball, Roller and Babbitt Chicago Die Casting Mfg. Co., 2502 W. Monroe St., Chicago Heads, Boring

Firm Manufacturing Co., Detroit, Mich.

Michigan Tool Co., Detroit, Mich.

Hole Cutters W. cabeck & Staff, Inc., 642 Washington Hollow Adjustable Mills

Gairing tool Co., Detroit, Mich. Honing Machines

Sunnen Products Co , St. Louis, Me. Hydraulic Valves Galland-Henning Mfg. Co., Milwankse, Wis-Hanna Engineering Werks, 1765 Eisten Av., Chicago, Ili. W. H. Nicholson & Co., Wilkes-Harre, Pa.

Index Centers rown & Sharpe Mfg. Co., Providence, R.I. m. Carroli & Son, Nerwood, Cincinnati, U.

Indicating Dials Federal Products Corp., Providence, B. I.

Indicators, Speed Greene Tweed & Go., 100 Duane St., New York, N. Y.

Indicators, Surface Test Baich Mfg. Co., J. R., Dayton, Ohio Jigs and Fixtures

merican Tool Works, Inc., Hartford, Connamitton Tool Company, Hamilton, Ohio artford Special Helsy Co., Hartford, Connew & Tool Co., Ferndale, Mich.

Keyseating Machines Burr & Son, John T., Brooklyn, N. Y. Knife Grinders gers & Co , Samuel C., Buffalo, N. Y.

Knurls and Holders, for Turrets Graham Manufacturing Co , Providence, E. I.

Lathe Centers Modern Mehe, Carp., Brooklyn, N. Y. Rigid Tool Holder Co., Detroit, Mich. Sturdinatic Tool Co., Detroit, Mich. Lathe Drives

Culiman Wheel Co., 1859 Altgeld St., Chge, Hardles Brothers, Inc., Elmira, N. Y. La hes, Automatic Jones & Lamson Mohe, Co., Springfield, Vt.

Lather, Bench Latter, Dence Attan Proc. Co., Kelamanoo, Mich. Delta Mfg. Co., Milwackee, Wishardinge Brethers. Inc. Elmira, N. Y. Rivettlathed Grinder Inc., Erighton, Buster Sheldon Machine Co., 2555 Cottage Grev. Ave., Chicare, III.

Lathes, Back Geared Birett Lathe & Grinder, Inc., Brighton, Beston louth Bend Lathe Werks, South Send, Ind.

Lathes, Brake Drum.
Scotth Herd Lathe Works, South Bend, Ind.

Lathes, Engine orter-Cable Machine Co., Syracuse, N. Y. outh Bend Lathe Works, Seath Bend, and

Lathes, Gap Bed outh Bend Lathe Works, South Bend, Ind. Lathes, Polishing and Buffing ammond Machinery Bullders, Eslamesoo, Mich.

Lathes, Precision Beach ardicge Brothers, Inc., Elmira, N. Y suth Bend Lethe Works, South Bend, Lathes, Precision Beach Screw

Cutting Sardinge Brothers, Inc., Elmira, N. Y. South Sond Lathe Works, South Bend, Ind.

Lathes, Screw Cutting oth Bend Lathe Works, South Bend, Ind

Lathes, Speed baser Machine Co., Cincinnati, Obio Lathes, Turret nes & Lamson Mche. Co., Springfield, Vt.

Leader Pins, Steel Acme Industrial Co., 419 N. Carpenter St., Chicago, III,

Leather Belting, All Types Chicago Rawhide Mfg Co., 1900 Eleton Av., Chicago, Ili.

Leather Oil Retainers Leather Uil Metainers
Chicago Bawhide Mfg. Co., 1200 Elston Av.
Chicago, Bil,
Glits Broo. Mfg. Co., 1800 S, Kilbourn, Chgo.
Leather Pkg., Hydraulic & Pacumatic
Chicago Bawhide Mfg. Co., 1200 Elston Av.,
Chicago, Ill.

Live Lathe Centers Modern Maha, Corp., Brooklyn, N. Y. Sturdimatic Tool Co., Detroit, Mich.

Lubricators, Automatic Ra Bres. Mfg Co., 1860 S. Kilbeurn, Chge. reene Tweed & Co., 109 Dunne St., New York, N. Y. Lubricators, Automatic Madison-Kipp Corp., Madison. Wh M.-H Products Go., Detroit, Mich. Nergren Co., C. A., Denver, Colo.

Lubricators, Engine Madison-Kipp Corp., Madison, Wis. Mandrels, Saw and Grinding Chicago Die Casting Mfg. Co., 2502 W. Monroe St., Chicago.

Mandrele, Expanding
J. H. Nicholson & Co., Wilkso-Barre, Pa.
estern Tool & Mfg. Co., Springfield, O. Micrometers redish Gage Co. of Amer., Detroit, Mich.

Swedish Gage Ue. or nearly Milling Attachments. Brown & Sharpe Hig. Co., Previdence, R. I. Bruth & Sharpe Hig. Co., Compagnt, Onion Wm. Carroll & Sen, Nerwood, Clincinnati, Order Compagne, N. Y. Orter Cable Machine Co., Spruccus, N. Y. Universal H gh Ppace Child. Children Hud., chilosop. III. Milling Machines, Bench Burke Machine Tool Co., C Hardinge Brothers. Inc., Connect, Ohi

Milling Machines, Precision Bench Brown & Sharps Mfg. Co., Providence, R.I. Hardings Brothers, Inc., Elmira, N. Y.

Milling Machines, Hand barke Machine Tool Co., Conneaut, Ohio Milling Machines, Plain rown & Bharpe Mfg. Co., Previdence, R.I., barke Machine Tool Co., Conneaut, Ohio

Maters Mainra Chicago Electric Co., 1838 W. 22nd St Chicago, I Janette Mfg. Co., 552 W. Monroe St.,

JANETTE

Motorized Speed Reducers



for obtaining slow speeds

16 standard types-footflange and foot and flange mountings. Worm-Helical-Spur and Planetary 1/50 to 71/2 H. P. sizes.

Made by a company which has built geared apparatus since 1909.

Converters - Blower Wheels - Motors - Motor-Generators - Generators.

Janette Manufacturing Company 551 W. Monroe St., Chicago, U. S. A.

New York - Philadelphia - Boston - Pittsburgh - Milwaukee



Send For Our New 288 Page Catalog

E. A. BAUMBACH MFG. CO. 1810 South Kilbourn Ave., CHICAGO, ILLINOIS

Motors, Small Universal Speedway Mfg. Co., Clearo, Ill.

Motor-Generator Sets Chicago Electric Co., 1838 W. 22nd St., Chicago, III. Janette Mfg. Co., 552 W. Moarce St., Chgo.

Motor Drives, Universal Culiman Wheel Co., 1359 Altgeld St., Chgo. Steege Machinery Co., 13 S. Clinton Mr., Chicago, 13

Motors, Electric Ball Bearing Valley Electric Corp., St. Louis, Mo.

Moulds & Ladles, Hammer and Vise. Johnson Tool Co., East Providence, R. I. Multiple Oilers

Gits Bros. Mfg. Co., 1800 S. Kilbourn, Chgo Nibbling Machines Libert Machine Co., Green Bay, Wis.

Libert Machine Co., Green Bay, Wis. National Machine Tool Co., Racine, Wis. Nitrided Products

Universal Eug. Corp., Frankenmuth, Mich. Oil Cuns

Gits Bros. Mfg. Co., 1860 S. Kilbourn, Chgo.
Oil Gauges
Gits Bros. Mfg. Co., 1860 S. Kilbourn, Chgo.

Oil and Grease Seals
Gits Bros. Mfg. Co., 1860 S. Kilbourn, Chgo.
Oil and Grease Seals
Gits Bros. Mfg. Co., 1860 S. Kilbourn, Chgo.

Operating Valves
Galland-Henning Mfg. Co., Milweskee, Wis.

Packing, Hydraulic Chicage Rawhide Mfg. Co., 1900 Elsten Av., Chicage, 39. Packings, Steam Greene Tweed & Co., 199 Deane St., New York, N. Y.

Pillaw Blacks
Chicago Die Casting Mfg. Co., 2552 W.,
Monroe St., Ch.cago

Pins and Lacing for Belting Chicago Hawhide Mfg. Co., 1200 Eleton Av., Chicago, Ili.

Pins, Leader And Dowel
Acme Industrial Co., 419 N. Carpenter St.,
Chicago, Ill.
Haumbach Mfg. Co., E. A., 1812 So. Kilbourne Ave., Chicage

Pipe Cutters Ridge Tool Co., Elyria, Ohio

Pipe Vises Ridge Tool Co., Blyria, Ohio

Pipe Wrenches
Ridge Tool Co., Elyria, Ohio
Point Thinning Machines
Oliver Instrument Co., Adrian, Mich.

Press Brakes
Allateel Press Co., 12015 S. Peorie St.,
Chicago
Drein & Krump Mfg. Co., 7540 Leomia
Bred., Chicago, Li

From Feeds Littell Machine Co., F. J., 4125 Ravenswood Ave., Chicago, III. Wittek Mfg. Co., 4809 W. 34th Place, Chge.

Presses, Arbur Atlan Freez Co., Kalamanoo, Mich. W. H. Nicholson & Co., W. Ros-Barre, Pa. Shalden Hachine Co., 3355 Cottage Grove Ava., Chicago, III, Wilson, K. R., Buffalo, N. Y.

Presses, Beach Rockford Iron Works, Rockford, III. Presses, Foot Beckford Iron Works, Rockford, Bl.

Presses, Inclinable Federal Tress Co., Alkhart, Indiana Rockford Iron Works, Rockford, Ed.

Presses, Power
Allsheel Press Co., 1985 S. Pesria St.,
Chicago
Drels & Krump Mfg. Co., 7440 Loomis
Federal Press Co., Eikhart, I. diana
Rockford Iron Works, Reekford, Ill.

Presses, Punch Dreis & Krump Mfg. Co., 7440 Loomis Bied., Chicago, Bi. Henry & Wright Mfg. Co., Hartford, Conn. Lowthwaite Mehs. Co., T.B., 211E, 47th., N.

Presses, Shoet Metal Federal Press Co., Elkhart, Indiana

Presses, Steel
Alisteel Press Co., 12015 S. Peoris St.,
Chicago

Pullers, Gear and Wheel
Armstrong-Bray & Co., 315 N. Sheldon St.,
Chicago, III.

Pulleys, Die Cast Chicago Die Cantieg Mfg Co., 2502 W. Conway Clutch Co., Cincinnati, O.

Pulleys, Steel and Wood Deits Mfg. Co., Milwaukee, Wis.

Pulleys, Vacuum Cup Vacuum Cup Metal Pulley Co., Detroit

Pumps Blackmer Pump Co., Grand Rapids, Mich Brown & Sharpe Mig., Co., Providence, R.I Galland-Henning Mig., Co., Milwackee, Wio.

Pumps, Coolant Ruthman Machinery Co., Cincinnati, Ohio Tomkine-Johnson Co., Jackson, Mich.

Pumps, Lubricant Ruthman Machinery Co., Cincinnati, Ohio

Punch, Shear and Bender, Hand Armetrong-Bum Mfg. Co., 341 N. Francisco Buffalo Forge Co., Buffalo, N. Y. Punches and Dies

4

4

à

Whitney Mfg. Co., W. A., Beekford, Bl.

Funches, Hand
Armstroog-Bum Mig. Co., 341 N. Franciscs
Buffain Forge Company, Buffaio, N. Y.
Lewthwaits Mobe. Co., T. H., 311 E. 47th,
New York
Whitney Metal Tool Co., Backford, III.

Punches and Dies Lowthwalto Mcho.Co., T.H., 811B. 47th., N. Y

Pusher Tobes Modern Collet & Machine Co., Ecoros, Mich.

Pyrometers Illinois Testing Laboratories, Inc., 180 W. Austin &ve., Uhicago Pyrometer InstrumentUo., 102-105 i afayette St., New York City

Pyrometers, Optical
Pyrometer Instrument Co., 102-106 Lafayotta
St., New York City

Pyremeters, Portable & Stationary Illinois Testing Laboratories, Inc., 180 W. Austin Ave., Chicaco, I'l. Pyremeter Inst. Co., 102 Lafayette, N.Y. C.

Superior Quality and Workmanship

E Wor

in

PLUNKET VISES

The Square Base Shaper Vise

The Shaper Vise has graduated base and tongue in center to fit slot in table, and has holes for bolting down. In ordering this vise give size of slots in Shaper Table, also distance from center to center of slots.

10' jaws, 11/4' deep, opens 81/2'. Weight 125 lbs. \$46.80

Our complete line includes Vises for Drill Presses, Milling Machines, Shapers and Grinders.

Prices are net, f. o. b. Chicago. Write for illustrated folder today. Dealers wanted in unoccupied territory.

J. E. Plunket Machine Co.

MULTI-PURPOSE POLISHER



Do Your

polishing, surfacing, disc grinding, etc., all on one machine the "PRO-DUCTION" Type R. Saves space improves work cuts time and costs.

Many other types of polishing machines available.

Write for circulars.

PRODUCTION MACHINE CO.

Pyrometers, Surface
Illinois Testing Laboratories, 150 W. Austin
Av., Chicago, Ill.
Pyrometer InstrumentCo., 102-105 Lafavette
Bt., New York City

Rivets, Tubular and Split Chicago Bivet & Machine Co., 1855 S. 54th St., Cleere P. O. Chicago, ill.

Riveters, Automatic Feed Chicago Rivet & Machine Co., 1855 S. 54th St., Cicero P. O., Chicago, Ill.

Riveters, Multiple Spindle Grant Mfg. & Mone. Co., Bridgeport, Cess

Riveters, Pneumatic Grant Mfg. & Mchs. Co., Bridgeport, Conn. Hanna Engineering Works, 1783 Elston Av., Chicago, III.

Riveting Machines Grant Mfg. & Mcho. Co., Bridgenort, Conn. Hanna Engineering Works, 1763 Eiston Av., Chicago, H. Linley Bros Co., Bridgeport, Conn

Riveting Machines, Tubular and Split Chicago Rivet & Machine Co., 1855 S. 64th St., Cleero P. O., Chicago, III.

Red Catters Armstrong-Blum Mfg. Co., 841 M. Francisc Av., Chicag-Lowthwaits Mcho. Co., T. H., 813 E. 67th, N. Y

Router Bits Putnam Tool Co., Detroit, Mich. Waldon Tool Co., Cleveland, Ohio

Sanders, Portable Roter Air Tool Co., Cleveland, Obio

Saws, Electric Hand Deita Mig. Co , Milwaukse, Wis. Porter-Cable Machine Co., Syracuse, N. Y.

Saw Sharpening Machines Regers & Co., Samuel C., Buffalo, N. Y. Wardwell Manufacturing Co., Cleveland

Sawing Machines Continental Hone Specialties, Minneapolis Grob Brothers, Grafton, Wis.

Scraping Mchs., Hand & Pneumatic

Screw Drivers, Electric Haskins Co., R. G., e854 W. Fulton, Chgo.

Screw Machine Parts Modern Collet & Machine Co., Boorse, Mich

Screw Machines, Automatic Brown & Snarpe Mfg. Co., Providence, R.I.

Set Screws Triplex Screw Co., Cleveland, Obio

Set-Up Appliances andard then Equipt. Co., Inc., Phila., Pa.

Shafts, Flexible R. G. Hankins Co., 4654 W. Fuiton, Chicago rest & Whitney Co., Hartined, Como. Revand Co., N. A., 5601 M. Lincoin M., Chapo. Walte Dental Mfg. Co., 16 E. 60th Str. V. Now York, N. Y.

Shafts, Hangers & Boxes Dalta Mfg. Co., Milwaubse, Wis-

Shafts, Steel American Hollow Boring Co., Eria, Pa.

Western Mche, Tool Wks., Helland, Mich.

Shaping Machines Inherms & Sexten Machy, Co., Golumbus, O., Western Mcha, Tool Wks., Holland, Mich.

Shears, Hand Armstrong-Blum Mfg. Co. 341 N. Francisco Av., Chinage Shear Co., 3007 W. Baverly Throatless Shear Co., 2007 W.

110th Place, Chicago, III.
Lewthwaite Machine Co., T.H., 311 E. 47th
The National Machine Tool Co., Eache, Wis.
Whitney Metal Tool Co., Eached, III.

Shears, Power
Buffalo Forge Co., Buffalo, N. Y.
Dreio & Krump Mfg. Co., 7449 Loomle
Blvd., Chicage, Ill.
Libert Machine Co., Green Hay, Wis.

Shears, Slitting Shear Co., 2007 W. Sweet's Throadies 110th Place, Chicago, III.
Suffale Forge Co., Buffalo, N. Y.
Dreis & Krump Hfg Co., 7460 Loomin Strd., Chicago, III.

Shears, Threatless
Beverly Threatless Shear Co., 2007 W.
110th Place, Chicago, Bi.

Sheet Metal Machinery Libert Machine Co., Green Bay, Wis.

Shep Lights
Chicago Die Casting Mfg. Co., How W.
Mesroe St., Chicago,

Shop Stools Shop Stools Standard Pressed Steel Co., Jenkintown, Ferna.

Sine Tables Hobbins Engineering Co., Detroit, High,

Special Tools and Machinery American Tuol Works, Inc., Hartford, Goon.

Speed Reducers Abart Gear & Mche. Co., 4822 W. 18th St., Clears, Bl. Armgio Co., Milwankee, Wis. Chiongo Gear Who., 789 W. Jackson, Chgo. Cullman Whoel Co. 1886 Attack St., Chgo. Jacette Mfg. Co., 552 W. Meerroe St., Chgo.

Speed Saws, Universal Wysenbeck & Staff, Inc., 642 Washington Hivd., Chicago

Spinning Lather, Metal Iver Mechinery Co., Grand Rapids, Mich. Specia & Nuts for Auto. Screw Mcks. Sutten Tool Co., Detroit, Mich.

Split Rivets Chicago Hivel & Machine Co., 1855 S, 54th St., Cicaro P, O., Chicago, III.

Split Rivet Setters, Automatic Food sinage Rivet & Machine Co., 1885 S. 54th St., Clorre P. O., Chicago, Ili,



a precision Drill Grinder

That SAVES you Dollars by Cutting Wasted Time and Spoiled Drills

No Attachments

Saves 50% of Drill Costs.

Shortens Grinding Time.

Less set-up time needed.

Be sure to send for a catalog

Star Precision Drill Grinder drills 81 drill sizes accurately, including 25 fractional drill sizes from 1/8" to 1/2". It is so simple that anyone can learn to operate it in half an hour. Replace obsolete methods with an up to date machine. Powered by 115 or 220, A.C. or D.C. motor, 3,600 r.p.m.

Star *

Machine & Engineering Corp. Bloomfield. **New Jersey**

MAUSER

COMBINATION VERNIER CALIPER (INSIDE-OUTSIDE) AND DEPTH GAUGE

No. 1-5 ____1/10001___

Most practical precision measuring tool in shop, inspection dept., or laboratory. Instantly adjusted to any size up to 5-5/16". Every tool guaranteed and sent on 10 days' trial. This and 30 other Mauser vernier calipers and convertible height gauges are described in our complete 15 page catalog.

Write for Your FREE Copy Today

Shop Agents Wanted

GEORGE SCHERR

122 Lafayette St., New York City



Spot Welding Machines, Speed, Armgle Co., Milwaukee, Win Eisler Engineering Co., Inc., Newark, N. J. Pier Equipt. Mfg. Co., Benton Harbor, Mich.

Sprachets Cutiman Wheel Co., 1259 Altgeld St., Chgo.

Stampings Hamilton Tool Co., Hamilton, Ohio

Steel Stamps Colonial Bushings Co., Detroit, Mich.

Straightening Machines Whitney Metal Tool Co., Reckford, Ill.

Stud Setters Apex Machine Co., Dayton, O. Titan Tool Co., Fairview, Penna.

Tables, Drawing Hamilton Mfg. Co., Two Rivers, Wis.

Tables, Elevating
Midwest Tool & Engineering Co., Dayton, O. Tap Extractors

Walton Co., Hartford, Conn.

Tap Holders Precunier Safety Chuck Co., 14 S. Chicage St., Chicage Scully-Jones & Co., 1901 S. Rockweil St., Chicage, Ili.

Tapping Machines Ettee Tool Co., Brooklyn, N. Y. Rickert-Shefer Co., Eric. Pa. Western Mcha. Tool Wha., Holland, Mich.

Tapping Attachments
Errington Mech. Lab., Staten Island, N. Y.
Etteo Tool Co., Brooklyn, N. Y.
Procunier Safety Chuck Co., 14 S. Cilaton
St., Chicago, H. Western Mche. Tool Wks., Heifand, Mich.

Tapping Jigs, Universal Houser Mfg. Co., 1838 No. Paulina gt., Chicago, III.

Tapping Machines and Attachments Tapping Machines and Atlantage Burks Machine Tool Co., Conneaut, Ohlo Cleereman Miche, Teol Co., Green Bay, Wis. Ette Tool Co., 594 Johnson Av., Brooklyn, N. Y. Haskins Inc., R. G., 4854 W. Fulton St., Chicago, Ili. Procunier Safety Chuck Co., 14 So. Clinton St., Chicago, Ili. Whitney Metal Tool Ca. Paristed III. Whitney Metal Tool Co., Reckford, Ill

Thermometers, Resistance Type Illinois Testing Laboratories, Inc., 150 West Austin Ave., Chicago, Ill.

Threading Machines, Automatic Grant Mfg. & Miche. Co. Bridgeport, Cons. Jones & Lamson Mehe. Co., Springfield, Vt. Rickert-Shafer Co., Eric, Pa.

Threading Tools Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago Ridge Tool Co., Elyria, Ohio. Rivett Lathe & Grinderine., Brighton, Boston

Tool Heads, Universal Precision Tool Co., Bridgoport, Conn.

Tool Holders Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago Michigan Tool Co., Detroit, Mich. Rigid Teolholder Co., Detroit, Mich. Western Tool & Mfg. Co., Springfield, O.

Vinco Tool Co., Detroit, Mich. Tools, Abrasive

White Dentsi Mfg. Co., 10 E. 40th Street, New York, N. Y.

Tools, Bering Armstrong Bros. Tool Co., 200 M. Francisco Av., Chicago Gairing Tool Co., Datroit, Mich.

Tools, Lathe and Planer Armstrong Bros. Tool Co., 300 N. Francisco Av., Chicago

Tools, Machinists' Armstrong Bros. Tool Co., SEE N. Francisco Av., Chicago Brown & Sharpe Mfg, Co., Providence, R.I.

Tools, Multi-Diameter Galring Tool Co., Detroit, Mich.

Transfer Punches McMahon Co., Frank, Duyton, Ohio

Tube Flanging Machines Grant Mfg. & Mcho. Co., Bridgeport, Coan.

Tubular Rivet Setters, Automatic Fd. Chicago Rivet & Machine Co., 1855 S. 54th St., Cicero P. O., Chicago, Ill.

Tungsten Carbide Tools Michigan Tool Co., Detroit, Mich. **Turning Tools** R& L Tools, Nicetown, Phila., Pa.

Universal Drill Jigs Heuser Mrg. Co., 1888 No. Paulina St., Chicago, Ili. Universal Joints
American Teel Works, Inc., Hartford, Conn.,
Apex Machine Co., Dayton, O.
Chicago Gear Works, 769 W. Jackson Bivd.,
Chicago

Used and Rebuilt Machinery
Aaron Machinery Co., 176 Lefayette St.,
New York City
Alamo Engine Co., IEEE Co., Hanmond, Ind.,
Bestry Machine Mfg. Co., Hanmond, Ind.,
Belyes Co., Inc., 150 W., 18th St., New York Bestty Machine Bifet Co., Hummond, Bid.
Balyes Go., Inc., 160 W. 18th Bt., New Yer,
Bennat RafkinGerp., 30 Charchitt, N. W. Y. N. Y.
Bennat RafkinGerp., 30 Charchitt, N. R.
Bernatd McC., Lee, M., 128. Christon, Gape.
Brandt McNy Jake. Pithaburah Pt.,
Brandt McNy Jake. Pithaburah Pt.,
Brandt McNy Jake. Pithaburah Pt.,
Brownell Machinery Co., Provisione, R. I.
Central Electric Co., Hattleburg, Miss.
Brownell Machinery Co., Provisione, R. I.
Charte Electric Co., Hattleburg, Miss.
Davits Machinery Co., Provisione, R. I.
Bestara Machinery Co., Olscinsati, Cohle
Esserman, Loude E. & Co., 1781 Essen
Eric Electric Motor Repair, Inc., Butlage, IM.
Eric Machinery Co., E. I., 855 Ress St.,
Peaker Machinery Co., E. L., 855 Ress St.,
Peaker Machinery Co., Clavaland, Oliv.
Peakers Machinery Co., 101 N. Peakers M. Poster Machinery Co., Cleveland, Oble General Blower Co., 461 N. Peoria St., Chgo. Goldman, Harvey H., Detroit, Mich. Goldsher Mehy. Co., 817 Lake St., Chicago Hill, Clarke & Co., 645 W. Washington Bird.,

Howarth Mchy. Co., Inc., C. C., Detroit.

Hyman & Sons, Joseph, Philadelphis, Fa.
Indianapolis Machinery & Supply Company,
Indianapolis Machinery indianapolis, Ind.
Indianapolis, Ind.
International Machinery Co., Petrott, Mich.
International Machinery Co., 1998 Cfinton, Chyo.
Iroquiol Machinery Co., Buffalo, N. Chyo.





Often used on Miller, Shaper, Planer 6', 9' and 12' Jaws

With Jig Attachments, much duplicate drilling without special Jig cost. Without Jig

Shank

Swivel I made to suit turret

For Turret Lathes Operates like Screw Die Adjustable to any size within its capacity. TWO SIZES - TWO STYLES

Straight Cut Knurls in Swivel Lugs Produce all Standard Knurling.

Send for Circulars

HAM MFG. CO., 70 Willard Ave., PROVIDENCE, R. I.





Used and Rebuilt Machinery—Cont. Johnson & Sean Machiner Co., Wm. C., Jenses Machiner Co., Wm. C., Jenses Machiner Co., Cincinnati, Ohio Kamis Machinery Co., Schilladelpia, Pa. Land. L. J., 146 Grand St., New York, N.Y. Lang Machinery Co., Pittinger Co., Cold W. Lake St., Charg. Land. L. J., 146 Grand St., New York, N.Y. Lang Machinery Co., Pittinger D., New Gaven, Chara-MicDonald Machinery Co., St. Louis Gamman, Character Co., Cold Control of the Cont Used and Rebuilt Machinery-Cont. Muzton Machinery Co., Cleveland, Ohio Nucton-Broadway Machinery Co., Cincinnati Pierion-Brendway Machinery C., Philadelphis
O'Brien Machinery Ce., Philadelphis
Othe Mich., & Sopply Co., Cincinnati, Ohio
Ott Machinery Salas Co., Detroit, Mich.,
Ott Machinery Salas Co., Detroit, Mich.,
Paseman Brethers, 708 Washington Bird.,
D. H., Goreland, Ohio Pretten Mchr. Co., D. H., Cleveland, Ohio Reliance Machinery Sales Co., Pitteburgh. Reliance Bucklery Depot, Detroit, Mich. Resenkrans & Weisbecker, 2309 A Singer Bidg., New York City Scott-Bansbach Michy. Co., 4807 W. 20th St., Chicage Sagal Machinery Co., 117 S. Clinton St., Chicago, Ill. Segal Machinery Co., 111 b. Chicago, Bl.
Service Cr., Claveland, Oble
Simmons Machine Teol Corp., Albany, N. Y.
Standard Machine Co., Datos Bouge, La.,
Strong, Carlela-B Hammend Co., Cleveland,
Sun Machinery Co., 28 Van Buren Street,
Surplus Stock & Mchy., Co.,
Heerst., M. J.
Surplus Stock & Mchy., Co., 91., Loos, III.
United Michry & Supply Co., 91., Loos, III.
Victor Machinery Co., 150 S. Clinton Street,
New York, N. Y.
New York, N. Y.
Parant, Mich. Victor Maccinery

New York, N. 7.

Vine, R. A., Debroit, Mich.

Wath Michy. Sakes, Ches. E., Detreit, Mich.

Water Machinery Co., Elbard; Ind.

Westman Machinery Co., Cleveland, Ohie

West Fenn Machinery Co., Pittsburgh, Pa.

White Machy. Co., A. D., 198 N. Jefferson

Ohiera Wigglesworth Mchy. Co., Cambridge, Mess. Woinick Machinery Sales, 9 S. Clinton St.,

Chleage, Ill, Vacuum Cleaners, Portable Brener Elec. Co., 846 Blackhawk St., Chgo.

Vacuum Cleaners, Industrial Brouer Elect. Co., 846 Blackhawk St., Chgo.

Valves, Air Hanna Engineering Works, 1763 Eleton Av Ross Operating Valve Co., Detroit, Mich

Valves Galland-Henning Mfg. Co., Milwaukoe, Wis. Hanna Engineering Works, 1763 Einton Av., Chicago, Iii. Soss Operating Valve Co., Detroit, Mich.

Valves, Foot, Laver & Solemoid Michelson & Co., W. H., Wilkes-Barre, F Hanna Engineering Works, 1763 Elston Ay Ross Operating Valve Co., Detroit, Mich.

Valves, Operating
Hanna Engineering Works, 1763 Eluton Av
Chicago, I
Roso Operating Valve Co., Detroit, Mich.
Tomkins-Johnson Co., Jackson Mich.

Vises, Drilling Machine Armstrong Blum Mfg. Co., 841 N. Francisco Av., Chicaga Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago American de la companya del companya del companya de la companya del companya del

Vises, Drill Johnson Tool Co., East Providence, R. I. Flunket Mcbe. Co., 1828 W. Lake St., Chye. Yeat Mfg., Co., Meadville, Panna. Vises, Machinists' Chicago Tool & Engr. Co.

Visee, Machinists
Chicago Tool & Engr. Co., 8880 Se. Chicago, Chicago, Ili.
Lew Check Ce., Violed, Ohir bane, Olir
Lew Check Ce., Violed, Ohir bane, Olir
Odis Universal Corp., 110 S. Dearborn, Chyo.
Bleedon Machine Co., 2885 Cettage Growther
Western Tool & Mfg. C. A.Vo., Chicago, Ili.
Visee Million Ms. Chyringfield, Il.
Visee Million Ms.

Western Tool & Mfg. Co., optimal Vises, Milling Machine Graham Manufacturing Co., Providence, R. I. Hartford Special Mehr, Co., Hartford, Conn. L. Clues & Co., Teledo, Ohja. Co., Teledo, Chia. Co., Teledo, Chia. Providence, Co., 1823 W. Lake St., Chipe. Plunket Mehr. Co., 1823 W. Lake St., Chipe. Sheiden Machine Co., 2826 Cottage Green Ava., Chicago, Ill.

Vises, Precision Odin Universal Corp., 110 S. Dearborn, Chys.

Vises, Shaper Fraham Manufacturing Co., Providence, R.I. L. W. Chuck Co., Toledo, Ohlo Jolin Universal Corp., 110 S. Dearborn, Chgo., Flunket Mche., Co., 1823 W. Lake St., Chgo. Welders, Arc

Hobart Brothers, Troy, Obio Lincoln Electric Co., Cleveland, Obio

Welders, Portable Commonwealth Mig. Corp., Clacinastl, O. Hobart Brothers, Trey, Ohio Lincola Electric Co., Cleveland, Ohio Universal Power Corp., Cleveland, Ohio Welding Machines, Electric Spot

Armgio Co., Milwaukee, Wis.

Armgio Co., Milwaukee, Wis.

Bisler Engineering Co., Inc., Newark. N. J.

Hobart Brothers, Troy, Ohio

Lincoln Electric Co., Cheveland, Ohio

Lincoln Electric Co., Cheveland, Ohio

Per Equipment Co., Benton Harber, Mich.

Welding Machines, Resistance rrangle Co., Milwacke, Wis, inler Engineering Co., inc., Newark, N. J., incoln Electric Co., Cleveland, Ohio for Equipt. Mfg. Co., Senton Harbor, Mich. Wheal Pullers

Armstrong-Bray & Co., 815 M. Sheldon St., Chiungo, Ill. Wheels, Grinding
Chicago Wheel & Mfg. Co.. M.C. Tool Div.,
1101 W. Monroe St., Chicago, Ill.

Woodworking Machinery Forter-Cable Machine Co., Syracuse, N. Y. Tannewitz Works, Grand Rapids, Mish. Worm Drives Michigan Tool Co., Detroit, Mich.

Worm Gear Motor Units Star Mche. & Eng. Co., Bloomfield, N. J. Wrenches, Reversible Greene Tweed & Co., 100 Duene St., New York, N. Y.

AMES BENCH LATHES



Precision lathes for doing most accurate turning, drilling, grinding, milling, threading, filing, polishing, in the tool room or in production.

Send for Complete Information

B. C. AMES COMPANY
WALTHAM, MASS. 6309

PIONEERS IN RIVET SPINNING

For 35 years Grant rivet spinners have proved in daily use their superiority to other riveting machines.

Noiseless spinning or vibrating hammer types for sizes from smallest to % diameter. Horizontal and vertical single and multiple spindle machines produce best quality riveting at high speed.

Send samples for test when you write for information.





MFG. & MACHINE CO.

UNIVERSAL Portable A. C. Welder



This Welder Stays Cool

Four connections give four different heats at each voltage for all types of light and heavy metals. Easily portable.

Write for new circular

Universal Power Corp.

"ALIVE" BALL BEARING CENTERS



Modern Machine Corp., 313 BERRY ST., BROOKLYN, N.Y.

Eliminate Special and Costly Drill Jig Fixtures

By Using YOST Drill Press Vises

Heavily constructed, with flanges on base for easy attachment. "V" shaped slot holds vertical work securely.

Write for circular 2-H

YOST MFG. CO.,



Meadville, Penna.

For Machine and Tool Work and Quick Set-Ups



Use a Reich Precision Indicator

Feeler mounted in centered cone bearings. .014 Reading. Order direct or through your dealer.

Price \$5.00

Write for Folder

J. R. REICH MFG. CO. 334 Triangle Ave., Dayton, O.

Used and Rebuilt Machinery Section

Lists of Used and Rebuilt Machinery, either For Sale, Wanted, or For Exchange, set in uniform style, will be published in the Classified Section at the rate of 60 cents a line across the page, each issue, plus \$3.00 for name and address. Minimum charge, \$6.00. No display permitted.

Write directly to those offering the machines for sale, for prices and full descriptions. If what you seek is not advertised, use the enclosed printed form to make known your wants in either new or used machinery and the publisher will gladly pass them along to the advertisers.

FOR SALE BY

Aaron Machinery Co., 176 Lafayette Street, New York, N. Y.

Automatic, No.53 Nat. Acme 4 spdl. Drill press, 34" Barnes. Grinder, plain, Landis 20"x72".

Shaper, slotter, Rhodes, rotary tbl. Shaper, Potter & Johnston 15". Turbine, Spencer, 1350 c.f.m. 24 oz.

FOR SALE BY

H. F. Wolnick Machinery Co., . - 9 So. Clinton St., Chicago, Ill.

Automatic screw machines. Drill, 4-spindle No. 3MT. Drill, 24" geared sliding head. Drill presses, Baker. Gear hobbers.

Milling machines, plain, Nos, 2,3&4. Lathes, engine, 12° to 36"x5' to 30'. Lathe, turret, Jones & Lamson. Lathe, turret, Bardons & Oliver. Lathe, turret, Warner & Swasey.

FOR SALE BY

Goldsher Machinery Co., 817 W. Lake St., · Chicago, Ill.

Drill presses, new 16" Buffalo Forge with \$" chucks, 1/3 h. p. motors, Dritt presses, new 16 Durato Forge wing Chucks, 1/3 h. p. motors. Punch & Shear, No. 28, with 3 h. p. motor. Shaper, No. 28 Gould & Eberhardt. Motor, 400 h. p. Allis-Chaimers, 3 phase, 60 cycle, 2200 volt, 500 rpm.,

complete with starting equipment.

FOR SALE BY

3982 Bluestone Rd. Cleveland O. Foster Machinery Co. Drill, multi, No. 2 Bausch, cap. 24 drills, head 17"x32". Hoist, \$\frac{1}{2}\$ ton electric, 30' lift. Air compressor, 6"x6" Bury, tank !

and gauges Bolt cutter, 1\(\frac{1}{2}\)"Acme Class "A" with USS & SAE dies.

Riveter, 50 ton Hanna. Boring mill, No. 3-A universal table Rotary planer, 50" Cleveland, m. d. Saw, 12x10 Klemm metal band, arr. type, 3" bar.

Draw bench, 10,000 full 12' draw. for motor drive.

FOR SALE BY

5295 W. 130th St., D. H. Prutton Mchy. Co.,

Automatic, Cleveland I" model A. Automatic, Cleveland II" model A. Chucker, I" Cleveland model M automatic.

Drills, ‡" cap. Demco 4 spindle, power feed, b. b. (3) Gear hobber, 5AC Lees Bradner.

Cleveland, Ohio Gear hobbers, No. 0 and No. 1 Schuchardt & Schutte.

Grinder, disc, No. 120 Gardner. Pointers and threaders, * Economy automatic, (4) ress, No. 106 Bliss.

Press, cam drawing, No. 1 Bliss.

USED AND REBUILT MACHINERY

FOR SALE BY

Ott Machinery Sales, Inc.,

Automatics, B. & S. Nos. 90, 0, Automatics, D. & S. Ness ve, W. & 19: Cleveland Model A F. 18, 28, & 48: Fay 14"x19": Acme Nos. 53, 54 and 55: Grindley, 4 spdl. ½", 18" 18" 28".

Boting mills, No. 0 G. & L. 38"bar.

Boring mills, Bullard 42" & 52 2 swivel heads.

Drills, h. s., b. b. Henry & Wright No. 2, 2, 4 and 6 spindle. Drill, rad. Bickford 5'; Prentice 4'

Gear shapers, Fellows Nos. 6. Gear generators, Gleason 15" spiral

bevel; roughers and finishers; Barber-Colman No. 3 and 12. Grinders, Brown & S. No. 11, s. p. d. Brown & Sharpe No. 16 pl., m. d., No. 2 B. & S., surface: No. 3 Many more good tools .: Your inquiries solicited.

548 Second Ave., Detroit, Mich. B. & S. Universal, Heald No. 60, 65, 70, & 75.

Lathes, Hamilton G. H. 14"x6':

Hendey 18"x10' taper attachment 16" & 18"x8' Springfield.
Lathes, turret. J. & L 2"x24" and 3"x38"; Warner & Swasey Nos. 2, 4 and 6, Gisholt 21"; Steinle 24" felt hole.

Milling mchs., B. & S. No. 2 univ. Kempsmith Nos. 12 & 33 Mfg.;

Model B Becker vertical. Presses, Ferracute P1, 2 and 3, and D G 53; assorted o.b i., s.s. single

and double crank, also toggle Metalwood 30 ton hyd. Elmes Hydraulic 300 ton. Shaper, 20" & 24" Steptoe V Ram, m.d.

FOR SALE BY

Belyea Company, Inc.,

D. C. MOTORS Adj. Speed-230 Volt H. P. MAKE TYPE SPEED 1- 250 West. 3bear., SA 1- 125 West. SK-210 250 / 750 225 900 300/780 2 - 120G. K. DMC Diehl 3-80 K11-40 550/1100 G. E. West. CD 575/ 870 107/ 160 1-75 West, El. Dy. 25S El. Dy. 25S West SK-190 West, SK 160 Wh, EM SK 60 450/1200 2-60 525/1050 60 ĸ 2-50 225/ 600 50 600/1200 175/ 700 12-40/50 Cr. Wh. 2-40 West 120/ 240 SK 300/ 900 - 40 West. - 35 West. SK 500/1500 10-S 800/1600

- 30 El.Dy BB. - 20 G. E. - 20 G. E. 12 - 20LC 650/1950 1 - 20RF-12 500 1500 RF-10A SK 8#L SK-70L 2- 74 G.E. 450/1800 12- 7 West. 400/1600 12- 74 West. 500/1500 RLC 600/1800 G. E. - 5 West SK 600/1800 14- 5 West. SK-70L 400/1600 SK-40 450/1800 West 10-34 MOTOR GEN. SETS, 3-1250/1500 k. w. Westinghouse, 3

unit M G. sets consisting of:-2-625/750 k. w. DC Gen. 125 v., 600 RPM coupled on each end of: 1-1930 k. v. a. synch. motor, 2200 v. 600 rpm. 3 ph., 60 cy. 1-22 k. w. type SK, 125 v., 600 rom, exciter

1-1000 k. w., G. E. type M. P. C. D. C. Gen. 250 v., conn. to 1400 h. p. type ATI, synch, motor, 6600/2300 v., 514 r.p.m. 3 ph., 60cy.

150 W. 18th St., New York, N. Y.

250 KW G.E. 3 unit Synch, Motor Gen. Set consisting of 2 125 KW Interpole, DC, 125 V, generators coupled on each end of 1—390 HP Synch. Motor, 6600 V., 3 Ph., 25

Cy., 780 RPM.
2-250 KW G E. DC Gen., 250 v.
conn to Synch Motor, Type ATI, 2300 V., 720 RPM. 3 ph., 60 cy.

A. C. MOTORS-60 CYCLE Synch. Type

H.P. TYPE VOLTS SPEED G.E., ATI 2300/4150 G.E., ATI 440/220 2850 450 1500 180 950 G.E., ATI 2300 720 G. E. 560 440 1200 West. 450 440/220 257 225 E.Mchy 3Brg 2300/4150 450 220 G.E.,ATI 900 2300

SLIP RING TYPE 875/700 450 West, CW 2200 West, CW1416 2200 2200 400 290 G.E.MT424 4150/2300 400 390 400 West.CW 2300 514 G. E. IM Al. Ch ANV 400 2200 885 300 585 2200 G. E.MT-424Y 250 4000/2300 257 F. Morse BV West.CW 250 1200 2200 250 440/220 585 225 G. E. West CW West CW 440/220 1860 200 440/220 575

200 2200/550 870 SQUIRREI, CAGE TYPE 1-250 West, CS 2300/440 1-200 G, E., IK 550 1-200 West, CS876A 220/440 580 600 1160 1-100 G.E.IK15 440/220 720 1-100 West, Vert, CS 440/220 1200

USED AND REBUILT MACHINERY

FOR SALE BY

Scott-Bansbach Machinery Co., 4607 West 20th St., Chicag	o, Ill
Air compressor, Daco No. 605 P complete, motor and tank	85.
Automatic screw machines, B. & S., Nos. 90, 0, 2	1000
Automatic screw machine, B. & S. No. 19 high speed, cap. \('xl\), b. d.	350
Automatic screw machine, cone, 1", 4 spdl, b. d	1250
Automatic screw machine, Davenport, 1", 5 spindle, b. d.	500
Automatic screw machine, Gridley, 4 spindle model G, 9/16" cap. Automatic screw machine, Gridley 4 spdl. Model F, 4" and 24	600
Automatic screw machine, Gridley 4 spdl. Model F. 3 and 28	£ 750
Automatic screw machine, Gridley, 8 spd., Model 7, 8 and 2,	600
Automatic screw machine, Cleveland, Model A, 18-18 doi., C.S., D.d.	750
Buffer, 5 H. P. Hill Curtis, rite speed, tex rope drive	300
Broach, Hercules Power, 15 ton, motor drive	400
Drill, New Albany, h. s., motor drive, 110-60-1,	100
Drill, Leland Gifford, h. s., b.b. sensible, #" capacity	75
Drill, Leland Gifford, h. s., b.b. sensible, #" capacity	110
Drill, 2 spindle Leland-Gifford h. s., b. b., sensitive, 4" cap	150.
Drill, 2 spindle Leland-Gifford h. s., b. b., 14", No. 2 M. T. Drill, 2 spindle H. & W. h. s., b. b., 16" swing, heavy duty, class B. Drill, 3 spindle Avey, h. s., b. b. tench type on pedestal, 4" cap. Drill, 3 spindle Leland-Gifford h. s., b. b., 14", No. 2 M. T.	250.
Drill, 2 spindle H. & W. h. s., b. b., 16" swing, heavy duty, class B	200.
Drill, 3 spindle Avey, h. s., b. b. bench type on pedestal, 4" cap	200.
Drill, 3 spindle Leland-Gifford h. s., b. b., 14", No. 2 M. T.	350.
Drill, 3 spdl., Leland-G., 24" swing, h. s., b. b., 12" travel. 26"x54" tbl.	500.
Drill, 4 spindle Demco h. s., b. b. 16" swing 1" capacity	400.
Drill, 6 spindle, Avey, No. 1, H.S.B.B., belt drive	600.
Drill, 3 spdl., Leland-G., 24" swing, h. s., b. b., 12"travel. 26"x54"tbl. Drill, 4 spindle Demco. h. s., b. b. t6" swing, \$" capacity. Drill, 5 spindle, Avey, No., \$\frac{1}{2}\$, S.B., belt drive Drill, 6 apindle, Allen, 14", \$" cap., H. S. B. B., belt drive	750,
Drill, 20 Canedy-Otto, Dack geared, power leed	100.
Drill, 24" Mechanics, sliding head, back geared, power feed	250.
Drill, No. 24, 24" Foot-Burt, heavy duty with tapping attachment	500. 275.
Drill radial C O No 50 wall not tune 24 foot arm hand food	125.
Drill, gang, 3 spindle Barnes, 22½° swing b. g., p. i., No. 4, m. t	275.
Drill, 24" Cincinnati-Bickford sliding head, back geared, power feed.	300.
Drill, radial, 3 ft., Wisconsin, high speed, sensitive, \(\frac{1}{2} \) capacity	300.
Filing machine, No. 3 Bary, floor type, belt drive	100.
Gasoline engine, 10 h. p. Gray, automatic start. Grinder, gear cutter, No. 23 Brown & Shrpe, 8" capacity. Gear cutter, B. & S. No. 3, 26" for spur gears. Gear hobber, No. 00 Pfauter, cap. 8" x6"x10 DP	125.
Grinder, gear cutter, No. 23 Brown & Sharpe, 8" capacity	300.
Gear cutter, B. & S. No. 3, 26" for spur gears	300.
Gear hobber, No. 00 Pfauter, cap. 8"x6"x10 DP	100.
Grinder, 8"x20" Fitchburg, takes 17" automatic feeds, b. d Grinder, 10"x30", Frager, No. 2, Universal, self contained ctrisht Grinder, No. 13 Brown & Sharpe, universal and tool, belt drive	400.
Grinder, 10"x30", Frager, No. 2, Universal, sell contained circult	500.
Grinder, No. 13 Brown & Snarpe, universal and tool, belt drive	1100.
Grinder, surface, No. 2 Diamond, cap. 10"x24", magnetic chuck, b.d. Grinder, Safety, surface, capacity 16" wide, 50" long, 12" high, belt dr.	600. 500.
Grinder, Heald. No. 65, cylinder, 16" spindle and fixture	
Hamer No 9 A b d M can with motor bracket	350. 150.
Hammer, No. 3-A h. d., 1" cap. with motor bracket	200.
Hammer, No. 5A High Speed, motor shelf, capacity	275.
Hammer, Bradley, 30 lb, compact belt drive	200.
Hammer, Bradley, 30 lb. compact belt drive	325.
Hammer, Bradley, 50 lb., upright strap, belt drive	400.
Hammer, Bradley, 50 ib., upright strap, belt drive	500.
Lathe, Stark bench, 7"x30"x4" cap., c. r., s.r., c.s. and chuck	150.
	300.
Lathe, 14"x6' Worchester semi q. c., with 4 jaw chuckeach	150.
Lathe, 14 xb Lebiond, q, c., D, B, G, 4 law chuck, 16 swing	300.
Lathe, 14"x6" American, q. c., S. B. G. 4 law chuck, 16" swing	400.
Lathe, 15"x6' Springfield, q. c., b. g., taper attachment	325.
Lathe, 17"x8" Cincinnati, semi q. c., d. b. g., with chuck	275.
Lathe, 18"x6' Monarch, q. c., D.B.G. 4 jaw chuck, 16" swing	600.
Lathe, 18"x8' Davis, d. b. g., q. c., heavy duty Lathe, 20"x8' Prentice, plain change with 2 chucks	450.
Lathe, 24"x13' Dietz, Schumacher & Boye, plain change, with chuck.	150. 300.
Lathe, 30"x13" H. S. & G. heavy duty, q. c., d. b. g. 16,000 lbs	800.
Lathe, 18"x5' spinning, Grabo, 24" between centers	175.
Lathe, 22"x44" spinning gap, Prvibil, 40"-76" between centers	400

USED AND REBUILT MACHINERY

FOR SALE BY

Joseph Hyman & Sons, - Tioga & Almond Sts., Philadelphia, Pa. POWER PRESS SPECIALISTS

400 ton No. 24 Bliss embossing. 150 ton E52 Ferracute embossing. No. 3 B Bliss toggle No. 205E Toledo, dble, crank, gap. No. 79 Bliss, 16" stroke tie rod. No. D201 Ferracute tie rod Shuster straight & cut off #"x14'. Hundredsof presses of various types.

FOR SALE BY

The O'Brien Machinery Co.,

Band saw, 42" American, V belt, m.d. Bolt cutter, 12" cap. Landis. Boring mid. 24" Bullard, rap. prod.,

threading attachment. Boring mill, 36" Bridgeport. Crane, 36' Gantry, 20 ton, hand oper. Dvill, 6' Mueller radial, mtr. dr. Drill,32"Cin Bick.upright,s.p.drive. Grinder, No. 55 Heald. Hammer, 100 lb. Bradley, helve. Hammer, 800 lb. Erie, steam forging. Hammer, 1100 lb. NBP. steam forg.

Hammer, 2000 lb. Chambersburg double frame steam.

Lathe, 19"x8' Sidney, heavy duty,
belt dr. quick change,

Lathe, 30x24 New Haven, belt.

113 N. Third St., Philadelphia, Pa.

Miller, 2A B. & S. universal table 42"x11", single pulley drive. Miller, 4B Becker vertical, belt drive,

table 10"x26"

Miller, No. 3 LeBlond plain, belt drive, table 12"x60", quick chge. Miller, No. 2 Kempsmith, plain, table 10"x45", belt drive. Miller, No. 5 Cincinnati plain, table

76"x19", s. p. drive. Pipe machines, 2, 4, 6, 8 and 12" belt and motor drive.

Punch, No. 3 Royersford, double end, 12" throat, cap. 14"x14". Shapers, 14, 16, 20 & 24" various makes Turret, No. 1B Foster, S. P. drive, 21" cap.

FOR SALE BY

Wm. C. Johnson & Sons Machinery Co., 1211-1223 Hadley Street. St. Louis, Mo.

Air compressors, 30' to 2000'. Bolt threader, Nat. 2'

Boit threader, 2 heads, Nat. 1".
Boring mill, 5'-8' Betts extension.
Boring mill, 42" Colburn, (2).
Boring mill, No. 9 Barret.
Boring mill, bor. 4# bar Betts

knee type.
Bulldozers, No. 3-4 and 8,
Drill, radial 3' American.
Drill, radial 3' Morris round column. Drills, Colburn D4. Drills, Baker 24".

Furnaces, various sizes. Gear cutter. 60" GE. spur. Gear cutters, No 1&3 Adams hobbers Grinder, No. 1 Wilmarth & M. univ. Grinder, 12"x72" Landis, m. d. Grinder, 24x96 Norton cyl.

Grinders, 13x66 Landis universal. Grinders, 16x66 Landis cyl. plain. Hammers, 500 & 25 lb. Little Giant. Hammer, 200 lb. Bradley.

Hammer, steam 4000 to 250 lb. Hammer, 80 Perfect. Keyseater, No. 2 M&M. Lathes, turret, No. 3 & 7 universal

Bardons Oliver. Lathes, 14"x6 Hendey. Lathe, 18"x6' geared head American. Lathe, 18"x8' L. & S.

Lathes, 26"x12 Flather, q.c. g. Lathe, No. 3-A Warner & Swasey. Lathe, turet No. 6 Woods, tilted. Lathes, turet. 24" Steinle. Lathes, utert. 24" Steinle. Lathes, 3 Gridley 2f", Model F., 4 sp. Miller, Pratt & Whitney spiine. Miller, Pratt & Whitney spiine. Miller, No. 4 Brown & S., plain. Miller, No. 2 Kempamith, univ. Miller, No. 2 Kempamith, univ. Miller, No. 1 U. S. hand. Millers, No. 2 Kempsmith, univ. Millers, No. 1 U. S. hand, Millers, Ingersoll, 27"x24"x10". Planer, 86x30xCleveland open side, Planers, 80"x46"x10" Gray, 2 heads, Planers, 34"x24"x6" Giray, 1 head. Planers, 30"x30"x16" Cincinatti, 2 hds. Planers, 36"x30"x16" Gray, 1.d. 2hds.

Planers, 36"x36"x10' Cincinnati. Press, 91C Toledo. Press, No. 2-3 & 4 Marshalltown,

o. b. i., new. Radial drill, 3'-4'-5'. Saw, No. 14 Higley. Saw, No. 2 Marvel.

Saws, 6x6 Acme. Shaper, 16"-20"-24". Shear, 3' Niagara, 16 ga. Shears \$10 Niagara ring & circle 1/4" Shears, 44" Bertsch sq., 16 ga.

1000 other tools available.

FOR SALE BY

Marr-Galbreath Machinery Co.,

Air compr., 7x6" Ing.-Rand, ER-1. Air comp., 8x8" Chicago, NSB. Air comp., 10x8" Ing-Rand, ER-1. Air compressor outfits for garages,

4. i & i h. p. 1/60/110-220. Bolt threader, 2‡" Landis dbl., m. d. Bor. mill, 24" Bullard, V.T.L., m d.

Boring mill, 34" Bullard, side head, m. d.

Boring mill, 42" Bullard, 2-swivel

heads, for m. d. Boring mill, 30" Colburn, turret hd. Boring mill, 30" Bullard VT L, threading attachment. Boring mill, floor, 6" bar N. B. P.,

230 v. d. c., 2 column, Brake lining, punch and riveting machine, m. d.

Chain hoists, 3 and 4-ton Compr., cent. 75 h.p. G. E., 3/60/220. Crusher. No. I Williams Little G., b.d.

Die sinker, No. 3 P. & W., r. t. Drill, 24" Aurora, t. a., m. d. Drill, 28" Superior, b. g., power fd. Drill, No. 11-B, Natco, 16-sp., m. d.

Drill, No. 11-15, Natco, 16-3p., m. d. Drill, rad, 2½ Foodick & Holloway, Drill, radial, 3½ Canedy-Otto. Forging mch., 1½ "Acme; 2½" Ajax. Grinder, No. 1, 1½ & 2, tool & cut. Grinder, 7½ h. p., U.S. dbl. end, 3/60. Grinder, pl. 11 B. & S. 4;30" (cheap), Hack saw, 8xt" and 9x9" Racine. Hampur, 40 lb. Randler buries Hammer, 40 lb. Bradley horiz.

helve, m. d. Hammer, power, 50 lb. Boss, b. d. Hammer, power, 50 lb. Little Giant,

belt drive. Hammer, 100 lb. Mayer, power. Hammer, 200 lb. Beaudry, power. Hammer, 400 lb. Bliss board drop,b.d. Hammer, 800lb. Erie SF steam or air. Hammer, 1000 lb. Chamber'g st. drop. Hammer, stm.drop, 1500 lb. (nr. new). Hammer, Syntron Elec., 1/60/110/. Header, cold, #" W.F. D. S.-OD. Hoist, chain, 4-ton triplex, Y. & T. Hoist & crane, 3-ton Canton Portbl. Jointer, bench, 4" Wallace.

eyseat miller, No. 4 Burr, 44" Keyseater, No.2 Catlin, cap. 2"x15". Keyseater, No. 3 Mitts & M., belt. Lathes, 9"x3'; 10"x4', plain change, Lathe, 14"x19" Fay automatic. Lathes, 16"x7' National, q.c. g., (3). Lathe, 17" x8" Sidney qcg. 3-step cone. Lathe, 22" x12' Rahn-Larmon, qcg, Lathes, 42" x30" Bridge'd g. h., m.d. Lathe, turret, No. 4 W. & S., bar

feed, m. d. (2). Miller, No. 2 Brown & S. pl. cone. Miller, No. 14 American, pl. cone (2). Miller, pl., No. 18 Garvin, 42x104x21". 55 Water St., Pittsburgh, Pa.

Miller, No. 4 Ohio, table 101". Pipe machine, 2" Robbins, bench, for m. d.

Pipe machine, 12" Cox., b. d.
Pipe machine, 12" E. C. & B., s. p. d.
Pipe machine, 18" Wieland, m. d.
Pipe machine, 18" Wieland, m. d.
Planer, 16"x16"x4" P. & W., 1-head.
Planer, Gray, 56x48x10', 4 heads Polishing stand, 3 H P. US., 3/60/220. Press, No. 784 Bliss T. R., 10" str. Press, Farrell D. C. bed 34x36"wgt.

13,700 lbs. Press, P-3 Ferracute m. d., (late model).

Press or shear, United ob .. 32" shaft. m. d.

ress, arbor, 34 Greenerd, hand, Press, arbor, at Orenera, and Press, arbor, m. d.

ounch, & sh. hand, No. 3B. Beloit 5/16"x4". Punch & shear, 25x24 U. Buffalo,

Punch, s. e. rapid, No. 000 H. & J., Ris throat.

18" t 16" throat.

Shaper, 24" Barker b. g. V-ram, b. d. Shaper, 24" Gould & Eberhardt, b.

Shaper, 28" Hendey friction vise. Shear, angle, 6x614" Kling., m. d. Shear, throatless 18-M Marshall-

town, motor drive. Shear, bar 3" United, 24" blade, m.d. Shear, bar & splitting, cap. 2" plate. Shear, stit'g, Buffalo 24-S (Armor pl) Snear, sut'g, Bullato 24-5 (Armorpi) Steam turbines, 100h. p. 900 rev (2). Straightener, \$\frac{1}{2}\cdot 20'\) Shuster, cut-off. Turret lathe, 18'\(\cdot 3\cdot 2'\) Libby, m. d. Turret lathe, 28'\(\cdot 4'\) Libby, m. d. Valve refacer, Kwik-Way, cabinet hase, m. d. base, m. d.

Vises. machinists, 21"41"&8". (11). Welder, Arc 300 amp. 3/60/220. Welders, arc, 35 amp., transformer. Welding & cutting generator, Carbic Wheel press, 60 ton 34"x81', b. d.

FOR SALE BY

United Machinery & Supply Co., 1241 Walton Ave., St. Louis, Mo. Brake, 5' D. & K. box and pan, Brake, 10' 10 ga. D. & K., a.c., m.d. Presses, Toledo, No.167 and No.168.

Punch, horizontal, H & J. 12", 4". Rolls, corrugating, 6' Bertsch, Threader, pipe, 2" & 3" Oster, m. d.

FOR SALE BY

Economy Machinery Co.,

Office and Warerooms: 428-30 East Pearl St. Cincinnati, Ohio

Brake, 8' Robinson. Die filer, Cochrane-Bly No. 2. Lathes, 12"x6' to 26"x10', modern Milling machine, Rockford No. 12. Presses, kick (10).

Presses, stamping (6). Radial drill, Dreses 30". Shaper, 24" Gould & Eberhardt. Shears, rotary, Pettingell. Square shears, tinners tools,

FOR SALE BY

M. A. Wertman Machinery Co., 623 Penton Bldg., Cleveland, Ohio

Automatic, I"cone, m. d., rebuilt. Die heads, No. 3H Modern 11". Drill, B14 Natco 22-spdl., rect. hd. Grinder, No. 33 Abrasive surf. m. d. Hack saw, 8x8 Atkins. Lathe, 14"x6' Prentice g.h., s.p.d. Lathe, 14"x6' Monarch, qcg. &dbg. Lathe chuck, 28" 3-jaw universal. Lathe chucks, 10"x12" independent, Miller, No. 2 B. & S. vertical. Planer, 42"x14" D& H openside md. Planer, 24"x6" Gray, Al cond. Thread miller, Taft Pierce type B. Turret lathers, 3‡x86 J & L, bar equip.

FOR SALE BY

W. E. Brandt Mach'y, Sales, Boring mill, 60" Colburn, 2 hds. Brake, 19' kg" D. & K. leaf. Brake, 8' x 16 ga. D. & K. leaf-hand. Gear generator, 11" and 18"Gleason. Grinder, No.2 Woods tool & cutter.

513 Empire Bldg., Pittsburgh, Pa. Keyseater, No. 2 Baker, 2" keyway. Roll, bending 10'x4" Cleveland, d. e. Shear, 12'x14 ga. Niagara. Shear, 10'x3/16" Ohl. Welder, 200 amp. Lincoln, m. d.

FOR SALE BY

Wigglesworth Machinery Company

199 Bent Street. Boring mill, 34" bar Universal. Grinder, 14" Pratt & W. model B. Jig borer, No. 2 Pratt & Whitney. Miller, No. 3B heavy B. & S. plain.

Cambridge, Mass, Miller, No. 4B Kearney & Trecker vert. Miller, No. 4B B&Spl. rapid traverse. Radial, 5' & 6' American universal. Send for Complete Stock List.

FOR SALE BY

Brownell Machinery Co.,

Automatic screw machines, Gridley 4 spdl, model F. 4", 12", 12", 12". Drill, radial, Fosdick 24' cone. Drill, radial, Prentice 4' spd. Grinder, No. 55 Heald cylinder. Grinder, No. 1 Norton Tool. Lathe, 32"x28' New Haven.

150 Pine Street, Providence, R. I. Lathe, 32"x18' Geared Head. Putnam Heavy Miller, No. 3 Hendey universal. Miller, No. 2-M P. & J. automatic. Shaper, 20" G. & E., b. g. Slotter, Bement Miles 12". Tapper, Baker Bros.

FOR SALE BY

West Penn Machinery Company

1210 House Building,

Air compressors, 30 to 2500 cu. ft. Baler, 12-P Logeman hdy. Beader, Yoder, 12 ga. m. d. Barrels, tumbling, 45"x34". Blower, No. 4 Roots, cap. 2110 c.f.m. Bolt cutter, Acme 2", motor drive. Bolt cutter, Acme 2", motor drive. Bolt cutters, Landis, 1\(\frac{1}{2}\)" m.d. Bor.mills, 2\(\frac{1}{2}\)" m.d. Boring mill, 42" Gisholt, 2 hds., rpt. Boring mill, \(\frac{60}{2}\)" Colburn, 2 hds., spd. Boring mill, 62" Betts, 2 heads, b. d. Boring mill, 62" Betts, 2 heads, b. d. Brakes, 3' x3/16" Chicago, m. d. Brakes, 3' x3/16" Chicago, m. d. strakes, 3" x3/16" Chicago, m. d. Bulldozers, Nos. 2, 4, 6, 9, 28, & 30. Crane, filton Morgan, 65',220v, DC Cranes, Electric Traveling, Crane, crawler, gas., No. 2 No'wes. Draw bench 20000 lb. W. F. Drill, rad. 5', Cincinual: Bick, m. d. Drill, rad. 6', Cincinual: Bick, m. d. Drill, rad. 6', Reed-Prentice, s. p. d. Drills, upright 16" to 36". Enging, gas, 20 b. p. Bessmer. Drilis, uprignt 10° to 36°. Engine, gas, 20 h. p. Bessemer, Flanger, McCabe, 4° capacity, dies. Gear cutters, 11°, 18° 82 4° Gleason. Gear cutter, bevel 18° Gleason. Grinder, roll, Farrel 28° x64°. Grinder, d. e. 2 h. p. 220, 440/3/60. Grinder, d. e. 2 h. p. 220, 480, 50°. Grinder, No. 8–20° Resly, b. d. Grinder, plain, 10x24 Landis. Grinder, plain, 1023 Landis.
Grinder, Abect, Mattion,
Grinder, T&C, No. 2 Oakley, b. d.
Grinder, D. E., 3HP, 220/3/60.
Grinder, surface 8" Heald,
Grinder, surface 8" Heald,
Grinder, surface 8" Heald,
Grinder, surface 8" Heald,
Hammer, Boll, Boll, Boll,
Hammer, Boll, Boll,
Hammer, Blacker, power, 38-lbs,
Hammer, Blacker, power, 38-lbs,
Hammer, Brad, 560 lb, porjeht. Hammer, Brad. 500 lb. upright. Hammer, power, 90-lb. Justice, b. d. Hammer, pwr., 100 lb. Brad. cush. Hammers, Nos. 2-B, 3-B, 4B, Nazel. Hammers, steam, 600 lb. to 6000 lbs. Hammer, stn. dr., 1500 to 16000 lb. Hogging machine No. 3 C, M&M. Lathe, 14"x16 Frentice grd. hd. Lathe, 14"x16 Frentice grd. hd. Lathe, 18"x12" R-L q. c.g., d.b.g. Lathe, 24"x12" R-L q. c.g., d.b.g. Lathe, 24"x18" Frentice, grd. hd. Lathe, 35"x44" American, g.h.d., m.d. Lathe, 42"x16" S. B. q. c.g., b.d. Lathe, spinning 32"b. d. Lathe, touret, 18" Libby, m. d. Lathe, turret, 18" Libby, m. d. Lathe, turret, 18" Libby, m. d. Lathe, turret, No. 4 W & S. b. d. Miller, vert. No. 6 Becker, m. d. Hammers, steam, 600 lb, to 6000 lbs.

Pittsburgh, Pa. Miller, B.&S. Universal No. 4 b. d. Miller, pl. No. 2 Kempsmith, b. d. Motors, a. c. & d. c.
Nibbler, Gray 3/16"-34" throat,
Nitbler, Gray 3/16"-34" National,
Pickler, 4 arm Mesta, 10' radius,
Pipe machine 2" Landis b. d.
Pipe mches. 6" Williams Planer, 42x42*x12* Cinc., 3 hds., b.d. Press, No. 29C Bliss, OB1. Press, No. 5 L. & J. OB1. Press, No. 3 Bliss, Stiles type. Press, No. 3 Bliss, Stiles type. Press, hor., No.43 Toledo 14" stroke. Press, No. 93 Toledo, b. d. Press, hyd. 100-ton Southwark. Press, No. 55 Toledo, bed 20x19. Press, No. 57 Toledo, 22"x22", str.6". Presses, hyd. 200-ton Oilgear. Press, dbl. crank No. 5 Bliss, 2" str. Press, dbl. crank No. 5 Bliss, 2" str. Press, o. b. i. Nos. 18, 19, 20 Bliss. Press, screw, No. 67 Niagara. Press, 6 spindle, W-F. Punch, beam, No. 5, H. & J. Punch, Rock River, 4" -4". Punch, EF Cleveland 36" tirt, 14"-1" Punps, Cent. 6", 4", 1", m. d. Riveters, air, hannier, spinning. Rolling mill, cold 9" cit Nanier. Saw, band, metal, 10x10 Napier. Saws, friction. Nos. 2,3 & 4 Ryerson. Saw, friction, Nos. 2, 3 & 4 Ryerson, Scale, sheet bundling, 2500 lbs. Saw, cold, 48" Newton, Saw, back, Racine, 12x12. Shaper, 32" Cincinnati, b. d. Shapers, 18", 29: 32" & 38" & & E. Shear, circle No. 3 Bliss, 40" x20 ga. Shear, circle, Niagara, 4" cuttera. Shears, alligator, 14" 2", 3", 4" & 6". Shear, circle, Niagara, 4" cuttera. Shears, alligator, 14" 2", 3", 4" & 6". Shear, angle 65 xkg." Cleveland. Shear, bar 14", New Doty. Shear, bar 16", New Doty. Shear, bevel, Lenox 4", b. Shear, comb, 34" U-Buffalo. Shear, qu. 11'x10 ga. Niagara, m. d. Shear, plate, 80" x4" Peis. Shear, char 66" x1" H. & J. Shear, rotary 24" tht. cap. 4", m.d. Shear, Streine 10'-16 ga. Shear, Buffalo all steel 3" sq., m. d. Slitter, gang 36" b. d. Slotters, 6" Newton, 8" & 21" Betts. Slotter, 24" Newton, motor drive. Straightener, 42" Aetna std. 17 roll. Straightener, shape, Sutton No. 2. Straitener, 54" United 17-rolls 34" dia. Straightener, 14" 4" rd. Abramson, Tumbling barrel, 34" x45", b. d. Upsetters, 1" to 6". Welder, 40 kw. Thom. 2 pcs. \ddayset". Welder, butt 1\ddayset" Winneld.

FOR SALE BY

Central Electric Co., 404 Main St ... Hattiesburg, Miss.

3-75 KVA transformers, 11,000 to 330 or 460 volts, 1-15 KVA lighting transformer.

Make us an offer.

FOR SALE BY

Standard Machinery Co., 321 Lake Michigan Dr., Grand Rapids, Mich.

Automatic, 1½" Gridley Model F. Boring mill, 42" Bullard vertical. Boring mill, 34" Colburn vertical. Boring mill, 2\frac{1}{2}" Lucas horizontal, Drill, Baker heavy duty. Furnaces, Detroit Electric (4). Grinder, Sellers drill.

Lathes, 9" Porter-Cable Mig., (3). Lathe, 2x24 J. & L. turret.
Miller, model C Becker heavy vert.
Pipe machine, 8" Williams. Presses, Waterbury Farrel S. S. 7" shaft, 30" between uprights (2) Welder, No. 259A12T. Gibb. Spot md.

FOR SALE BY

Falk Mill Supply Co., 18 Ward St., Rochester, N. Y.

Die sinker, No. 5 Jackson, with cherrying attachment. Die stilker, 20. 5 Jackson, with cherrying attachment.
Drill, radial, N. B. P. universal 6', motor drive.
Grinder, Norton 14"284" plain.
Grinder, Heald No. 89 internal.
Lathes, Bridgeford 26"214" geared head, taper att. q. c. g., motor drive.
Miller, vertleal, Knight No. 2 universal, arranged motor drive. Miller, Cincinati No. 1 univ., vert. att., dividing heads, etc. Miller, Becker vertical No. 8-C. b. d. Miller, Kempsmith No. 33 Maxi-miller, arr. m. d. Shaper, Fratt & Whitney 6" vertical, serial No. 400, motor drive.

FOR SALE BY

H. L. Morton Machinery Co., 1078 Carlyon Road, Cleveland, O.

Bullard Mult Au-Matics, 6 spindles, 8" machines, 80% new (2). Grinder, chucking, No. 28 Bryant; new in 1931, used 6 months. Lathe, 21"x19" Le Blond, q. c. g., cone pulley, m. d. Lathe, turret, No. 2 W. &S., bar fd. & collets, power feed to turret, cone pulley. Mill, No. 2B heavy Brown & Sharpe plain, s. p. d. Mill, No. 4 Le Blond plain, cone pulley, m. d., vertical attachment, Nibbler, Campbell No. 2, motor drive. Press. No. 21 B Bliss, o. b i., 2#" stroke. Press. No. 7 Bliss s.s. double geared, 6" stroke, like new.

FOR SALE BY

St. Clair & Washington Sts., Toledo, Ohio Davis Machinery Co.,

Bolt cutter, I" Landis dbl. hd. lead screws. Gear hobbers, No. 12 B.-C. double overarm, m. d. overarm, m. q., Grinder, Capitol internal, Keyseater, No. 2 Mitts & Merrill, Lathe, 3° x8s 10 ness L. flat turret, Lathe, 16° x8' Walcott, q. c. g. Mill, No. 2A Garvin unv. compl. Mill, model C Becker vertical, Mill No. 3B Brossus & S. a. Mill. No. 5B Brown & S. pl., s. p. d.

Nibbler, 6" Campbell metal. Planer, 36"x36"x8' American, 2 hds. Press, No. 83 Toledo, s. s. Radial drill, 3' Bickford, motor dr. Radial drill, 4' Hammondhinged arm Screw machine, No. 6 Warner & S. Screw machine, No. 3 Foster hand. Shaper, 20" Ohio crank, b. g. Shear, 205 P.S. &W. circle&llanging. Threaders. 4" Geometric. Welder, 200 AMP, West, portable.

FOR SALE BY

Chas. E. Wain Machinery Sales, 7800 Mack Ave., Detroit, Mich. We offer 10,000 feed fingers and collets, sizes to 41", for most all machines,

mostly new, at 25% of regular price. Send all outside dimensions.

FOR SALE BY

Standard Machine Co., Inc. P. O. Box 1668, Baton Rouge, La.

Crane, floor, hand power, Zeig Mfg. Co., 7 foot lift.

Cut-off machine, 4'. Cutter grinder, Sterling universal. Drill, Albany 12" variable speed

friction. Grinding machine. Landis pl. 10"x30" Hammer, Barr pneumatic forging, size No. 1.

Hammer, steam, 1200-lb. McDougal

& Potter, 12'

Lathe, Steinle turret, heavy duty. Milling machine, Pratt & Whitney 4" 2-spline,

Saw, cold, Higley 5". Shaper, Niles-Bement-Pond 20",

traverse head.

Slab miller, Newton planer type, 20"x20"x5 bed. Slotter, T. C. Dill No.19-12. Slotter, 30" Newton heavy duty.

All in good condition, were used in our plant. To close out will sell as a unit or as a lot.

FOR SALE BY

Lang Machinery Company, 28th St. & A. V. R. R. Pittsburgh, Pa-Air compr.,12"x10"Cugo."nsb" m.d. Beader & flanger, No.207 Niag.16ga. Beader & Hanger, No. 201 Niag. 18ga. Blower, No. 5 Sturtevant, § 4 "sis.b.d. Bor. mill, 30" Bullard, s. p. d. Bor. mill, 30" Bullard, thrd. att., spd. Bor. mill, 42" Bullard, 2 hds. p. d. Bor. mill, 44" Bullard, 2 hds. r. p. Bor. Mill, 76" Bullard, 2 hds. m. d. Bor. mill, 44" Sullera, 2 hds. h. d. Bor. mill, 44" Sullera, 2 hds. h. d. Bor, Mill, 8" Sullard, 2 Hds. m.d. Bor, mill, 8" Sellers, 2 Hds. b. d. Bor, mill, 10'-16' Betts, 2 Hds. b. d. Bort mill, 10'-16' Betts, 2 Hds. b. d. Bolt cutter, 1" Landis, sgl. hd., b.d. Bolt cutter, 14" Aeme. sgl. hd., b.d. Brake, leaf, 10''af' D.&K, b.d Brake, leaf, 10''af' D.&K, b.d Brake, hand, 5'x16ga D.&K box&pan Brake, hand, 8'x16 ga. Keene Buffer, Marschke dbl. end, 220/3/60. Drill, rad. 2' Fosdick, t.a., b. d. Drill, rad. 3' Bickford, t. a., b. d. Drills, upright, 14" to 32". Drills, upright, 14" to 32". Grinders, single and double end. Geinder, disc, dbl., 18" Diamond, b.d. Grinder, plain, cyl. 10"x50" Norton. Grinder, surf. No 3 Wilmarth & M. Hammer, 1001b. Bradley, cush. hel. Hammer, 5000-lb. Chamb., dbl. leg. Hammer, 5000-lb. Chamb., dbl. leg. Keyseater, Baker, No. 2 m. d. Keyseater, No. 3 flaker, b. d. Keyseater, No. 3 flaker, b. d. Lathe, Tur. (3) 24 'W &S univ. b. d. Lathe, Tur. (3) 24 'W &S univ. b. d. Lathe, 14' x6' Carroll, q. c. g., b. d. Lathe, 14' x6' Carroll, q. c. g., b. d. Lathe, 16' x6' Lodge & S., q. g., b. d. Lathe, 18' x1' Lodge & S., q. g., b. d. Lathe, 28' x10' Sender, de bar, b. d. Lathe, 28' x10' Sender, d. g. b. d. Lathe, 28' x10' Sender, d. g. b. d. Lathe, 28' x10' Sender, d. g. b. d.

Lathe, 30"x14" L. & S. q. c. g., m.d. Lathe, 36"x12" Bridg, grd. hd.,q c.g. Lathe, 36"x16" Sch. & B. l.c.g., b.d. Lathe, 38"x14" Boye & E. q.c.g., b.d. Miller, plain, No. 24 Le Blond, b.d. Miller, No. 24 B. & S. tbl. 17" x72". Miller, univ. No. 14 B. & S., b. d. Miller, univ. No. 3-A B.&S., d. h. Miller, thread, 6"x48" Pratt & W. Millers, vert Nos.4-B,5-C&6Becker. Planer, 42"x56"x10" Cin., 4 hds. m.d. Planer, 60"x48"x14"N.-B,-P.3hds.b.d Planer, openside, 48"x48"x16" Clev. Press, embossing, 500-ton Am. b. d. Press, embossing, 500-ton Am. b. d. Press, No. 75Toledo, open back, 2*str. Press, wheel, 300-ton N. B. P. Punch, No. 5, J. & H. 42*, "H. 1½*-1½*. Rolls bend, 10*z½* Bertsch, int type, Rolls, bend, 42*z¾* Bertsch, int type, Saw, back, 12*x13* Peerless, m. d. Saw, hack, 13*x13* Peerless, m. d. Saw, shaping, 13*x13* Peerless m. d. Saw, shaping, 14*x13* Peerless m. d. Saw, shaping, Sheet metal shop, complete, Shaper, 28" Queen City, b. g., b. d. Shaper, 28" Smith & Mills, b. d. Shaper, 29" Smith & Mills, b. d. Shaper, 12" Gould & Eberhardt, b.d. Shaper, 12" Gould & Eberhardt, b.d. Shear, Squar, 34"31 ga. Niag. b. d. Shear, Fower, 38" & United. b. d. Shear, Alligator, Lewis, cap. 14". Shear, Squar. 10 x4" Geo. Ohl' b.d. Shear, plate. 10'x3/16" Niagara, m.d. Shear, Squar. 10'x14 ga, Streine, m.d. Shear, ring&circle, No. 13 Niagara. Straightener, No. 4 Kane&R.8-roll. Welders, arc, 200-300 amp. Lincoln.

FOR SALE BY

525 E. Jefferson, Frank K. Moorhouse

Gridley parts and pads. High speed drills and reamers. Lathe dogs, centers, collets, sleeves,

Milling cutters. Screw machine tool holders and bushings.

Detroit, Mich. *

Machine parts too numerous to mention. When in Detroit call at store and be convinced that you can save money here.

FOR SALE BY

J. Bleser Mfg. & Machy. Co., 16th & Madison St., Springfield, Ill. Air compressor, 4#x4#" 840. Angle shear, 3x8 Badger E-1. Electric motors, 1 & 3 phase. Lathe, No. 3 Hardinge Pres.....\$125 Lathe, 36"x18' L. & S. arr, m.d. \$1500

Slotter, 13" Bement, Trip hammers, 20, 50 & 150 lb.

FOR SALE BY

Failor-Strafer Machinery Co., Boring mill, 54" Colburn. Conveyor and chain 150', 4" links. Grinder, No. 14 P.&W. surface b.b. Grinder, 30"x98" Landis m. d. Hammer, 1200 lb Chambersburg b.d. Motor-150 h. p. 900 rpm. 3 Ph., 60c,

136 Liberty St., New York Multi. punch No. 5 H. & J. 7' 8" Press, forging 1600 ton Mesta S-H. Planer, Cin. 30"x20' 4H box table. Sq. shear, 8'x16 ga. Geo. Ohl.

FOR SALE BY

Service Co.,

3732 Cedar Ave., Cleveland, Ohio WELDERS

Rebuilt 200-amp, Westinghouse A.C. stationary. General Electric 200-amp. A.C. (4). General Electric 400-amp. A.C. U. S. L. 200-amp. A.C. (2). Lincoln 300-amp., gas engine dr. (3).

Lincoln 200-amp., gas engine dr. (2). incoln 400-amp., gas engine dr.(4). Lincoln 300-amp., A.C., D.C. (3). Transformer type A.C. welders, 220-440 volt (4).

We rebuild, buy and sell welders,

FOR SALE BY

International Machinery Co... 3178 Bellevue Ave., Detroit, Mich. Grinders, surface, No. 78 Covell-H.

Automatic. 3"-1 1/16",4 sp. Cleveland model M, m. d. Automatic, Gridley 4-sp. auto., 14", model F, multiple spindle. Boring mill, 42" Gisholt.
Drill, radial, 3\(\frac{1}{2}\) American, gear box.
Drills, 21", 24", 28" Cincinnati.
Drill, 32" Reed-Prentice, t. a. Drills, Hyspeed, 1,2,3, 4-spindle. Drill, No. 242 Barnes Camel Back, m. d. Drill, No. 3 Leland-G., single sp., m.d. Drills, Natco mult., all sizes, hyd.

& mech. Gear hob. 5-5AC Lees-Bradner m.d. Gear cutters 4"x36" B. & S. (2).

hydraulic, motor in base (3), Grinder, No.4 B. & S. univ.comp. m.d. Grinders, No.11 B&S plain, m.d.(2). Grinder, No. 70A Heald internal, duplex. Grinder, No. 70 Heald internal m.d. Grinder, No. 70 Freato internal m.d. Grinder, surface, 84" diameter, m.d. Lathes, turret, No. 4, 6, W. & S. Miller, 18" Cincinnati mfg. type, Miller, 18" Cincinnati automatic. Miller, 18" Cincinnati automatic.
Miller, 24" Cincinnati duplex, m. d.
Press, P4 Ferracute, m. d.
Press, No. 36 Niagara, m. d.
Squaring shear, No. 196 Niagara, 8' 18 ga.

Tappers, Nos. 1, 2, 2X Garvin.

FOR SALE BY

General Blower Co.,

401 N. Peoria St., Chicago, Ill.

. BLOWERS-FANS-EXHAUSTERS.

For Dust Collecting - Ventilating Oil and gas burners, cupolas, furnaces, etc. Roots-Connersville and centrifugal blowers.

What are your blower requirements?

FOR SALE BY

Ohio Machinery & Supply Co., 309-11 E. Second St., Cincinnati, O.

Boring mill, Rudolph & Krummel horizontal 24" bar. Drilt press, 24" S

Superior upright b. g. tapping attachment. Grinder, Cincinnati No. 12 tool and

cutter grinder, complete.

Keyseater, Baker No. 1. Lathe, 16"x8' Van Wyck, h. s. c. r.,

d. b. g , with two chucks. Miller, Burke No. 4 beach miller, Fox hand miller. Riveter, Grant spinner, Shear, Pettingel rotary 31" throat.

Surface grinder, Wilmarth & Morman Punch press, Niagara No. 6 O.B.I.

FOR SALE BY

McDonald Machinery Co.,

Air comp., Ingersoll-Rand 7x6. Boring mill, Lucas No. 21 horizontal. Boring mills, Barrett 5" bar horiz, Boring mill, Niles 84" vert., 2 hds. Boring mill, Niles 54" vert., 2 hds. Boring mills, Baush 44" vert. m. d., Drills, Barnes 20" & 24" Camel back. Drills, radial, Fosdick 3", Prentice 3"; Mueller 23 alls. p. d. Drills, Allen 8-SP. H. S., B. B. Gear cutter, G. & E. 56" s. p. d. Gear cutter, G. & E. 56" & 48" m. d. Grinder, B. & S. Nos. 19 & 18 plain. Grinder, P. & W. 12" vertical surf. Honing mach, Hutto 2-s. pyert md.

Honing mach. Hutto 2-sp. vert md. Keyseaters, Davis No.1, M&M No.0 Lathes, Reed-Prentice 16"x8', q c.g., grd. hd.; Hendey 18"x8', q. c. g.; 50 others in stock.

1535 N. Broadway, St. Louis, Mo.

Milling machines, B. & S. No. 3 univ. Milling mchs., Rock, No. 2-B s.p.d. Hendey No. 1-B, Kemp. No. 3; all universal; Cincinnati No. 3 pl. all universal; Cincinnatu No. 3 pl. LeBlond No. 3-H; Brown & S. No. 3-B, s. p. d., Brown & Sharpe No. 3, all plain, Hendey No. 3 Kempamith, No. 33 Prod. Planet, 80° x48° x10° Gray 2 heads. Punch press, Fer. No. 59-53 d. c. Shapers, G. & E.S. & M., Cin., Ohio

Shapers, G.& B., S. & M., Cin., Ohio American, Steptoe, Queen City, 12", 18", 18", 20", 24" and 26", Cinti, 24" m. d.g. b. Rhodes vert. Screw machine, Brown & Sharpe. No. 2 auto.; B. & S. No. 00 Auto. Gridley 4-SP 14",

Turret lathes, W. & S. No. 2 Auniv.

FOR SALE BY

Reliance Machinery Sales Company

1405 Brighton Place, N. S. Air compressor, 8"x8" Bury, 129'. Brake, press, 72" Rob, toggle m.d. Brake and folder, 72" Niagara,

22 gauge, motor 3-60-220. Bulldozer, No. 9 W.-W., 70,000 lbs. Drill, 4 spindle Colburn, Mfg. type, cap. 2", like new.

Hammer, 80 lb. Brad, cushion helve. Lathe, 27"x18' Pittsburgh, taper. Lathes, spinning, 30" Bliss & Tol., roller bearing. Lathe, 18"x12" L. & S., q.c.g., cone, Nibbler, No. 1 Gray 34" tht., 3/16"

capacity, m. d Press. No. 79 Bliss S. S., tie rod.

Pittsburgh, Pa. 10" stroke, 10" dia. shaft. Press, No. 3 Loshbough OBI, 24"

Press, No. 3 Loshbough OB1, 22" stroke, weight 2000 lbod. crank, geared, 4" shaft 3" str. Press, Robinson dbl. cr., 80" wide, 4" shaft, grd. 3" stroke. Saw, hack, 12" x12" Racine, m. d. Shapers, 16", 20" 34", 23", 32" crk. Shear, double angle, 6x6x3/4" Clev.,

mounted on turnable, m. d. Shear, 10'x18 gauge, Niagara. Welders, 300 and 400 amp. Lincoln. motor end 3-60-220-v.

FOR SALE BY

Kamis Machinery Company

3rd and Moore Streets Philadelphia, Pa. Boring mill, 52" Gisholt vertical, 2 hds. on cross rail, p. r. t., m. d.

geared with class in a state of the state of drive, standard equipment (2). Planer, 54x48x10' Cincinnati widened pattern, 4 heads, belt drive.

FOR SALE BY

E. L. Klauber Machinery Co.,

Cyanide furnace, No. 22 Stewart. Filing machine, floor type, m. d. Lathe, 18"x8' semi-q.c.g. bench. Lathe, 18"x8' South Bend, arr. m.d. Lathe, 18"x8' Draper, q. c. g. Miller, Newton horizontal 16"x55".

320-322 South Third St., St. Louis

Pipe machine, 2" Saunders, m. d. Saw, Racine 6x6 high speed, beit. Saw. Burr, 3" rotary. m. d. Screw machines, No. 2& No. 6 W.&S. Shapers, 16". 20"Ohio sgl, pulley dr. Shaper, 18" American, cone.

REBUILT ELECTRIC MOTORS and TRANSFORMERS

Big Savings in Prices

We have a stock of 10,000 rebuilt, tested motors in excellent condition Write to us today, asking for the kind of motor you need.

Our prices will save you at least \$8%

ERIE ELECTRIC MOTOR REPAIR CO. INC. 117 CHURCH ST. BUFFALO, N. Y.

A CHAIN

The advertisers in the Blue Book pay Hitchcocks. They send you the Blue Book free. You buy the articles advertised. So far, so good.

BUT-

-suppose the advertisers do not know that you saw their ad in the Blue Book, how will Hitchcocks get credit? When writing to advertisers, won't you kindly mention our name? Thanks!

Please say "Blue Book" when writing to advertisers.

BEFORE MOVING Values Beyond Compare !!!

After May 1st. we will be located in our new, larger office and salesroom at 199 So. Clinton Street, which together with our huge warehouse of over 75,000 oquare feet, switch tracks and cranse—provide increased facilities to serve you more adequately.

SAVING LABOR IS SAVING MONEY. Let us know your problem. Our engineers

can suggest the proper machine for your job.
"A MACHINE FOR EVERY PURSE and PURPOSE"

Heat treating furnace-conveyor

Made by Electric Furnace Co. formerly owned by Bates Mfg. Co. of Joliet III. USED LESS THAN 30 days. Cost about \$35,000 new Complete with pyrometer. \$5,000.

Alligator Shear, No. 4 D & K.r.5 Angle Roll, No. 16 Kane & R., m.d. Arc Welders, 200, 500 & 400 amp. Boiler, 20 HP. Vert. Steam, 100 lbs pressure, I HP. Coal Stoker.

pressure, I HP. Coal Stoker. Boring mills, Bullard 24*, 42*, 53*, Brakes, power, Chgo. St. 10*3 / 16*, 10* 10 ga.; 6¹, 3 / 16*, 6¹ 12 ga. Dieing out preas, H. & W. 25 ton, Drills, Multiple, Nos. I 16*, 12 Natco. Drills 25* Baker; 2, 3, 4 spindle. Eyelet machines Penn. motor drive. Friing maches, Oliver bench type ½, HP mtr. No. 3 Theil Precision m.d. Gang Slitters, 32 & 36*, Generator set West 57 HP. A. C. 38 KW 152 Amps.

Grinder, disc, Gardner 30°, b. b.; cyl. Landis 12x42°;14x72 Norton Groovers, power, 8' and 3' Nia., Hammers, 100 lb. Bradley, helve. Frammers, 100 ib. Diadley, never. Ironworkers, Smith 4x6 notcher, Shatz 6x6 angles; No. 1½Buffalo No. 3 Ryerson-Kling 4*x4* with

copes. athes, 25°x16': 24°x10': 14x12. Lathes, 25°x10°; 24°x10°; 49x12.
Millers, prod. Lincoln type; Vert.
No. 3 Knight; No. 1 B. S.;m. d.
Horiz. Boring No. 3-A. Univ.
3° bar. univ. No. 2 Cinci; No. 4
Univ. V. hd; d. hd.; plain Kearney
& T., S. P. D. No. 1-A & 1½.
Multiple Punches, Wells, 6°. Nibblers, Campbell, No. 1 & 2.

Planera, 72*x16', 3 heads, 48*x14'
D. & H. Openside; 30' x 8'
Press, hydraulic, 200 ton, Watson-Stillman, double ram, 36*x62'.
Press brake, 10' 18 ga. 05h. 10' 3/gs
Punch & Shear, No. 2 Kane & R.
Radial drills 2', 3/g; 2; 5 and 6'
Rivet spinners, No 10' Grant.
Roller die mach. 5-sp. Mishawaka.
Roller, 48*x10 ga.; 8' plain hous.
09*d. & \$40' ga.; 8' plain hous. 9º dia. \$250.

7 (iii. \$4.230. Saws, shaping 6 "x6"; hack 9 "x9". Saw, friction No. 1 Ryerson. Shapers, 16" x24" C. &C. Eber. e.p. d. Shapers, 16" x24" C. &C. Eber. e.p. d. Shapers, 10" 14; 12" 14; 13" 3/2" 20" gap; 13" yis; 5" 16. Shear, beam and angle, Pels 20" x 75 lb. 8 yr8. 3/4" and angle.

75 lb ; 8x8x¾ angles m. d. Stake riveter & punch, 48° m. d. Turret Lathes, W. &S., 3-A, 4, 6. Wire coiler, No. B. Wells.

Wire Straightener, No. 1Schuster 31 cut-off; % Nilson, 8; Wells, No. 5. 3/8"x221.

Welders, brand new, Dyer, 10 KW 24° arms \$300., 15 KW 24° arms

Gun welder, 50 KVA Federal Port, 440 volts.

PRESSES

Double crant, Bliss No. 104 b. g.; 3° str. 33¾° betw. upr.; No. 408-B Bliss 84° betw. ucr. 25° str., No. 3 Bliss 2½° str. Straight side, No. 56 Teledo 8° str., No. 5-C Blins tie rod 5° str., OBI No. 0, 1, 3, 4, 5, 6, 7. Toggle, No. 165 Tol.; No. 13 Bliss Coming urers. No. 26-K Bliss Coming press, No. 26-K Bliss 800 tons.

FREE PARKING IN FRONT OF OUR SALES ROOM

INTERSTATE MACHINERY CO.

MODERN MA

RADIAL UPR. DRILLS

61 American Triple Purpose, m. d. on

arm, very late. American Triple Purpose, m. d. on arm, very late.

5' Cincinnati-Bickford, gear box on base. 5' Cincinnati Bickford Universal, m. d. 61 Dreses Universal, gear box.

51 American Triple Geared, gear box.

21/21, 31 Carlton Sensitive, 41 Hammond Jack-Knife.

Triammond Jack-Knife.
Nos. 216, 217, 220, 310, 314, 315 Baker
H. D. Upright.
D-2, D-3, D-4 Colburn H. D.
Nos. 2, 4, 14, 22 Colburn Mfg.
4 spindle No. 2 Colburn Mfg.
No. 210 Barnes all Geared-Self-Oiling.
21°, 22°, 24°, 26°, 32°, 40° Aurora Upright.

21°, 24°, 26°, 36°, Cincinnati Bickford Upright. 21° 25° Weigel Upright.

22º Barnes all Geared Self-Oiling 22" Barnes au Geareu Sen-Ching, 4 spindle 22" Barnes all Grd. Self-Oiling. 3 spindle 22" Hoefer Gang Drill. 3 spindle 22" Rockford Gar g Drill. 4 spindle No. 2 Foote-Burt Heavy Duty. 4 spindle No. 4 Foote-Burt Heavy Duty.

4 spindle Moline Hole Hog.

4 spindle Nothe Frote Fig. 5 spindle Detroit Semi-Automatic, 6 spindle No. 2 Foote-Burt. 6 spindle 21 Heefer Gang. No. 00S Garvin Horizontal Duplex.

6 spindle National-Acme Semi-Automatic Herizontal. No. 1 Pratt & Whitney 2 spindle Gua

Barrel. D2 Fox Multiple Straight Line.

No. 2 Baush Multiple. No. 5D, 7D Moline Hole Hog, late type, No. 10-C, 18, 30 Natco Multiple, m.d. No. 25 Baush Multiple, No. 26C Fox Multiple. No. 37 Natco Multiple.

BALL BEAPING DRILLS

2 spindle Allen, 12" overhang. 2 spindle No. 1 Avey. 2 spindle No. 2 Avey.

2 spindle Foedick. 2, 4, 5 spindle Henry & Wright. 2 spindle Leland & Gifford. 2 spindle Leland & Gifford direct m. d.

3 spindle Demco, power feed. 3 spindle Sipp, power feed.

4, 8 spindle Allen.
4 spindle No. 3 Avey.
6 spindle No. ½ Avey.
6 spindle No. 1 Avey-Matic power feed.
6 spindle No. 3 Avey.

4 spindle Fosdick, power feed.

PRESSES

No. 168 Toledo Toggle Drawing. No. 1½ Bliss Cam.
No. 3A Bliss Horning.
D2,DD2 retracute Dbl. Action Drawing

P2, P3, P4 Ferracute Stiles type. No. 5 Bliss Stiles type.

No. 6 Waterbury-Farrel Double Crank. No. 30 Toledo Stiles type.

No. 92B Toledo, double Crank.

TUR. LATHES MFG. LATHES

Nos. 5A, 6A, 7A Potter & Johnston Automatics, m. d.

Automatics, m. d.
No. 6C Potter & Johnston Auto., m. d.
No. 4, 6, 8 Warner & S. Turret, cone.
No. 2A, 3A Warner & S. Uniy., m. d.
Gishoh Simplimatic, m. d.
No. 4, 7 Bardons & Cliver Turret, cone.
1½xx 18⁹ Pratt & Whitney Turret, belt.
1½xx 12⁹ Dress Turret, belt.
2xx 12⁹ Garvin Turret, belt.
2xx 26⁹ Jones & Lamson Turret, m. d.
3xx 36⁹ Jones & Lamson Turret, m. d.,
har equipment.

bar equipment, 3x36" Jones & L. Turret, m. d., chuck, 2 spindle 3x36" Jones & Lamson Turret, 31/4x36 Cincinnati Acme Flat Tur., m.d.

3743 O'dley Sgl Spdl. Auto., belt. 14 Fay Automatic, s. p. d. Nos. 2, 4 Foster Turret, belt. 21 °, 24 ° Gishok Turret, belt. Nos. 23, 24 New Britain Auto., belt. 21 °x 10 °LeBlond Auto., Mfg. Lathes,

belt. Nos. 6, 9 LeBlond Multi-Cut, s. p. d.

EASTERN MACHINERY

CHINE TOOLS

No. 12 LeBlond H. D. Auto, Crank

Shaft Lathe, m. d. 15*x6' Auto. Threading Lathe, belt. No. 0 Reed-Prentice Mfg. Lather, belt. 16"x6' Lodge & Shipley Simplified Mfg. Lathe, belt.

MILLING MACHINES

Nos. 2, 4 Cincinnati Plain, m. d. No. 3B Milwaukee Plain, double overarm, m. d.

No. 13B Brown & Sharpe Pl., National

Standard, s. p. d.,
Nos. 2, 3, 4 Cincinnati Plain, cone.
No. 2 LeBlond Plain, cone.
No. 3 Kempsmith Plain, cone.
No. 3 Brown & Sharpe Univ. cone.

No. 4B, 6 Becker Vertical, belt, 18°, 24°, 48° Cincinnati Pl. Auto., m.d. 24° Cincinnati Plain Automatic, belt. 24° Cincinnati Plain Automatic, m. d. 6x80° Pratt & Whitney Thread, m. d. 48° Oesterlein Tilted Offset, m. d., Nat'l

Standard, latest type, brand new. C66A Newton 3 spandle Continuous Miller, m. d.

GEAR MACHINERY

Nos. 3, 12 Barber-Colman Gr. Hobbers. No. 12 Barber-Colman Gear Hobber, double overarm.

No. 7 Fellows High Speed Gr. Shapers, m. d., like new.

No. 6 Fellows Gear Shapers, belt. No. 5A Lees-Bradner Gr. Gener., belt. No. 3 Brown & Sharpe Gear Cutter, belt.

PLANERS

48°x48°x15' Niles 4 heads, reversing motor drive, D. C. electrical equipt. 48"x48"x14' Niles, 4 hds., reversing m.d. 48"x48"x14' Niles, 3 hds., reversing m.d.

42°x42°x12' Niles Heavy Pattern, 4 heads, reversing, m. d. 42°x42°x14¹ Niles, 2 hds., reversing m. d. 42°x42°x14' Niles, 4 hds. reversing m d.

36*x36*x12' Niles, 4 hds., belted m. d. 36*x36*x10' Niles, 2 heads, belt, heavy rathern.

¢

36"x36"x14" Niles. 3 heads, m. d. 33"x33"x8" Ohio, 2 heads, belt. 30"x30x 101 Gray, I head, belt, 30"x30"x101 American, I head, belt. 24º Coulter Openside, belt.

BORING MILLS

538 Niles Heavy Pattern, m. d. with

D. C. elec. equip., p. r. t. 51" Niles, 2 heads.

24", 36" Bullard New Era, m.d., side hd. 30", 36" Gisholt, belt. 36", 42" Bullard Vertical Rapid Prod.

type, belt. 36^a Colburn, gear box, 2 heads. 37" Niles Vertical, 2 heads, in. d.

ENGINE LATHES

11 x4' South Bend, m. d.

11° x 50um bend, m. v. 12° x6' Hendey Geared Head, taper. 14° x6' Reed-Prentice Geared Head, 16° x6' Hendey Yoke Head, taper. 16° x7' Hendey Yoke Head, taper.

16°x6' Monarch Geared Head, m. d.

18ºx8' Greaves-Klusman, cone hd., taper

18"x8' Hendey, Cone Head. 20"x6' Hendey Yoke Head.

20"x6" Hendey Geared Head.

20"x10" American, Cone Head taper. 20° x8' American C ne Head.

20°x 10° Boye & Emmss, Cone Head.

20°x10° LeBlond, cone. 24°x10° Boye & Emmes, cone.

22°x10° Lodge & Shipley, Selective Head, m. d.

24°x10' American, cone head. 24°x10' Greaves-Klusman, cone head.

24*x10' Creaves-Kluman, cone nes 24*x10' Schumacher-Boye, cone. 27*x14' American, cone, taper. 24*x12' LeBlond, cone. 24*x12' Schumacher-Boye, cone. 25* raised to 32*x12' LeBlond, cone.

26*x12* Rahn-Larmon, come 28-57*x12* Putnam Sliding Bed Exten-

sion Gap, cone. 30°x11' American, cone.

30°x14' Lodge & Shipley, cone. 36"x 11' American, cone.

Write for our New Stock List No. 37.

365 Spring Grove Ave., CINCINNATI, O.

QUALITY USED TOOLS

BROACHES

2 ton American vertical, 10 ton Oilgear hydraulic, No. 3 Oilgear hydraulic, No. 3L Oilgear hydraulic, No. 3 J. N. LaPointe double, Nos. 0, 3 & 4 LaPointe screw.

GEAR CUTTERS

Nos. 6, 75 & 715 Fellows Shapers. Nos. 16 HS, 18H and 24H G. & E. No. 12 Barber-Colman. No. 5A Lees-Bradner. 6" Gleason bevel.

PRESSES

No., C4 Ferracute O. B. I.
Nos., 54, 58, 58 Toledo S. S.
Nos. 64, 58, 67 Consolidated.
No. 74, 62 Toledo bl. crank.
32", No., 96C Toledo dbi. crank.
48", No. D48 L. & A. dbi. cr.
72" No. 94 Toledo double crank,
150 ton Ferracute Coining.
600 ton No. 6K Cleveland Coining.
No. 18 Bliss toggle drawing.
No. 5A Bliss toggle drawing.
No. 30 Bliss arch.
No. 50 Good of the Color of the Color of the No. 50 Bliss arch.
No. 50 Good of the Color of the No. 50 Bliss arch.
No. 50 Bliss arch.
No. 50 Good of the Color of the No. 50 Bliss arch.
No. 50 Good of the Color of the No. 50 Bliss arch.
No. 50 Good of the Color of the No. 50 Color Color of the No.

MILLERS, Universal

No. 1½ Rockford. No. 2 Hendey. No. 2 Cincinnati No. 3A Brown & Sharpe. No. 3A hvy. Brown & Sharpe.

GRINDERS

Norton, 6"x32" to 18-30"x96". Landis 6"x18" to 16"x83". Norton of Sharpe univ. Norton of Sharpe univ. 12"x36" and the Sharpe univ. 12"x36" Bath universal. 20"x22" 18" Springfield surface. Nos. 70, 72 & 75 Heald internal. Nos. 60 & 65 Heald cylinder. 20" & 33" Besly disc. Pratt & Whitney worm.

MILLERS, Plain

Nos. 1‡ B.& S. and 2A Milwaukee. Nos. 2, 3, 3S, 4 and 5 Cincinnati. No. 2‡ Rockford. Nos. 1‡, 2 and 3 Brown & Sharpe. Nos. 2, 2‡ and 4 LeBlond. No. 4 Hendey. No. 4 Kempsmith Maximill.

MISCELLANEOUS

24" and 48" Cincinnati duplex.
24" and 48" Newton rotary,
48" Obio tilted offset,
48" Chie his demand & Smith,
Hanson Whitney centering.
8" 38" 8. S. bench centers.
No. 1 P&W 2 spindle gun barrel & tube drill.
4 spindle Kingsbury horizontal.
So indie Detroit horizontal.
No. 1 Shuster strip metal straightener.
8" x10" Shuster wire straightener & cut-off.
4" x6" Shuster wire straightener & cut-off.
4" x6" Shuster wire straightener & cut-off.

2000 TOOLS IN STOCK. SEND FOR LIST.

MILES MACHINERY CO. SAGINAW, MICHIGAN

Offer Factory Reconditioned Tools

PUNCHES

No. 14 W. W. 1½* thru 1*. Double End, 25* Throat, Motor Drive. Size A. L. & A. 2* thru 1½*. Single End, 36* Throat, Motor Drive. No. 000 H. & J. 5½* thru 1½*. Single End, 16* Throat, Motor Drive. No. 2 H. & J. 1* thru 1*, Single End, 15* Throat, Motor Drive. No. 7 Beatty 1½* thru 1*. Single End, 42* Throat, Motor Drive. No. 5 Beatty ½*, Single End, 65* Throat, Flywheel Type. Rock River ½*, thru ½*, Single End 36* Throat, Motor Drive.

DUPLICATORS

2 Sizes 6 Thomas Angle Punches with 50' Tables. Motor Drive.
1 Size 8 Thomas Plate Punch 42" Throat, With Table, Motor Drive.
1 Thomas Plate, With Kling 72" Throat Punch, Punch Plates up to 60"x120".

PLATE TOOLS

No. 2 Hilles & Jones Straightening Roll, ¾* Plate, 50* wide, Motor Dr. No. 1 Hilles & Jones Bending Roll, 6'x¾*, Drop End, Belt Drive.

CRANES

I-Shaw Crane and I Erie Crane: 71/2 ton 571 Span, 230 D. C.

MISCELLANEOUS

Geo. Ohls Press Brake, 10 gauge 10' 6' between housing, Motor Drive. Loy-Nawrath Press Brake, 10 gauge 6' between housing, 12" throat, M.D. Air Riveters: Wide range of capacity, reach and gap. Hammers: Bradley: 75 lb. and 80 lb. Belt Drive. No. 5 Heavy Duty LeBlond Plain Mill. Single Pulley Drive. LeBlond Heavy Duty Lathe: 21"x8', Quick Change Gears, Belt Drive. Lewis Foundry Rail Breaker. Cap. 120 lb. Rails, Motor Drive. National 34" Upsetter, Motor Drive.

Wanted for Rebuilding Purpose: Plate Shears, Multiple Punches, Bending Rolls, Wheel Presses.

Beatty Machine & Manufacturing Co. 954-150th Street, Hammond, Indiana

-BUY NOW

Automatics

Nos. 2, 2G Brown & Sharpe. No. 6 Brown & Sharpe.

Boring Machines (Hor.)
5" bar NBP, floor type,
5" bar Newton Portable. No. 3 Hamilton, 4½" bar. No. 3-A Universal, 3" bar. No. 1 Cleveland, 2½" bar.

Boring Mills (Vertical) 24" 36", 42" Bullard, "New Era". 30" and 52" King. 42", 48", 54" and 60" Colburn.

Drills (Ball Bearing) 1, 2, 3, 4, 6 Spindle L-G. 1, 2, 3, 4, 6 Spl. Henry & Wright. 2 and 4-spindle Avey.

Drilla (Mfg.) 25" Weigel sliding head. No. 2 Colburn, 1, 2, 3 and 4-spindle. Nos. D-4, D-5, D-7 Colburn. No. 210 1&3 spdl. Barnes. 20" Barnes, all geared. No. 4 Bausch, mult.

Drilla (Radial) 3' Carlton sensitive. 4' American Triple purpose.

5' American, full univ., m. d. 4' Western. 6' American Triple purpose.

Gear Cutters Nos. 2, 2 & 12 Barber-Colman. Nos. 9-H & 18-H G. & E. hob. No. 16HS Gould & Eberhardt. Nos. 6, 62, 65 Fellows. 6" Gleason bevel gear,

Grinders (Plain) Heim Centerless. Heim Centerless, Nos. 19 and 12 B. & S. 6"32" Norton. 10"x18" 34" 38" Norton. 10"x50", 72", 96" Norton. 10"x50", 72" Landis. 14"x36", 50", 72" Norton. 18"x56" & 18"x120" Norton, m. d. 20"x168" Landis, m. d.

Grinders (Univ.) No. 13 B. & S., cutter & tool, No. 2 Bath universal. No. 4-12"x66" Landis.

Grinders (Misc.) No. 14 Landis, Internal. No. 70 Heald, Internal No.10 Blanchard surface. No. 16A Blanchard surface. No. 25 Heald rotary surface. 15"x17"x72" Norton, o. s., surf. No. 1 Gardner, hvd., face, 36"x84" Diamond, hyd. face.

No. 3 L. & S. Duomatic. 14"x6' American geared head TA. 16"x8' L. & S. 18"x8' L. & S. sel. grd. hd. 18"x10' American geared head. 18"x16" American geared head, 20"x28 American geared head, 20"x28, and control from the con

Millers (Plain and Universal) Nos. 0, 2-B, 3-B, 4-B B, & S, Nos. 11, 2, 2-A B, & S, No. 3-B Milwaukee s.p.d. Nos. 2 & 3 Cinn. h. p., s. p. d. No. 4 Kempsmith Maximiller, Nos. 4 & 5 Cinn. h. p., s. p. d.

Millers (Mfg.) No. 3 Sundstrand Rigidmill. No. 5 48" Cincinnati hydromatic. No. 5 45 Chechnia Hydronatic. 18" & 24" Cincinnati automatic. No. 4, & No. 8 Lees-Brad. 36"x38"x12" Newton Duplex. 38"x44"x20' Ingersoll slab. 48"x36"x16' Ingersoll adj. rail.

Millers (Vert.) Nos. 17 & 3-B Milwaukee. Nos. 2 & 3 Cincinnati h. p. No. 6 Becker vertical. No. 5 Brown & Sharpe.

Plances 24"x24"x12" Gray, rev. m. d. 30"x30"x6"x6", 18" Cincinnati. 36"x38"x6", 18" Cincinnati. 36"x38"x6", 18" Cincinnati. 36"x36"x14" and 24" Gray. 36"x36"x14" and 24" Gray. 42"x42"x30" N-B-P, Rev. m. d. 42"x42"x30" N-B-P, Rev. m. d. 48"x48"x14" Liberty, openside. 48"x48"x14" N-B-P. 60"x48"x16" Gray max. service.

Pressen No. 106 Bliss Gap, dbl. crank. No. 96-F Toledo, double crank. Shapers

16" Gould & Eberhardt, m. d. 20" & 24" Gould & Eberhardt.

Turret Lathes
No. 4 W. & S.; Timken bearings.
No. 1-A Warner & Swasey.
No. 2-A Warner & Swasey. No. 3A Warner & Swasey. No. 2-B and No. 3-B Foster. No. 4-L Gisholt, 9th. s.

HILL-CLARKE MCHY. 645 Washington Blvd.,

Chicago, III.

Good Used Equipment

Drills:

20" Rockwell (Champion) BG PF, 22" Mechanic BG PGF, al. hd. 23" American BG PF, al. hd. 25" Gould & E. BG PF, al. hd. 25" Gould & E. BG PF, al. hd. 25" Barnes, BG PF. 25" Bickford BG PF al. hd. 22" Hamilton BG PF, 4" Demco DAH, BB, MD, Alber Tors, B. at least MD. Allen Type B, sgl. spd. MD. Baker, Style F, heavy, elev. table. Prentice 4-spindle BB. Prentice 4-spindle BB.
Allen 5-spindle BB.
Natco Type K, 28-spindle,
Knight No. 1 Drill & Mill,
Fosdick 3 ft. radial BD.
Foote-Burt 4-spdl., rail.
Wells 10-spdl, worm gear drive Rail Drills (2).

Grinders:

Wells, 8x16" Cutter & Reamer. No. 6-20 Besly 2-spdl., pl. brg. No. 220 Badger Auto. Disc, for piston rings, BB. No. 1 LaSalle, plain & Surface. No. 2 Van Norman Re-Li-O, piston MD.

Madison, Internal. No. 65 Heald, Internal.

Hammers:

No. 5A High speed, #" cap. No. 4-V-3 Grant, 18" thr. #"cap., MD. 40-lb. Perfect, upright. 40-lb. Bradley, helve. 800-1b. Bement-Miles, steam. 1100-lb. B-M, steam (5). 2500-lb. B-M, steam (3). 6000-lb. B-M, steam.

Lathes

26"x12" Putnam Pacific type;DBG, Semi-QCG, Taper Attmt.; 20" chuck: MD. 24"x10" Fay & Scott,SBG, PCG,chk. 16"x8' Lodge & Shipley Patent Hd. 14"x8' Lodge & Shipley Patent Hd.

Lathes-Turret:

16" Type A Gisholt, 64" hole in spdl, 24" Type I Gisholt, 4-34" hole, 24" Type I Gisholt, 4-34" hole, No. 3 Foster, pl. hol, i.1-4" hole, J&L grd. head, chucking, 2-3"hole,

No. 3½ Fox hand & power.18x8x14". 2" Pratt & Whitney, spline, duplex. No. 4B Hendey Lincoln type. No. 3B Owen, pl.; vert. attmt. & div. head.

Planers: 26"x26"x6' Whitcomb, 2 heads. 30"x30"x6' Whitcomb, 1 head. 42"x42"x10' Pond, 1 head. 60"x60"x12' Gray 4 heads.

Presses-Arbort Atlas No. 28 & No. 12.

Presses:-Hydraulict Elmes; platen 30x30"; ram 8x5". Hydraulic, 10 ft. betw. uprights. Elmes 42-ton; ram 12x2"; MD.

Presses—OBI: No. 01 V&O, 14" stroke; wt. 950 lbs. Nos. 2, 3, 4, 44, 5, New Loshbough-

Jordan, plain, Presses-Straight Side:
No. 7 Zeh & Hahneman, geared;
wt. 6000 lbs. stroke 1½".
SG No. 81 Ferracute grd. double

crank; wt. 12000 lbs.; stroke 2". No. 167, No. 168 Toledo, toggle. No. 35 Niagara, Stroke 12".

Punches: No. 6 L&A grd.; #" in #"; 24" thr. Style C Cleveland, grd.; #" in #"; 26" thr.

Saws-Cold: No. 4 Higley; cap. 7" round. Knowlton; cap. 8‡" round; new.

Saws-Bandt

Wells metal cutting, MD. Racine, 14" with motor.

16" Barker, cone dr: BG.

Shears: Lennox. Bevel, I" cap.

Butt, Federal, 25 cycle.

Threaders—Pipe and Bolt: 2" Rogaco portable electric; pipe. 2" No. 402 Oster Power Boy, electric

Murchey double head, bolt,

Welders * &5 KW Dyer, spot, bch., 220 volt.

Many Other Machines in Stock-Send us your Inquiries.

BROWN MACHINERY CO.

2333 North Ninth St.,

St. Louis, Me.

DRILLS

6 Sp. ALLEN.
8 Sp. HENRY & WRIGHT, 12°.
No. 6D MOLINE "Hole hog".
26° Barnes, 2 Spindle, All Geared.
22° CINCINNATI, B. G.
2 Sp. AVEY.
2 Sp. FOOTE-BURT.
2 Sp. EDLUND, Power Feed.
No. 11 PRATT & W., Multiple.

No. 13 PRATT & W., Multiple.

PRESSES:-New-IN STOCK

DB-14 PEXTO C(2) O. B. I. D-16 PEXTO O. B. I. Also: No. 64 CONSOLIDATED, No. 104 W. F. FDRY., O. B. I. W. F. Fdry, 8⁸ stroke, Drawing, Geared.

No. 2 Bliss, "Stiles". No. 1 Bliss Toggle. No. 1 BLISS, Cam. No. 41½ W. F. FDRY. Dial Feed. LAMB & NASH, 36" SLITTER.

GRINDERS

14º PRATT & WHITNEY, B. B. No. 33 ABRASIVE, Vertical. 8" HEALD, Rotary, No. 22 HEALD, Rotary. No. 1 DIAMOND, Surface. No. I BROWN & S., UNIV. No. 11 BROWN & S., PLAIN. No. 4 VAN NORMAN INT. No. 6 BRYANT CHUCKING. No. 4-14º PEERLESS Vertical. No. 6-9" PEERLESS Vertical. No. 1 LANDIS UNIVERSAL. No. 4 GARDNER, DISC. No. 1 GARDNER, DISC. No. 2 NORTON CUT, GRINDER No. 11/2 CINC. CUT. GRINDER. No. 3 B. & S. CUT. GRINDER. No. 1 MORSE PLAIN, 6"x20". BENCH FILING MACHINES, Motor Drive. No. 4 HAMMOND POLISHING JACKS.

LATHES

14°x6' HENDEY, Ser. 22000. Taper, Draw-Bar, Collets, Relieving Attach. 12°x6' HENDEY, Taper. 12°x6' REED-P., Geared Head.

MILLERS

No. 2 CINCINNATI VERTICAL.

No. 3 BROWN & S. VERTICAL.

No. 4B BECKER VERTICAL.

TAYLOR FENN VERTICAL.

10 INCINNATI, AUTO.

No. 2B BROWN & SHARPE.

No. 21 B. & S., Automatic Mfg.

12 B. G. CINCINNATI, MFG.

No. 27 BROWN & SHARPE.

No. 4BURKE, Power Fd., Bench.

444*x12* PRATT & WHITNEY

THREAD MILLER.

No. 07 BROWN & S. MFG.

SCREW MACHINES

444 GRIDLEY.
11/4 GRIDLEY.
11/4 GRIDLEY.
No. 2 BROWN & S., Automatic.
No. 0 BROWN & S., Automatic.
No. 0 BROWN & S., Automatic.
No. 2 B. & S. HAND SCREW.
No. 2 P. & W. DIE SINKER.
No. 3 THIEL FILER.
No. 3 THIEL FILER.
No. 9 FOSTER, 23/4 Capacity.

MISCELLANEOUS

No. 40—10 BODINE (Anderson)
TAPPERS.
No. 7A—12*x12* RACINE SAW.
6*s6* PEERLESS SHAPING
SAW.
TOWNSEND RIVETERS.
MCKENZIE CHIP SEPARAT.
No. 4 GEOMETRIC THREAD.,
%* Cap.
No. 3—36* B. & S. GR. CUTTER.
FLATHER CUTTER RELIEVING MACHINE.

Machinery Dealers Incorporated
419 CHAPEL ST., NEW HAVEN, CONN.

BARGAINS with SAFETY

BORING MILLS, Horiz.
"Cleveland, Gear Box M. D.
"N. B. P. knee type. 34" bar, Landis No. 35 floor type.

BORING MILLS, Vertical 24" Bullard, New Era 42" Bullard, Power Rapid Traverse. 72" Betts heavy duty

72" & 60'ts neavy duty. 72" & 60" Bullard, P. R. T. 10' Niles, Pwr. Rap. Trav., M. D. 8'-12' Ridgeway Extension Type.

10' Pond, h. d., cone.

DRILLS, Radial
4' and 6' Mueller, Gear Box (2).
No 2 Aveymatic 2 Spindle. 4' Hammond Sensitive. 5' Western m. d. 25 H. S. and Multiple Drills, etc.

GRINDERS No. 1 Landis Univ. 10"x30". 10"x36" Landis Plain (3). 12"x36" Landis Plain. 6"x32" Norton, self-contained. 14x72" Norton, cylinder, s. c. 15"x15"x72"Norton Planer type,sur. 48" Badger face, Hyd. Feed. No. 2 Diamond 36"x12" 64" Diamond, face. Nos. 55 & 65 Heald Cylinder. 53" Besley Vert. Spin. Disc. 14" P & W Surface M. D. 53"

No. 33 Abrasive Surface (2).
LATHES
Il"x8' Seneca Falls, H"x6' Sidney,
i6"x6' Hendey; 18x6 Walcott,
18"x6' American, Cone, Q. C. G,
18"x6' Le S. Grd. Hd., M. D.
24"x12' Putnam Q. C. G. Cone,
25"x11' N. B. P. Cone, Q. C. G,
25"x12' N. B. P. Cone, Q. C. G,
25"x12' N. B. P. Cone, Q. C. G,
25"x12' & 36"x16' Bridgeford M. D,
36"x26' Le S. Cone Q. C. G,
No. 1 N. B. P. 42" Carwheel,
MILLERS, Production No. 33 Abrasive Surface (2).

MILLERS, Production 8"&12" Pratt & Whitney. 28" Cincinnati Semi Automatic MILLERS, Vertical Model CS Becker Continuous. Model B Becker, feeds 36x14x15, spd. No. 6 Becker, 62" feed, AC M.D.

MILLERS, Plain
No. 3 Cincinnati, grd. hd., P. R. T.
No. 4 Cincinnati, grd. hd., P. R. T.
No. 2B Heavy, B. & S.
No. 1 LeBlond, cone, Cullman m.d. MILLERS, Universal

No. 2 Owen Cone. No. 2 Brown & Sharpe Cone. No. 2BS Milwaukee Grd. Hd. M.D.

MILLERS, Planer Type Ingersoil adj. rail, 36"x30"x12'.

PLANERS

PLANERS
84"x84"x18" N. B. P., M. D 4 hds.
72"x60"x18" D & H Openside.
46"x48"x10" D & H Openside.
46"x48"x16" N. B. P. 2 Hds.
48"x38"x16" N. B. P. 2 Hds.
47"x38"x12" & 24"x6" Cinci. M.
39"x36"x10" D & H Openside.
11"x11"x4" Whitcomb M. D.

PRESSES No. 58 Toledo SS Grd. 400 ton Wood Hor. Hyd. Carwheel. 400 ton Southwark Hyd. Vert. 400 ton N.B.P. Hor. Hyd. Carwheel.

PUNCHES and SHEARS 54" H. & J. No. 2 double end. No. 26UD Buffalo Armor. No I Buffalo Trpl. Comb'n. Armor. 156"x#" Hyde Park, Gap. 8'x3/16" & 5'x10 ga. Niagaras.

ROLLS 17'x1 Niles A. C. m. d. 12'x1" H. & J. No. 4. 10'x1" Bertsch, pyr. 8'x1" Pyramid.

SAWS No. 2B Gorton Internal, 74". Peerless univ., shaping. No. 16 Higley, cold, m. d. No. 4B Cochrane & Bly.

TURRET LATHES 4L Gisholt-no cross slide carriage. 4L GISBOIT—BO CYOSS SIIGE CAPTIAGE 26" Libby, 7½" spindle hole M. D. 26" Steinle 6½" spindle hole M. D. 21" Gisholt 3½" spindle hole cone, 2x16 & 2x24 Jones & Lamson, No. 4 Warner & Swasey, 1½".

MISCELLANEOUS 14" Gridley Automatic 4 Spindle. 24" Gridley Single Spin. M. D. Auto. Nos. 23, 24 & 34 New Britain chig. No, 3 Oilgear Hyd. Hor. Broach. No. 3L LaPoint Hyd. Broach. Nos. 3R & 4 LaPointe, Screw. No. 13H B. & S. Gear Cutter. 11" Gleason Bevel Generator M.D. Nos. 6B Nazel Hammer M. D. Nos. 6B Nazel Hammer M. 1200 lb. Bradley, Helve Hammer. No. 3 Mitts & Merrill Keyscater. 8" and 6" Saunders, Pipe Machine. 8" & 3" Jarecki Pipe Machine. 2" Bignall & Keeler Pipe Machine. 24" G. & E. Cone Shaper. 24", 29", 14" Smith & Mills Cone. 20" G. & E., D.C., M. D. Shaper. Send for complete stock list

BENNETT-RAFKIN MACHINERY CO. OFFICES: 30 CHURCH ST., NEW YORK CITY

Air Compressors, 4 to 1200 cubic feet. Beaders, 15 & & 30 Yoder & Quickwork, Drills, I, 2, 3 & 4-spindle ball bearing. Gear Hebber, No. 5-A Lees-Bradner, Grinders, No. 60 Heald Int.; No. 52

Hydro-Greenfield, Internal, Lathes, 14x6 & 16x6, Hendey, Cinc.,

Adv.g.c. 16x8, 18x8, 20x8 Monarch. Boye & Emmes, LeBlond g. c. g., 20x10 Prentice, G.H.; Q.C.; T.A. 21 x8' LeBlond H. D., Q. Ch. G. Millers, No. 2 Kempumith Univ. Vert. Head, No. 35 Ohio Univ. Equipt, No. 3 Brown & Sharpe Plain, No. 3B Hendy Univ. Div. Hd. Eqpt. Nibbler, No. 1 Campbell 6 Throat. Pipe Threader, 2 Landis G. H., M.D. Planer, 36x36x10 Gray 2 heads. Punch & Shear, No. 52 Beliot, Comb. Punch Presses, No. 81 H Cons. Horn.

No. 3 Walsh O. B. I. (2).
Strew Mchs., No. 4 W. & S. g.f.h.
Shapers, 16, 24, 28 Mil. & G. & E.
Welders, 15 & 30 K. W. Butt.

SEGAL MACHINERY CO., 117 Clinton Street, Chicago, Illinois

SPECIAL ITEMS

Partial List of Machines in our Stock

MILLING MACHINES

No. 4 LeBlond plain cone type. No. 2 Hendey-Norton universal complete equipment. DRIL

No. 416 Baker heavy duty s. p. d. No. 314 Baker HS . p. d. 4-Foote Burt straight line drills, adjustable heads.

2-No. 3 Barnes hor. Radial Drills

No.33 Abrasive vert. surf. grinder No. 14 Pratt & Whitney vertical surface grinder b. b. spindle. No. 11 Brown&S. pl. grinder; SC

18x8 Hendey GH, MD engine lathe, taper attachment. 26x12 Schumacher & Boye belt

drive 14x10 Hendey geared hd. engine

lathe, MD, TA. 2-14x6 American GH, MD en-gine lathes, TA.

No. 7 Bliss s. s. dbl. crk. press. 88 str., 73" between uprights, SBG. 2-No. SRG-102 Ferracute dbl crank, back geared presses; 418 between housings.

MISCELL No. 31/2 Baker Bros. Keyseater.

planer, two heads on cross rail. 36x36x12¹ Bickett DH planer, 2 hds. No. 26 Williams & W. Bulldozer. Over 750 machines in stock. Let us quote on your requirements.

36x36x12! Cleveland openside

No. 3 Cincinnati, plain 4" Newton dbl. sp. spline Miller. No. 2 Brown & S. plain Miller. LS

60 spindle high speed drills in 1.2,4 spindle combinations. 20-Single spindle 21" and 24"

Cincinnati and Barnes upright drills. GRINDERS

No. 55 Heald Internal Grinder. 5—Bridgeford 7½ HP enagging grinders. No. 2 Oakley univ. tool cutter gr.

LATHES 18x8 Monarch BD, QC eng. lathe.

14x19 Fay automatic lathe, MD. 6-No. 6 Warner & Swasey FGH turret lathes No. 5 Foster FGH universal hand

screw machine No. 6 Warner & Swasey FH turre: lathe, with air chuck.

PRESSES No. DDG-4 Ferracute cam draw. No. 44 Cleveland pl. horn press. 2-No. P-4 Ferracute SB plain.

No. 29 Bliss arch press. 10—OBI presses from 1 to 6. ANEOUS

2-Lees-Bradner No. 1 production gear hobbers.

No. 24 Williams & W. Bulldozer. 2-Landis 1/2" dbl. hd. bolt cutters. 24x16 Bury low pressure air compres.

RIVERSIDE MACHINERY DEPOT

252 St. Aubin Avenue.

Detroit, Mich.

High Grade Machine Tools

Lathes

36°x14' Boye & Emmes, cone, q. c.
36°x20' Bradford cone, Loose Chge.
28°x48'x10' Harmington, Sid. Bed.
26°x14' Bridgeford Grd. Hd. S.P.D.
32°x16' Bridgeford Grd. Hd. S.P.D.
42°xx18' Bridgeford Grd. Hd. S.P.D.
42°xx18' Bridgeford Grd. Hd. S.P.D.
24°xx10' Excaves Kluman Grd. Hd.
S.P.D.
24'xx10' American Grd. Hd. S.P.D.
26'xx16' Bradford Cone Drive. Q. C.
20°xx10' Lodge & Shipley 3SCD QC.
16°x10' LeBlond 3 SCD,DBG,QC.

Grinders

16"x52" Landis self contained. No. 2 Brown & Sharpe Universal. 16"x48" Landis Crankshaft. 16"x48" & 72" Landis Crankshaft. Type A Production Abrasive Finishing Nos. 50, 55, 60, 65 and 70 Healds. 6"x18" Landis Plain, Self Contained. 10"x52" Landis Plain, Self Con. Rivett Internal Grinder.

Gear Cutters

No. 3, 26⁸ Brown & S. Gear Cutter, Nos. 1, 2, 4 Adams Farwell Gear Hb, 18-H Gould & Eberhardt Hobber, 6*, 11*, 18* Gleason Gear Generators, No. 6 Fellows Gear Shaper, No. 3-36* B&S Gear Cutter, No. 5-60* Newark Gear Cutting Machine.

Bolt and Pipe Threaders

1/2" Landis Double Spindle Lanco Hds. 2" Landis Double-Spindle.

Boring Mills

4

42* Colburn Vertical Mill Rap. Trav. 36*-44* Niles-Bement-Pond Side hd. Mill, Rapid Travene. 42* Niles Boring Mills, 2 heads. 14* Betts, Cone Drive. 60* Niles Boring Mill, 2 heads.

Milling Machines

24° Cincinnati Automatic.
24° Cincinnati Duplex.
No. 4 Cint. High Pewr. Univ. S.P.D.
No. 2 & 3 Kempumith Plain, M. D.
No. 3 Le Blond H. D. Plain,
No. 3 Kempumith Universal.
58 Becker Vertical Mill.
5° Pratt & Whitney Automatic.
18° Cincinnati Plain Mig. Millet.
Briggs Manufacturing Miller.
No. 7-H Becker Lincoln type.
No. 1 Knight Millet and Orillet.

Planers

30°x30°x8° American two heads. 30°x30°x16° Gray, two heads. 24°x6° Ohio. 24°x24°x14° Gray, box table. 42°x24°x10° Cleveland Openside, 3 heads, A. C., M. D.

Radial and Upright Drills

24th Cincinnati Bickford Upright, tap. 2½, 3, 3½, 6' Cinci. Bick. S. P. D. 3, 3½, 4 American Tip. Pur. S.P.D. 3' Bickford Plain, S. P. D. No. 2 Colburn Mfg. H. D. 2-spindle. No. 40 Natco Straight Line Multi.

Shapers

20" Ohio, motor driven.
16", 20", 24" Gould & Eberhardt
motor drive, thru gear box.
16", 20" and 24" G. & E., cone drive.

Miscellaneous

No. 3-B LaPointe Broaching Mche. 80lb. Bradley Cushion Helve Hammer High Speed Riveting Hammers. Nos. 1 & 3 Baker Keyseating Mches. No. 2 Mitta & Merrill Keyseater. Nos. 1 & 2 Davis Keyseaters. V-18 Asser. Vert. Broaching Mche. 15, 30 & 50 Ton Lucas Forcing Pr. 96 A Toledo Double Crank Press No. 163B Consolidated Dbl. Crank. No. 1 & 2-X Garvin Tapping Mches. No. 4 W. & S. Univ. Turret Lathe. Nice Variety of Sizes of Presses.

Write for Complete Catalogue-We Buy, Sell and Exchange

Cincinnati Machinery & Supply Co., 28 West Second St., OHIO

Good Machinery, Attractively Priced

BORING MILLS - Horizontal

Cleveland 2\frac{2}\tau^{\text{"}} bar, Niles-Bement-Pond No. 1 portable. Barrett No. 2, 4\frac{2}\tau^{\text{"}} bar. Beaman & Smith 5\text{"} bar. Ryerson No. 12, 4\text{"} bar. Niles-Bement-Pond H B3, 5\text{"} bar.

BORING MILLS - Vertical

Bullard 24", 36", 42". Niles Bement Pond 82", 2 heads, Niles 7-10' Extension. Niles - Bement - Pond 10-16' Ext.

MILLING MACHINES Manufacturing

Gooley & Ed. (Briggs) types A&B. Cincinnati 18". 24" automatic. Ingersol! No. 3 combined hvy. duty. Ingersol! 24"x24"x12" planer type. Ingersol! 24"x24"x12" adj. rail, Ingersol! 24"x24"x12" and 16" slab. N. B. P. 84" x 73" x 24" planer type.

AUTOMATIC SCREW MCHS.

Brown & S. No 0, 00.0G, 2, 2G, Gridley 9/16", 7/8", 1½", 1½", 2½", New Britain Nos. 22, 24, 33, 454. Potter & Johnston Nos. 6A and 7A. Cleveland 2", 3½", ¾", ¾" model A.

LATHES

Pittsburgh 50" x73" grd. hd.,
Putnam 59" x30" grd. hd.,
Putnam 59" x30" grd. hd.,
Pittsburgh 38" x38" grd. hd. Q. C. g.,
Bridgeford 38" x36" boring & turning.
Bridgeford 38" x36" boring & turning.
Bridgeford 38" x36" boring & turning.
McCabe 28-45" x13" double spindle.
Leibied 38" x36" boring spindle.
Leibied 38" x36" boring for the spindle.
Leibied 38" x36" boring for the spindle.
Monarch 14" x10" grd. hd.
And 200 other lathes from which to select.

- AN EXCEPTIONAL "BUY" -

CLEVELAND 48'x48'x12' Openside Planer, with 2 heads on cross rail; 1 side head; arranged for motor drive.

MILLING MACHINES Plain and Universal

Cincinnati No. 2, 3, 4 Plain, SPD. Brown & S. No. 2, 3, 4 Plain; SPD. Brown & Sharpe No. 2A, No. 2, No. 4 universal.

MILLING MACHINES

Vertical and Thread
Beaman & Smith No. 1 vert. and
horizontal spindle.
Becker No. 4B, C-1 and C vertical.
Pratt & Whitney 6x14, 6x48 thread.

RADIAL DRILLS

Dreses 3'. Reed Prentice 4'. Niles Bement Pond 5', 8'.

DRILL PRESSES—High Speed An assortment of 1, 2, 3, 4 and 6 sp. high speed ball bear, drill presses.

What are your requirements?

LATHES — Manufacturing

Porter Cable 9x14.
Adams short cut.
Le Blond Nos. 9 and 12 Multi-cut.
Sundstrand Stub.

DRILL PRESSES-Mult. Spdle.

Natco Nos. 12, 13 and 22, Pratt & Whitney No. 12, Natco C-11 high speed, Natco C-13-H hydraulic, Baush No. 4 rect, hd. 58x42; 30 sp.

GEAR CUTTING EQUIPMENT

Brown & Sharpe No 3—28, No, 3—38, No. 5—50" Gear Cutters, Fellows No. 6, 61, 615 gear shapers, Fellows No. 7, 71, 712 gear shapers, Fellows No. 8B burnisher.
Lees Bradner planisher.
Gleason 24" gear planers.
Harber Colman Nos. 2, 312 hobbers, Cleveland 8 spindle gear hobber.

TURRET LATHES and SCREW MACHINES

Libby 26" Turret: grd, hd.; 7\u00e4" spdl. Gisholt 24" Turret. Warner & Swasey No. 6. Foster No. 7 Universal.

1000 other machines in stock-Ask for details

MOREY MACHINERY CO., Inc.

Good Used Machinery

AIR COMPRESSORS; Curtis 9x9 dbl. cyl. vert.; Ing-Rand 5x4& 7x6 horiz; Bury 12x12 horiz.

BORING MILLS; Niles 36° c. d. Baush 44° m. d. N-B-P 54° s. p. d. Vert, with 2 heads; Lucas 2½° bar s. p. d. and Barrett 5° bar c. d. horizontal.

DRILLS (RADIAL); Mueller 21/21, Foedick 21/21, Prent. 31; Carlton 41 all gear box drive.

4° ali gear box drive.

DRILLS (H. S. B. B.); H & W 2, 4, 5-sp.; Allen 2 & 6-sp; Avey, Demco, Lel-Cuiff. 1-sp.

DRILLS (MISC.); Baker No. 217 (2) & No. 314 Hvy. Duty; Hamilton 42°S,H.; Barnes 26°S,H. tap.,attach.; Barnes 20°624°1-sp. &20°4-sp. &20°

GEAR CUTTERS; G & E 36°, G & E 48°, G & E 60° & B & S 26°
s. p. d. automatic spur.

GRINDERS; P&W 12º vert. surf.; Cin. No. 1½ & B&S No. 12 univ. tool, B&S Nos. 11&16 plain, Heald No. 60B.B. cylinder.

HONING MACH.; Hutto 2-spindle Vert. M. D.

KEYSEATERS: M & M No. 0 & Davis No. 1 vert.

LATHES; Reed-Prent. 16*x8' grd. hd.: LeBlond 18x8', Lehmana 18*x9', Hendey 18*x8'; Amer. 22x8', Whit. Blais. 22*x8'; Davis 22*x10'; L & S 20*x10', S-8 & E 20*x10' q. c. g.

MILLING MACHINES; Ohio No. 24, Kemp. No. 3, B & S No. 3, Rock. No. 2½ univ.: B & S No. 2, Amer. No. 1½, Cin. No. 3, B & S No. 3, Hendey No. 3, LeBlond No. 3, B&S No. 3 s.p.d. plain. Becker Model "B"&No 6 vert.; Kemp. No. 33 s.p.d. Prod.

PLANERS: Gray 30"x30"x10', Gray 60"x48"x10', 2 hds.; N-B-P 48" x 20' 4 hds. Gray 28"x28"x6' 1-hd.

PUNCH PRESSES; Fer. No. SG-53 d. c. grd.; Amer.Can No. 4 1/2 arch; Toledo No. 3 o.b.i.; Fer. No. PG-3 cl. back.

SHAPERS; S & M, G & E, Ohio, Mil., Q. City. Davis, Cin. 16*; Ohio & G & E 20*; S & M., Q. City, Rock, 24*; Ohio 26*; Cin. 24* s. p. gr. box; Rock. 24* m. d. gr. box.

SCREW MACHINES; B & S Nos. 0, 00, & 2; Nat. Acme. Nos. 515, 52, 55, & 56 4-sp; Gridley 4-sp. %" & 4-sp. 1 %" cap.

TURRET LATHES; Libby 18° m. d., grd. hd.; W & S No. 2-A univ.; Foster No. 7 all power feeds.

Above is only small part of our large stock on hand.

McDONALD MACHINERY CO.

1531-35 No. Broadway,

St. Louis, Mo.

VICTOR'S BARGAINS IN NEW



IN NEW HIGH SPEED SLITTING SAWS

These saws are hollow ground

Da.	Width	Hole	Our Price
2222233333344444455555666	1/32 1/44 1/32 1/32 1/32 1/46 1/32 1/46 1/46 1/46 1/46 1/46 1/46 1/46 1/46	15-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-15-16-16-16-16-16-16-16-16-16-16-16-16-16-	\$1.40 1.40 1.40 1.45 1.65 1.65 1.70 1.78 1.85 2.20 2.25 2.35 2.50 2.75 2.90 3.15 3.30 3.50 3.70 4.30 4.30
25566667777788	7/6 7/6 7/2 1/6 1/6	1-11/4 1-11/4 1-11/4 1-11/4 1-11/4	5.20 5.00 6.00 6.00 6.50 8.75 9.90

Send Quickmail Coupon No. 52 for our General Catalogue.

VICTOR MACHINERY EXCHANGE HI CENTRE ST., NEW YORK N. Y.

"BURNS BEST BARGAINS"

Band Saw, Klemm Metal No. 2. Boring Bar, Barnes No. 1, dbl. apdle, Boring Mill, Bullard 30^s turret head. Brakes, Dreis & Krump, Whitney-

Brakes, Dreis & Krump, Whitney-Jensen all sizes.

Comp., Ing-Rand 10'x8, tex-rope dr.
Comp., Bury 8x8 & 6x6 horiz.
Die Sinker, Pratt & Whitney No. 4, vert. dbl. sp. with cherrying attach.
Drill Preas, Foote Burt No. 25, S. P. D.
Drill, Leland & Gifford 2-Sp. B. B.
Drill Radial American 3', motos-drive.
Drills, Radial, Bickford No. 3 — 6'
full universal.
Drill, Cobium D. 4 heavy duty, No. 5
taper, S. P. D.
Grinder, B. & S. No. 12, plain.
Grinder, B. & S. No. 12, plain.
Grinder, Landiu int. hyd., 15x8 M.D.
Grinder, Carcher No. 2, No. 4, No. 6
double dime.

double disc.

Hobben, Adam No. 1.

Lathes, Hendey 18x8, 16x6, t. a. Lathe, McCabe dbl. sp. 26-48x14^t Lathe, Harrington Gap type, closed 28°

by 181 bed, gap open 528, takes

22' between centers. Lathe, Pratt & Whitney 1x 18 autom... magazine feed.

magazine leed.
Miller, Kaispith Miller & Driller.
Miller, Kearney & T. No. 1-A, SPD
Miller, Becker No. 5-C vertical.
Miller, Pratt & Whitney No. 10 hand.
Press, King No. 2 sgl. end 19* throat.
Press, Rock. No. 23 horn, swing table.
Press, Blia No. 22 F. W. T.
Press, Blia No. 68 double action.
Press, Blis No. 61 reducing str. 55*

Fress, Biss No. 61 reducing str. 5*
F.W.T.
Planer, Gray 30x30x8.
Turret Lathes, W&S No. 2-A & No.
3-A Univ. hollow hex for chucking.

Turret lathe, P. & J. No. 6-A. Turret lathe, J. & L. double head. Welders, Dyer all sizes (New).

SHEET METAL MACHINES

Press Brake, Ohl's 12¹, power, shaft diam. 4-½⁸. Shear, Niagara No. 696 power Sq. 15⁸ gap, 8¹-10 ga. Shear, D. & K. 5¹ power, cap. 10-ga. Shear, Niagara No. 230 power, cap.

16-ga. Shear, Kidd No. 3 angle. Shear, Quickwork No. 10-5' rotary

Shear, Querwork No. 10-3 toury 14-ga. Shear, Yoder, rotary, cap. 14-ga. Shear, Badger No. 27 splitting. Shear, Pexto 30⁹ foot power. Shear, Kling No. 4 angle shear. Shear, Rock River comb.puach&nhear,

cut 48 angles, 1½8 sq., 1½8 round. Roll, Hendley - Whistemore 6' slip, diam. 5½8 C.P. Roll, Beloit slip 4', 3-½8 rolls, hand. Roll, 10' power, cap. ½8' clutch pulley. Roll, Hilles & Jones smoothing 38' wide, Cap. 16-ga.

Rock River bending machine, ram5x7. Brake, Dreis & Krump 10' hand, cap.

Brake, Dreis & Krump 101 hand, cap. 16-ga. Brake, Dreis & Krump hand, 81 cap.

14-ga.

F.W. BURNS MACHINERY CO. 1441 N. Third St., Milwaukee, Wis.

FREE BUYERS' SERVICE

To All of Our Readers

If you will list below the new or used metal-working machines or machine shop equipment for which you are in the market, and mail it to us, we shall be glad to broadcast it to all of our advertisers. Replies will come from them, not from us.

But if you prefer that we put you in direct touch with the manufacturers of any particular machine tool or other metal-working equipment, let us know and we will endeavor to locate them for you.

Address
We are in the market for

AUTOMATICS FOR IMMEDIATE DELIVERY

Cleveland 4½ Model "M" 4-Spindle Chucking Machine, M. D. by

10 H. P. 3-60-Z2U. Cleveland 4-Spindle 1½° Chucking Machine, M. D. National-Acme No. 56 2½° 4-Spindle. Gridley 4-Spindle 4½° Automatic Chucking Machine, Model "H", M.D. 1½° Gridley 4-Spindle, Model "F. 2½° Gridley 4-Spindle, M.D. Nos. 6A & 5A Potter & Johnston s. Nos. 6A & 5A Potter & Johnston s.

14" Fay Automatics with back angle attachment.

Many other high grade machines.

Industrial Mehy. Co., 2100-2300 Fletcher Ave., Indianapolis, Ind.

A Few Of Our 2,000 Machines

LATHES

-72"x351 Bement Heavy Duty. 65"x32" Bement Hvy. Duty.

-56"x16' Niles-B-Pond Hvy Duty.

—36°x26' Niles Bernet Pond. —36°x52' Putnam Lathe. —30°x16' H-S-Gamble. —24°x30' Lodge & Shipley. —18°x8', 14°x8' Lodge-S., G. H.

BORING MILLS

-24" Bullard New Era. -36" Bullard Rapid Production.

I - 30° Bullard Rapid Production
I - 51° Bausch.
I - 60° Colburn Vertical.
I - 42° Colburn Vertical.
I - 62° Niles Vertical.
I - 84° Bullard Vertical.
I - 90° Bets Vertical.
I - 100° I N. B. Pond Vertical.
I - 100° Bets Ve 1—No. 6 Barrett Horiz. Mill 8* Bar. 1—10* Niles Vertical Boring Mill.

MILLERS

1—No. 3-S Cincinnati Plain.
1—No. 2-A Brown-Sharpe Universal.
1—No. 2 Kempemith Universal.
1—No. 4-B Brown & Sharpe Plain.

I - No. 4 Cincinnati Hi-Power Plain. I - No. 5 Cincinnati Plain.

-No. 5 Brown & S. plain miller. -No. 2 Van Norman Duplex.

RADIALS

—51 Niles Right Line Radial.
—51 Cincinnati-Bickford Plain. -6' Cincinnati-Bickford Pl., M. D.

DRILLS

1-No. 210 Barnes All Geared, B.B.

I—No. 14 Natco Multiple. I—4-spindle Sipp. I—No. 2 Colburn four-spindle. I—No. 4-D Colburn.

1—No. 12 Consum.

1—No. 12 P. & W. multiple spindle.

1—24-Spindle Bausch Heavy Duty.

PLANERS

-42"x42"x20" Niles Planer. -48"x48"x10" Niles-Bement-Pond. 56"x56"x14' Niles-Bement-Pond.

-56"x56"x14" Gray. -60"x60"x20" D. & H. Openside.

3-72"x72"x12" Pond. 1-36"x36"x12" Cincinnati 4 heads. 1-25" Niles Plate.

SHEARS

1-No. 2, 6 Hilles-Jones Guillotine. GRINDERS

-No. 2 B. & S Universal Grinder. 1-No. 13 B. & S. Universal. 1-18"x"84 Landis Grinder. 1-14"x72" Norton Plain. 1-10"x72" Norton Plain.

GEAR CUTTERS

1-72 Gear Cutter. 2-6, 11, 18 Gleasons. 1-36 B-M Gould-Eberhardt,

2-No. 5 Newark Hobbers. 1-100 G. and E. Hobber.

1—No. 4-36 Brown & S. gear cutter. 1—No. 5 Cincinnati Gear Cutter.

No. 6 Fellows Gear Shaper

MISCELLANEOUS 1-90° Wheel Lathe.

Need some good tools? Let us quote you.

Simmons Machine Tool Corp. 149 Broadway, New York City ALBANY, N. Y.

GUARANTEED USED MACHINERY

Air Compressor, 6x6 Curtis dbl. cyl. Borer, Horizontal, No. 1 Cleveland, 2½* spindle.
Borer, cylinder, No. 5-D Moline, 6 sp. Boring mills, 42* Colburn.
Burnishing mche., No. 1 Baird, dbl.ball, Drill, No. 1½ Avey, 3 spindle.
Drill, No. D-3 Colburn, h.d., 3* cap. in steel.

Drill, No. 6 Nameo horiz., semi-auto. 6 spindles.

6 spindles, No. 1 Landis universal. Grinder, No. 10 Besly double disc. Grinder, No. 3 W. & M. surface. Grinder, surface, No. 2 Brown & S. Grinder, surface, No. 2 Reed. Grinder, surface, No. 78 Wilmarth & Morman.

Hammer, 1200.lb, Bliss, board drop. Lathe, turret, 21/4 x26 Cinc. Acme. Lathe, stub, 12" Sundstrand. Miller, Ingersoll slab, 4 heads. Miller, No. 1 Kempumith. Miller, No. 4 LeBlond plain, h. d. Miller, No. 13-B B. & S. Miller, No. 3 Garvin hand. Pipe machine, 4ª Oster. Planer, Cleveland 30x30x1010penside. Planer 56"x56x12" Gray. Planer, Cleveland 48x48x121 open s. Press, No. 52 Toledo arch. Press, No. 56 Niagara s. s. single crk. Screw machine, No. 4 W. & S. Shear, 11' Stoll 14 gauge, m. d.

Welder, spot, 15 k. w. National.

All machines backed by Essley guarantee

THE E. L. ESSLEY MACHINERY CO. CHICAGO, ILL.

Alamo Engine Company--Receivership Sale

Court has ordered Equipment sold at once

Don't fail to get the reduced prices for bargains

2 BORING MILLS. Beaman & Smith.

14 DRILL PRESSES, Single Spdl. Baker, Foote-Burt, Colburn.

8 LATHES. Reed Prentice, Wicks.

2 LATHES-Turret. Gisholt, Jones & Lamson.

Detroit Trust Co. and Thomas M. Sawyer, Receivers Hillsdale, Michigan

200 Ton Ferracute Toggle Press 10' 6"x"⁴" Ohl Pwr. Press Brake, m. d.

Boring mills, 3" & 5" B. & S. Die filer, SP-1 Oliver, (floor), Die filer, No. 5 Rearwin, motor drive (new). Thiel, m. d. Drill, 5" Dress, univ. radial arr.m.d. Drill, No. 2 Avey habb; 12" overhg. Drill, 2" Barnes aldg. hd, tap. att. Drill, 3" American Radial S.P. D. Drill, 2" LeG; power fle, spd. lec. Grinder, 3 H. P. Marschke (new). Grinder, 3 H. P. Marschke (new). Grinder, No. 2 Reid sur., arr. m. d. Grinder, No. 2 Brown & S. surface. Grinder, No. 1 B. & S. universal, Grinder, No. 2 Brown & S. surface. Grinder, No. 10 B. & S. universal, Grinder, No. 20 Heald rot. surf. Grinder, No. 20 Heald rot. surf. Grinder, No. 20 H. & S. cutter, Keyseater, No. 2 Milk Merrill, Hammers, 14B. 3 A. High Speed. Lathe, 3" 4" S. & B. q. c. g. Lathe, 1" 3" Rockford q. c. g.

Lathe, 15°x6' C.& J., q. c. g.
Lathe, 14'x6' Rockford, q. c. g.
Lathe, 14'x6' Rockford, q. c. g.
Lathe, 12'x5' Hendey, q. c. g.
Millers, No. 2A B. & S. univ., m. d.
Millers, No. 5 Clnn. plain; m. d.
Miller, No. 5 Clnn. plain; m. d.
Miller, No. 1 B. & S. vertical.
Miller, No. 4 Cinncinati plain.
Miller, No. 3 Becker Brainard plain.
Miller, 24' Cincinnati automatic.
Miller, 24' Cincinnati automatic.
Miller, No. 6 Whitney, m. d.
Miller, No. 1 C. Hander, Miller, No. 24 Rock univ. equip.
Planer, 30x30x7' Gray, 1 head.
Presses, Nos. 1 & 14' Blisscam draw.
Presses, Nos. 2 & 4 Rock; o. b. I.
Saws, 6'x6' Feerless, universal.
Saw, No. 8 Marvel high speed.
14' Whipp & 24'
Scleroscopes, "C'2' & "D' Shore.
Tester, 1H Rockwell hardness.

GEO. M. BERNSTEIN & CO. 12 So. Clinton St., Chicago, Illinois

SPECIAL OFFERING FOR MAY

96* Pond Boring Mill, two heads. 42"x42"x12' Cincinnati four head planer. 3A Universal Horiz. Boring Mill, 3º bar. Cleveland Horiz. Boring Mill, 21/2" bar. No. 2 Brown & Sharpe Univ. Grinder, complete. No. 3B Milwaukee Univ. Miller, double arm, comp. 24" Gould & Eberhardt Shaper, cone drive, b. g. 300 lb. Standard Automatic Drop Hammer. %6" five spindle Davenport Screw Machine, rebuilt. Niagara Shear, 48"x1/4", gap type. 57T and 58T Niagara Trimming Presses. 3A Brown & Sharpe Univ. Miller. 800 lb. Standard Automatic Drop Hammer. 16A Blanchard Vert. Motor Driven grinder. 2-1 Brown & Sharpe Univ. Grinder, complete. 800 lb. Bliss Coining Press-No. 26K.

Write for further particulars.

J. L. LUCAS & SON, INC. BRIDGEPORT, CONN.

191

200amp.Hobart Bat. Charg. 7, 5v. 1750
36³ Crescent Band Saw. ½^a saw.
2000 lb. B. & S. Berl. Drop Hammet.
5000 lb. db. frame N. B. P. Steam ham.
1100 lb. sgl. frame Steam Forg. Hammet
100 lb. sgl. frame Steam Forg. Hammet
10'x'k' D. & K. Leaf Brake, b. d.
26'x 1!' Wickes D. B. G. Hvy. Duty
12'x 10' Ch. Preu. M. D. Air Comp.
10'x 1' Wickes Bend. Rolls Pyr. Type.
828'x !' H. & I. Angle Sh. on turnbl.
10' Streine Square. Shear 16 ga.
12' Cox Pipe Cutting & Thread mch.
Lennox Rotary Bevel Shear, ¾' cap.

84* Niles Vertical Mill, B. D.
30* Bulland Mill. Turset Hand.
48n 1* L. & A. Pl. Sh. on turnthle. m. d.
300 amp. Lin. Port. DC Arc Welder.
Lewis Alligator Shear, cap. 1½.
10ton Hand own trav. Crane 46 18* upan.
Hd. J. S. Punch62* Th. cap. 1½. 21½*
4* Merrell Pipe Cutting& Thread Mich.
20* x 10* Hendey Lathe dbl. firction CS.
No 3 B. & S. Automatic Gear Cutter.
3½* Ajax iron bed Forg. & Upset. Mch.
72* Bulland Vert. Bor. Mill D. C. M. D.
20* American back-geared Shaper.

Russell Machine Co., 438 Oliver Bldg., Pittsburgh, Pa.

Exceptional Values

No. 4 Le Blond Heavy Duty Plain Miller, S. P. D.
No. 3 Le Blond Plain Miller, cone drive.
16", 20" and 24" G. & E. Shapers, gear box, S. P. D.
29" Stockbridge Shaper, cone drive.
27"x14' American, G. H., M. D.
18"x8" Reed Prentice Geared Head Lathe, S. P. D.
No. 18 B. & S. Plain Grinder, overhead M. D.
No. 3 B. & S. Universal Grinder, overhead belt drive,
6' American Plain Radial Drill M. D. on arm.
44' Morris Radial—S. P. belt drive through gear box,
Send us your inquiries.

Iroquois Machinery Co., BUFFALO, N. Y.

PRICED RIGHT FOR QUICK SALE

Brinnell Hardness Testing Machine 6" gauge, range 0-4500, complete with weights and microscope.

Our late STOCK LIST NO. 65 shows complete stock of Foundry & Industrial Equipment on hand.

Scully-Jones & Co., 1905 S. Rockwell St., CHICAGO, ILLINOIS

Complete Stock of Production and Tool Room Equipment

Air Compressors, Motors and Belting also Woodworking Machinery.

Midwest Equipment Co.

628-30 W. Lake St.,

Chicago, Ill.

MILLING MACHINES and PLANERS

I—No. 2 Kempsmith Maxi-miller, Plain.
I—No. 3-A Heavy B.&S. Univ. Miller with vert. attach.
I—No. 3-B Milwaukee Double Over-arm Plain Miller, single pulley dr.
I—No. 3 B. & S. Plain Miller, cone drive.
I—No. 3 Gin. Round Over-arm Plain Miller, single pulley, rapid traverse.

1—No. 3 Cin. Round Over-arm Plain Miller, single pulley, rapid traverse.
2—No. 4 Round Over-arm Cincinnati Plain Millers, rapid traverse.
1—No. 5 Cincinnati Plain Miller, round over-arm rapid traverse.
1—No. 5 Cincinnati Rect. over-arm, plain feed in knee.
3—No. 12 B. & S. Plain Mig. Millers.
1—No. 33 B. & S. Automatic Miller.
2—No. 4 48° Cincinnati Auto. Duplex Millers, m. d.
1—No. 3 Becker Vert. Miller, cone drive.
1—60x60x 14° Cincinnati Spur Geared Planer, 4 hds., m. d.
1—48°, widened to 72°x16′ Cincinnati Spur Geared Planer, 4 hds., reversion m. d.

reversing m. d. 1-60x60x24' Gray Spiral Geared Planer, 4 heads.

WE CARRY A FULL STOCK OF USED MACHINE TOOLS Your Inquiries Will Be Appreciated.

The Strong, Carlisle & Hammond Co. 1392 West Third St. 2832 East Grand Blvd. DETROIT, MICHIGAN CLEVELAND, OHIO

MOTORS-GENERATORS

Rebuilt-Guaranteed

Partial Listings

D. C. Motors & Generators Large complete stock 115 & 230 volt. M-G SETS All cap., 720 KW down.

A. C. MOTORS

1-1000 H.P. G. E. s. rng. 300 R.PM. 1-750 H.P. C. Whi. Syn. 600 R.PM. 1-800 H.P. E. Mch. Syn. 514 R.PM. 2-300 H.P. G. E. s. cg. 0 R.PM. 1-200 H.P. F. M. s. rng. 1200 R.PM. 1-200 H.P. F. M. s. rng. 900 R.PM. (Many additional, down to 1/20 H.P.)

PLATERS

1-4000 amp 6/12 v Burke. 1-3500 amp. 6/12 v Bogue. 1-3000 amp. 6/12 v H. V. W. 1-1350 amp. Rochester 6 volt. (Many smaller units)

TRANSFORMERS

3-100 KVA Mal. 12M-460 v. 4-50 Pittsb., 2200-220/440 v. 3-25 Pittsb., 2200-115/230 v. 2- KVA Kuhl. 440/220 dry.

Frequency Changers 1-90 K.W. 60/120 cy.

ENG. GENERATORS

1-225 KVA and 1-150 KVA, stm. 2-1250 KVA Diesel sets comp.

TURBO GENERATORS

3-1250 KW condensing.

A. C. GENERATORS

1-750 KVA. C. Wh. 600 RPM. 1-500 KVA. E. Mch. 514 RPM. 1-375 KVA. G. E. 225 RPM. 1-200 KVA. A Ch. 900 RPM.

(many smaller machines) WELDER

1-500 amp. West. New.

Write for NEW FREE CATALOG containing thousands of Electrical Machinery Items-Motors, Welders, Platers, Compressors, Pumps, Turbines, etc.

Chicago Electric Co., 1340 W. 22nd St., Chicago

THESE MACHINES FOR IMMEDIATE DELIVERY

40-Punch Presses, O. B. I., Straight Sided, Solid Back and Horn. 75-Drill Presses of all kinds.

35-Lathes, various sizes and makes.

20 Shapers from 7" to 24". 15-Milling Machines, hand vertical and Horizontal.

25-Screw Machines, Auto. and Hand. Gear Hobbers, Square Shears, Bull-dozers, Hack Saws, Plating Gene-rators, Buffers, Rivet Hammers and Spinners, Motors, Belting, Shafting and over 1000 Machine tools on our floors. Send us your inquiries.

LAKE MACHINERY CO., INC.

654 W. LAKE ST.,

CHICAGO, ILL

PRICED FOR QUICK SALE

ONE 18th capacity lever feed Ryerson Friction Saw-35 H. P. direct drive, induction motor-3 phase, 60 cycle, 220 volt-Trumbull Electric Co. 40 to 50 H.P. automatic starter-Completely overhauled.

GIBBS STEEL COMPANY

338 So. 17th St.,

Milwaukee, Wis.

We Have a Large Stock of Machine Tools

Send in your inquiries

Chas. Molitor Machinery Co. 118 S. Clinton St., Est. 1902 Chicago, Ill.

GUARANTEED

Completely rebuilt, modernized and performance tested. REAL MONEY SAVING PRICES. Get full details and Low Prices from Moreco before you buy. All sizes-standard makes, We buy, sell, and exchange.

THE MOTOR REPAIR & MFG. CO. 1540 Hamilton Ave., Cleveland, O.

Some Really Nice Machinery and Equipment

No. 185 Toledo toggle drawing press, 18" diameter shaft, bed 72" square. Weight 450,000 lbs.

No. 181S Toledo toggle drawing press, 14" shaft, 42" stroke, 12"x72" Landis Self Contained Grinder.

No. 3H LeBlond heavy plain miller, with vertical attachment.

No. 2B B. & S. Plain Miller, single pulley drive.

No. 6 Becker vertical miller, 60" feed.

50 lb. Standard Automatic Drop Hammer. 6"x32" Norton plain grinders, very good (2).

14"x72" Norton plain grinder, very good.

No. 4 Quint turret drill.

No. 2 and 4 Milholland screw machines, with lot of collets. 248x151 American Tool Works Double B.G.Q.C. Lathe.

No. 2 Mitts and Merrill keyseater with bars, posts etc.

Size B Jarecki Die makers screw press.

42" Allaround bench folder and brake.

Several Cleveland automatics, from 3/8" bar and up — one 2"

Model A double cross sides.

A. D. White Machinery Co., 108 N. Jefferson St., CHICAGO, ILL.

4 spindle drill press	\$150.00
15 Hendey Shaper	125.00
18' Disc Grinder	
22' Power Feed Drill Press	
Single End Rock River Punch	
No. 4 W.&S. screw mach. round tur.	235.00
3 ton Yale Towne hoist	
Detroit Centerless Grinder	125.00
No. 3 Burke Bench Mill, c/s & arbor	100.00

MILLING MACHINES

No. 3A, B. & S. Univ., m. d. Comp. No. 3 Cincinnati plain. No. 2A Hendey Norton plain. No. 4B Becker, Vertical. Pratt & Whitney bench.

LATHES

20¹x8¹ Hendey geared hd.o.c.g.;m.d. taper attachment, two chucks. 16¹x8⁰ Reed Prentice q.c.g. Timken bear; motor in base taper attach. 26¹x1 [2] Boye & E. q. c.g.; taper att. 18¹x1 [0] Boye & E. q. c.g.; taper att. 18¹x6 Boye & E. q. c.g.; taper att. 16¹x6 LeBiond q. c. g. chucks. Hardinge, Rivert, Stark & Elgin bench.

DRILL PRESSES High-Speed B. B. Drills I to 6 spdl. 24* Snyder back grd. power feed. No. 2 Avey, 14½* overhang. Avey and Allen Bench.

SHAPERS 17" Smith & Mills, back geared. 20" Ohio back geared.

MISCELLANEOUS

Springfield Oil Separator, I bushel. Screw Press, R. & K. friet. pwr. drive. Notching Press, Ferracute. High Speed Riveting Hammers. Tapping Machine, ½ Cap. mtr. drive. Slotter 3½ Rhodes. Bolt Cutter. 33 Acme sgle. head.

CLINTON MACHINERY CO.
33 So. Clinton St., CHICAGO, ILL.

R. A. VINE'S MACHINERY WAREHOUSE

GRINDERS: Bath Univ. Cyl. 10x24 Landie Plain Cyl. 6 x32 Norton Plain Cyl. 6"x32" Norton Plain Cyl.
No. 12 Bryant, m. d., cheap.
No. 72 Heald Hydraulic.
LATHES:24"x11'Cisco, Hy-D.

18"x8' Whitcomb-Blaisdell. 21"x12' LeBlond, taper att.

18*x8' Boye-Emmes. 14*x5' South Bend. 14*x6' Springfield, taper att.

652 West Willis Ave.,

TURRET LATHES:

No. 5 Foster univ., late, bar equip. No. 2-4-6 Warner & S. plain. No. 6 W. & S. univ., bar equip.

MILLS:

No. 4-H LeBlond, s. p. d. No.5-B Becker vert., pow.fd.to hd. MISCELLANEOUS:

No.2-B Nazel Hammer, inc. motor. Shuhardt&Schutte Gear Hobbers. 15&30 ton Lucas Forcing Presses.

Detroit, Michigan

Boring Mills - Vertical 10' Betts, grd. feed, m.d. 2 sw. hds. 10 Betts, grd. reeu, m.d. 2 ww. nus. 62" Bullard, Standard, m. d. 66" Bullard, Rapid Traverse, M.D. 53" N.B.P. Rapid Traverse, M.D. Boring Mills—Horizontal 4" Bar, NBP, No. 72 Duplex m.d. 3#" Bar, Landis, No. 35, motor dr.

Grinders and Millers 'x72" Norton, Plain, M. D. 14"x72" Norton, Plain, M. D. Model CS Becker, Continuous, Vert. Lathes

66"x30" Johnson, cone dr., hvy. duty. 28"218" Chard, cone drive. 28"x18" Chard, motor drive.

Planers & Slotters

120"x96"x26' D & H, Openside. 96"x96"x29' D&H, Rev. m.d. 4 hds., Rap. Traverse. 24" NBP Crank Slotter, motor dr.

Priced Low - Partial Listing - Send Your Inquiries

ROSENKRANZ, WEISBECKER & COMPANY, INC. 2309-A Singer Building. New York City, N. Y.

FOR IMMEDIATE SHIPMENT

No. 306 Bliss S.C. tierod frame. No. 40 Bliss horning press. No. 12 Toledo horning press. No. 92 Toledo D.C. tierod frame, No. 34-C Bliss toggle draw press. No. 2014 V&O thread roller & trim. No. 4 Niagara power dbl. seamer. Nos. 1 & 2 Loshbough Jordan OBI, No. 1 Sidney open back inclinable. Artos Stripping off Mche, for wire, 42" Rotary Board cutter, 4-Spindle Taylor & F. drill press, 36x36x8 Sellers Planer.

Bullard Vertical boring mill. Model D Becker Vert. milling mch. 50 lb. Automatic drop hammer. 60" Quickwork rotary shear. No. 248 Pexto lever shear. No. 1 Baird tumbling barrel.

" Marsh stencil machine. Marsh stench machine.
No. 11 Yates-Amer. gang ripsaw.
13" & 22" Fox hand mitre trimmer.
No. 14-B Hi-Speed rivet hammer. No. 80, 81 & 120 Grant rivet spinner. No. 1 Campbell Nibbler. 42" Pexto Power grooving machine.

469 North Fifth St., J. N. MOYER PHILADELPHIA, PA.

2* Greenfield Bolt Cutter. 1 1/2 * Greenfield Bolt Cutter. 1 * Landis Bolt Cutter. 36" Bullard Boring Mill. 31 Dreses Radial Drill. 4' Dreses Radial Drill. 51 Dreses Radial Drill.

6' American Radial Drill. 24*x10° Lodge & Shipley Lathe, 21°x8' LeBlond Lathe, 20°x10° Hendey Lathe, 16°x8' LeBlond Lathe, 14°x6' LeBlond Lathe,

DELTA EQUIPMENT CO.

148 N. 3rd St.

Philadelphia, Pa.

GOOD USED MACHINES

BORING MILLS

51" Niles, 42" N.B.P., 2 hds. 42" Gisholt, Turret Head. 2½" Lucas, 4" Fosdick horiz.

LATHES

14"x6' Bradford, relieving attach, 16"x8' Monarch, Q. C. 24"x12' New Haven, Q. C. 26"x14' Putnam, Q. C.

40"x18" Prentice, raised to 521/2". PRESSES

Nos. 074 and 62 Consolidated. 8 Robinson, No. 164 Toledo toggle. No. 5 Toledo grd., No. 723 Toledo. No. 6 Niagara, O. B. I. No. 173-A Consolidated Str. Side. SHAPERS AND GEAR CUTTERS

16" Milwaukee, cone drive. 26" Smith & Mills, friction drive. No. 6—60" B. & S. Gear Cutter. Bilton gear cutter.

15" Potter & Johnston, tool room.

MILLING MACHINES

Nos. 3B, 5B B. & S. plain. No.34 Oesterlein, No.1½ Am., pl. No, 1 Milwaukee, single pulley.

TURRET LATHES

Nos. 2-A & 3-A W. & S. Hi.-Hd. 61/4 Gisholt, motor driven. 2 Warner & Swasey.

METAL WORKING MACHINERY

12"x15" Racine H. S. Saw.
11"x14" Worthington Air Compressor with motor.
246" I and a Role Cutter, lead acr.

2½° Landis Bolt Cutter, lead scr. 3° Acme Bolt Cutter, Landis hd. 24°x6' Gray Planer. 48°x10' Belmer Planer, 4 heads. 4' Mueller, 6' American radial, s.p.

GRINDERS

Thompson Universal.
Webster & Perks 10*x24* cyl.
Churchill vertical spindle.
No. 2 Cincinnati Plain.

The Norton-Broadway Machinery Co. 610 Baymiller St., Cincinnati, Ohio

LeBlond Engine lathes—Cone drive 16x6, 17x12, 18x8, 21x10.

LeBlond Rapid Production Geared Head Lathe 17x6.

Lodge & Shipley Engine Lathe 20x10.

No. 1-B & O Turret lathe. Geared head.

No. 4—Warner & Swasey Turret Lathe. Cone drive, bar feed, power feed on turret.

No. 4 Foster Turret Lathe—cone drive, bar feed on turret and cross-slide.

No. 7 B. & O. Turret Lathe-Cone driven.

Indianapolis Machinery & Supply Co., Inc. 1960-70 South Meridian St., Indianapolis, Indiana

HIGH GRADE MODERN MACHINES

16", 24", 32" G. & E. Shapers, m. d. 16", 29", 24" American Shapers, s. p.d. 3A Univ. Horiz. Boring Mill 3"bar. 3A Univ. Horiz. Borna. And A. S. S. Sickford radial drill, m. d. No.2 Chin. h p. univ Miller, comp. Model M 14 Clev. Auto. 4 spdl. m.d. 4" P. & W. Spl. Miller arr. for m.d. 14 B Milw. arr. for m. d., vertical hd. 500 lb. Bradley upr. hammer m. d. 1-2-4-6 spdl, high speed drill presses.

GRINDERS: 10x24 & 6x32 Norton Ext. m. d. 3-No. 70 Heald Int. 16x52 Landis Ext. No. 3 B & S. Univ. Ex.

PRESSES

20 ton General flex. m. d. No. 33 Cons. arch press. 184 Cons. 5" stroke. 33P Toledo Geared. 30" Rot. Tbl. hand or pwr. take off.

No. 3 Holmes tilt, auto, tap. 1" cap. A large stock of good tools-your inquiries solicited.

C. C. HOWARTH MACHINERY CO. 1440-44 Franklin Street

Detroit, Michigan

SAVE MONEY WITH OUR QUALITY TOOLS

16°x10' Sidney Lathe, geared head, arranged for motor drive, with motor.
3' American Radial Drill, arranged for motor drive through gear box. 57 American Kanali Drill, arranged for motor drive inrough gear lox. No. 2 Cincinnati Plain Mill, countershaft. No. 3 Cincinnati Plain Mill, high power, single pulley drive. 12º Cincinnati Production Mill, arranged for motor drive. 6° Campbell Nibbling Machine, S. P. D. 3 spindle Eddund H. S., B. B. Dill Press, power feed to each spindle.

COMPLETE STOCK OF FINE MACHINE TOOLS. SEND US YOUR INQUIRIES.

SURPLUS STOCK & MACHINERY CO., CHICAGO, ILL 1135 W. LAKE ST.,

1-50 ton Dieing Machine, excellent condition. Serial 1367___\$1500.00

Bradley Machinery Co.

529 E. Jefferson Ave.,

Detroit, Mich.



NEW 3 Phase Motors 1 to 20 H. P., 5 H. P.\$55.75

LATHES 12 x61 Monarch, quick change.

20"x10" Bradford. 24"x24' Prentice. 21"x10' LeBlond extra heavy duty 16"x8" Hamilton, quick change. 16"x8": 21"x10" South Bend, new.

Nos. | and 3 Woods-tilted. | 1%" cap. Smurr & Kamen. | 1%" cap. Smurr & Kamen. | 21" and 24" Gisholt.

SHAPERS

16º B. G. Queen City. 24" Barker. 14" Niles travelling head. 20° Smith & Mills.

DRILLS Baush No. 1, multiple spindle. 61 ceiling.

32" Hoefer, aliding head 4. 24º Foote-Burt, single base. MILLING MACHINES No. 2 Cincinnati Universal. No. 2 Brown & Sharpe, heavy, 24"x20"x8' Ingersoll.

No. 4 LeBlond plain.

MISCELI Band saw, Clark, compound. Gear miller, No. 1 Bilton. Planera, Gray, 36° and 42°. Press, No. 2 Toledo O. B. I.

ANEOUS Press, Cam Drawing, No. 24Toledo Sand Blast, Boland. No. 20 Bryant grinders (5). Press, No. 75 O. B. Toledo.

COLUMBUS

BORING MILLS

60º Gisholt. 36" - 44" Niles - Bement - Pond 48° Colburn. 24°-36°-42° Bullard New Era Vertical Turret Lathes. Vertical Turret Lathes.
4½ Bar NBP. Duplex Control.
60 Bullard.

96ª Cincinnati. MILLING MACHINES

Nos. 5, 4, 3, 2 Cincinnati, Plain. No. 1 Kempsmith Universal. No. 2 Cincinnati Univ. grd. head No. 15 Garvin Vertical.

RADIAL DRILLS 8' Cincinnati-Bickford Enclosed Head, Motor Drive. 3½' and 3' Carlton, S. P. D. 3½' Dreses.

20"x10' Lodge & Shipley.

36 x 16 Fitchburg.

4

LATHES 28"x 181 Chard.

MISCELLANEOUS Turret lathe, No. 5 Foster Universal.
Turret Lathes, 7½ "x26" Libby hollow spindle.
Turret Lathes, 6¼" hollow spindle x 24" Gisholt. No. 3 Bryant Internal Grinder.

No. 3 Bryant Internal Grinder.

Grinder, No. 1 and 3 Brown & Sharpe Universal.

Grinder, No. 10-6*x20* Brown & Sharpe Plain Self-contained,

Grinder, No. 16* Blanchard Belt Drive 26* chuck.

Shear, No. 2 Hilles and Jones Gate. 28* gap, 74*x¼*.

Gear Generators, 8* Gleason Spiral Bevel.

Planer, 60*x54*x16* Woodward & Powell, three heads.

Shaper 16" Gould & Eberhardt, Motor Drive.

COMPANY, INC. MACHINERY 35 Van Buren St., -1-NEWARK, N. J.

LOOK OVER THIS LIST

BORING MILLS 36" Niles vertical, 2 heads. 60" Vertical Mill, 2 heads. GRINDERS

Diamond surface 16"x48" table, Double disc grinders-all sizes. LATHES

LATHES

14"x6' Rockford q. c. Tool Room.
14"x 6' Lodge & Shipley q. c.
16"x8' Monarch geared head m. d.
16"x16' Lo. & S. sel. grd. head, (3).
26"x12' Bridgeford, q. c.
30"x14' Niles S. B. Grd. Cone.
30"x14' Niles S. B. Grd. Cone.
30"x14' American triple geared.
24"x22' Lodge & Shipley q. c.
23"x12' Hoye & E., cone head q. c.
24"x12' Lodge & Shipley q. c.
24"x13' Coonsolidated inclinable.
No. 4 & 5 Consolidated inclinable.

No. 4 & 5 Consolidated inclinable. No. 21 & 21 Hiss Inclinable. WELDERS

20 k. w. National spot, 36" arms. 10 and 12 k. w. Federal, Jr. & Amer.

PLANERS AND SHAPERS Cincinnati Shaper Motor Drive. 32" Cincinnati Shaper Motor Drive. 30" Cincinnati Shaper Cone Drive. 36"x12' Gray Planer 2 Heads. 36"x14' American Planer 2 Heads. 42"x14' N.-B.-P. Planer 3 Heads,

MILLING MACHINES No.3 Kemp. univ.3 step cone, d.b.g. No. 24 Oesterlein plain cone drive. No. 2B Hy. Brown & Sharpe m. d. No. 4 LeBlond plain 3 step cone. No. 6 Becker vertical, rotary table.

.

MISCELLANEOUS 24" Cincinatti Bickford Drill Press. Bolt cutter, 12" & 2" Acme. Gear cutters, Nos. 3, 4 B. & S. Hack saws, 12x15 Racine. Hack saws, 12x13 Kacine. No. 1 Leblond Tool & Cutter Grnd. Radial. 4" Hammond, sensitive. Radial 6" Dreses, s. p. drive. Straightening rolls, 54" H. & J. Bending rolls, 8"4" Niles. 16"x66" Landis Platn Grinder.

Jones-Buys, Sells and Trades-Send for Stock List

The Jones Machine Tool Co. Front & Pike Sts., Cincinnati, Ohio

WRITE US—WE CAN LOCATE IT

Bolt Threaders, 1" Acme. Brake, 6', 3/16" cap. Power. Drills, 1, 2, spdl., ball bearing Avey; 20", 23" & 28" Barnes b. g., p. f.; 24" Cin. s. h. b. g., tap. Att. Gear Hobbers, No, 5 A Lees Bradn. Grinders, 28" Badgerdisc, ball bear-ing; No. 82 Greenfield Hydroil Internal; 10"x30" Landis, plain; 16"x32" Landis crankshaft. Hacksaws, Nos. 1, 2 Marvel; 6x6,

Cincinnati plain; No.2 Kempsmith universal; No.3 B Hendey univ.;

No.35 Ohio, univ. 24" Cin. auto. Nibbler, No. 1 Campbell. Planer, 38" x10" Gray, 3 heads. Punch presses, o. b. i. No. 20 Bliss; No.34 Toledo: No.34 Walah. Punch presses, Nos. 1 & 14 Bliss cam draw; Horning; No. 32 Cons. Punch & Shear, No. 53 Beliot. Pipe machine, 2"Landis, grd.hd., md.

-SPECIALS

No. 5 CINCINNATI rectangular overarm Milling Machine, m. d.; 12'-14'-16' HENDEY Lathes, taper attachment; 3' UNIVERSAL Horizontal Boring mill, m. d.

9x9 Peerless.
Lathes, 16"x10' Hendey, taper att.,
16"x10' Seneca Falls, q.c.g.;17"x8'
Le Blond grd. hd., m. d.; 18"x8'
Boye & Emmes, q. c. g.; 18"x8'
American q. c. g.; 18"x8' Monarch,
q. c. g.; 20"x8' Monarch, q. c. g.; 20"x10'
Prentice grd. head; 24"x12' S. & B. q. c. g. taper att. Millers, 12" Cincinnati B. G.; No. 2

Screw mchs., Nos. 4 and 6 W. & S. Shapers, 14" to 28" G. & E., s. p. d. 7" Rhodes comb. with slotter. Shears, 30" Bertsch corrugating: No. 05 Niagara ring & circle, m. d. Thread Miller, 6x80 Pratt & W. Welders, arc, 220 Amp. USL.
Welders, butt, 13 K. W. Toledo.
Welders, spot, 5 K. W. Dyer, 10 &
15K.V.A.Taylor; 38 K.W. Toledo.

VICTOR MACHINERY CO., 130-132 5. Chiaton St., CHICAGO, ILLINOIS

REBUILT MACHINE TOOLS

Our location in Detroit keeps our Organization in constant touch with the largest selection of machine tools in the world.

Automatics, 4º Cleve., Model M. Broach, Amer., 12 ton, hyd., vert. Drills, 21& 24" Cincinnati-B. (28). Grinders, No. 84 Gardner, double disc, opposed type auto. fd., m.d.(2) Grinder, No. 7½ Gardner disc, m.d. Grinders, No. 70 Heald Internal(2) Grinders, No. 72 Heald, M. D. Hyd Feed. (3)

Grinder, No. 3 Wilmarth & M. surf. Grinder, 53 Gardner, Verti. m.d., with automatic feed.

Grinder, No. 3 Abrasive Surface. Grinder, No. 33 Abrasive surface. Grinder, Heim Centerless, m. d. Hammers, No. 3 Hi-Spd., m.d. (2) Hobber, No. 16 G. & E., S. P. D. Lathe, 16"x6" Hendey. g. h., s. p. d.

Lathe, 18"x6' Hendey, B. M. D. Lathe, Turret, No. 6 W. &S. univ, Mill, 2½' Cleveland Horiz. Borine, Mill, No. 3 GH Hendey Univ., s. p.d. Nibbler, No. 236 Cray, B.M. D. Planer, 30"x30"x10', Liberty open

side, motor drive, 2 heads.
Planer, 36"x36"x14"Liberty Motor Drive, 3 heads, Double Housing. Press, No. 14 Tol. horning ad., m. d. Press, No. 14 tol. horning gd., m. d. Press, No. 66 Blins, S. T. fe Rod. Press, No. DG 53 Ferracute S. S. (3) Presses, P. 2, P. 3, Ferr, m. d. Press, 50 ton Henry & Wright, m. d. Shear, 10', ½" United Eng s. m. d. Shear, 10', ½" Pittsburgh, m. d. Shear, 10', ½" Brittsburgh, m. d. Shear, No. 736 Nisa., 36', ½%" cap. Slotters, Betts, 16" motor drive.

IARUEY GOLDMAN & CO Machinery

10567 Gratiat Ave., Detroit, Mich.

A.C. Motors 220 H. P. Cr. Wh. 720 R P M

150 H. P. G.E. 1K, 720 R P M

100 H. P. All Chal, AR, 1800

100 H.P. West, CS, 720 R.P.M

75 H.P. Gen. E. IK. 450 RPM

75 H.P. Ges. E. IM. 600 RPM

75 H.P. Gen. E. MT. 900 RPM 75 H.P. G. E. MT. 1200 RPM

9

50 H.P. West, CW, 1200 RPM

50/20 H.P. Wagner, 2 speed alio-ring, 250/900 RPM

12-30/15 H. P. Gen. Elec., alip-ring, 400/1200 RPM

Partial Listing

Generators 5000 ampere World Plater 514 RPM

30 K. W. Elec. Dyn. 600 volt, ampere Motor Generator Set.

40 K. W. Gen. Elec. 38/64 valt Generator 885/515

100 K. W. Gen. Elec. 3 hearing, 125 volt, synchronous M. G. Set.

145 Grand St., N. Y. City, N. Y. Established 1910

230 V. D.C. Motors 150 H.P. Gen. E., type RC36, 1750 RPM

100 H. P. West SK, 625RPM 3-75 H.P. Elect. Dvn., 400

75 H.P. West. SK, 850 RPM Variable speed 3 to 50 H. P.

New York City's Largest Stock

KINSEY Guaranteed Factory

Putnam 64°x37' grd. hd. lathe; m. d. Fifield 40 x24', rais, blocks, belt drive. Reed 24 x 12 1.c.g.; s.b g.; belt cone dr. Reed center dr. Axle Lathe: m. d. Bradford 22° x 10° q. c. g.; b. d.; new. Bradford 20° x8° q. c. g.; taper att.; c.d. Hendey YH 18° x8° quick change lathe, c. d

LeBlond 18'x10' Late Type; with turret; c. d.

Cincinnati 18ºx81 q. e. g. Lathe;

immediate delivery. immediate delivery.
LeBlond 18"x8" i.c., g.; d.c., mtr. driven.
LeBlond 18"x8" i.c., g.; d.c., mtr. driven.
LeBlond 18"x8" i.d., T.c., g.; cone dr.
Bradford 16"x8" id., g., g., lathe; c. d.
LeBlond No., 9 Multi-cut lathe, s. p. d.
Chard 16"x8" q. c. g. Lathe; c. d.
9"x3" South Bend 1.c.g. bench, m. d. 9°x3' South Bend I.c.g.; collet att.; b.d. McCabe 50—27° dble. spindle Lathe, d. c., m. d.

SHAPERS

32° Smith & Mills, grd., m, d. 26° G. & E. b. g., s. p. d. 25° Smith & Mills plain, b.g., cone dr. 24° Cincinnati, b. g., cone drive.

22ª Ohio, b. g., come drive

20° American b. g., s. p. d. 16° Smith & Mills plain, b. g., cone dr. 12ª Smith & Mills plain crank, b. d.

MISCELLANEOUS

Atkins No. 3 metal cutting band saw, belt drive Racine 6"x6" high speed dry cutting

saw, b. d. Racine 13"x13" hack saw, belt drive. 6"x6" Peerless H.S. Saws, b. d. 41/2"x41/2" Napier horiz.hack saw,b.d. Universal 3" Horiz. bor. mill; m.d.

Foodick No. 2-A horiz, floor type bor. mill, b. d.

Universal 3º dia.bar, hor. bor.mill, m.d. Lucas 4º dia.bar horiz.boring mill, m.d. Grand Rapids No. 4 drill grinder, m. d. Bertach 101x 101 Press Brake, motor dr. American Can Co. No. 20.b.i Press b.d Toledo No. 3 o.b.i. Press; b. d Bliss No. 465 gap shear; 1/4 x81; m.d. Niagara 10'x 14 ga. squaring shear, m.d. J. & L. 2 spdl. turret lathe, g. hd,, chuck, s. p. d. B. & O. No. 8 turret lathe, bar, b. d.

333 West Fourth St., Est. 1886

Cincinnati, O.

Gisholt 21st tilted type turret lathes, m. d. (2).

Chicago 9"x8" Air Comp.; b. d. Bellevue No. 14 indus. furn.; oil burning. P. & W. thread mill; 6"x48"; b. d. Theil die filing machine, motor driven.

PLANERS

60"x60"x141 Cincinnati; 2 hds.; b. d. 55°x55°x30° Betts, spur geared 2 hds. on rail, motor drive. 26"x26"x10" Gray; 2 hds.; m. d.

26 x 26 x 61 American, belt drive.

MILLING MACHINES Ingersoll 30x30x20' milling machine;

5 heads, m. d. Cincinnati No. 4 High Pwr. pl. s.p.d. Cinci. No. 5 PL Miller; m.d.; rect. arm. Cincinnati Nos. 4, 3, 2 pl.; come dr. Cincinnati No. 3 univ; p. f.; come dr. Cincinnati No. 3 univ; p. f.; come dr. Becker No. 6 vert cal h. d.; cone dr. Brown&S. No. 1Y Pl. Viller Cone Dr. Brown&S. No. 0Y Pl. Miller cone dr. Garvin No. 12 Miller; c. d.

GRINDERS

B. & S. No. 26 | lam cylindrical; b. d. B. & S. No. 11 plain cylindrical; b. d. No. 2 Diamond surf. grinder, motor dr. Ott No. 8 plain cyl. Grinder; 6"x 18"; belt drive

Modern 12"x24"; pl. cylindrical; b. d. Heald No. 60 Internal Grind.; b. d. andis No. 11/2 universal & tool; b. d. Heald No. 65 Internal gr.; b.d.

DRILLS, Radial & Sensitive American 61 triple pur. radial drill, m.d. Bausch 8-sp. multi drill; No. 3 mt;spd. Foedick 3* Radial; 48* arm; s. p. d. 8-spindle Moline hole drill, cone drive. 31/21 Cincinnati-Bickford RC radial, d. c., motor drive.

Mueller 41 radial, extend. column, s.p.d. Fordick 5' box column radial, s. p. d. Colburn No. 4 hi duty; m. d., A-1.
Colburn No. 2 hi duty; t. & 1. pul. dr.
Baker No. 310 hvy. duty, belt driven.
Foote-Burt hd. prod. 4-spin. drill; pf;

Foote-Burt No. 25 h. d.; sal. pul. dr. Foote-Burt 4-spindle rail type; b. d. Barnes camel back 2-spindle; belt dr. Barnes 3-spindle 20"; p. f.; belt dr. Avey No. 3 b.b. sens. drill; m. d.

Index of Advertisers

Aaron Machinery Co 161	Davis Machinery Co. 169
Aaron Machinery Co	Davis Machinery Co
Abart Gear & Machine Co 125	Dayton Rogers Mig. Co 119
Acme Industrial Co., 85	Della Equipment Co 196
Ajax Flexible Coupling Co 116	Delta Mfg. Co
Alamo Engine Co	Desmand-Stephen Mfg Co 94
Allered Press Co. Inc. 60	Drain & Koume Manufacturing
Allsteel Press Co., Inc	Dreis & Krump Manufacturing
American Hollow Boring Co 110	Company Inside Back Cover
American Tool Works, Inc	Dumore Company 102
Ames Co., B. C	Eastern Machinery Co
Anderson Bros. Mfg. Co 129	Eastern Machinery Co 174-175
A Mario C	Economy Machinery Co. 166
Apex Machine Co	Fieler Engineering Co. Inc. 138
Armgio Company 12/	Eisler Engineering Co., Inc 138 Emerman, Louis E
Armstrong-Blum Mfg. Co	Emerman, Louis E 190
Inside Front Cover	Erie Electric Motor Repair, Inc 172
Armstrong-Bray & Co	Errington Mechanical Laboratory 98 Essley Machinery Co., E. L 190
Atrans Press Tool Co. 53	Essley Machinery Co., E. L 190
Ammirong Dros. 1 ool Co	Etteo Tool Co
Atlantic Company	
Atlas Press Co	Failor-Strafer Machinery Co 170
Avey Drilling Machine Co	Falk Mill Supply Co., Inc 168
revery arriving treatment out the	Falk Mill Supply Co., Inc 100
Balder Florinia Co. 01	rederal Fress Co 0/
Baldor Electric Co	Federal Press Co. 67 Federal Products Corp. 41
Baumbach Mig. Co., E. A 131	Flynn Manufacturing Co
Beatty Machine & Mfg. Co 177	Foster Machinery Co 161
Beatty Machine & Mfg. Co	Friis & Miller 121
Bennett-Rafkin Machinery Co. 181	I'mis or ivinici 141
Bernstein & Co., Geo. M 191	Gairing Tool Co 55
Dermitein & Co., Geo. M	Call I Line NAG C
Beverly Throatless Shear Co 126	Galland-Henning Mfg. Co 31
Blackmer Pump Co 130	Gallmeyer & Livingston Co 5
Bleser Mfg. & Mchy. Co	General Blower Co 171
Bradley Machinery Co 198	Gibbs Steel Co 194
Brandt Machinery Sales 166	Gits Bens Mfs Co 118
Drandt Machinery Dates	Gits Bros. Mfg. Co
Breuer Electric Co	Goldman, Flarvey Fl 201
Brewster Company, Inc	Goldsher Machinery Co 161
Brown & Sharpe Mfg. Co	Graham Manufacturing Co 157 Grant Mfg. & Machine Co 159
Receive & Sharpe Mfg. Co. 37	Grant Mfg. & Machine Co
Brownell Machinery Co 166	Greene, Tweed & Co 109
D. d. I. E C. 10.11	Grinding Machinery Co 119
Dunaio Forge Co	Callaction of the control of the con
Buffalo Forge Co	Grobet File Corporation 140
Burns Machinery Co., F. W 187	Grob Brothers
Burns, Joseph M	Hamilton Tool Co 134
Buer & See I T 132	Platfillicon I doi Co
Dull & 500, J. 1	Flammond Machinery Builders 63
Carlson Mfg. Co., C. H	Hanna Engineering Works 206
Carmon Iving. Co., C. 11	Hammond Machinery Builders. 63 Hanna Engineering Works. 206 Hardinge Brothers, Inc.
Carroll Mirg. Co., L. W.,	Front Cover, 6
Carroll Mfg. Co., L. W.,	Hartford Special Machinery Co. 120
	Harling Co. P. C. 16 21
Challenge Machinery Co	Haskins Co., R. G
Chicago Dia Casting Mfg. Co. 141	Plassal John, Incorporated 13/
Chicago Die Canning Iving. Co 144	Henry & Wright Mfg. Co
Chicago Electric Co	Heuser Manufacturing Co
Chicago Rawhide Mig. Co 149	Hill-Clarke Machinery Co 178
Chicago Rivet & Machine Co 100	Hohart Bree 26
Chicago Wheel & IVIII. Co 109-103	Hotel Barkum 128
Cincinnati Mehy. & Supply Co 183	Hotel Barlum
Cleereman Machine Tool Co 73	Howarth Machinery Co., C. C. 198
Classic Mile Ca	Hyman & Son, Joseph 164
Clements Mfg. Co	
Chinton Machinery Co 193	Illinois Testing Laboratories, Inc. 143
Colonial Bushings Co	Indianapolis Machinery & Supply
	Co
Conway Chitch Co 44	Industrial Machinery Co
Commercial Contestors Cainding	International Machinery Co. 170
Commercial Centeries Crimining	International Machinery Co 170 Interstate Machinery Co 137, 173
Commercial Centerless Grinding Commercial Centerless Grinding Co	Interstate Machinery Co 137, 173
Cullman Wheel Co Back Cover	Iroquois Machinery Co 192

Index of Advertisers-Continued

muck of Muvert	isers—Continueu		
Janette Mfg. Co. 151 Johnson & Sons Michy. Co., Wm. C. 164 Johnson Tool Co. 126 Jones & Lamson Machine Co. 12 Jones Mich. Tool Co. Cincinnati. 200	Pier Fourisment Co 30		
Johnson & Son, Maker Co. W. C. 164	Pier Equipment Co		
Johnson of Sons Michy. Co., Will. C. 104	Porter Machine Co. 138 Porter-Cable Machine Co. 218 Porter-Cable Machine Co. 22 Pratta Whitney, Dir., NBP Co. 46 Precision Tool Co. 38 Printz Electric Co. 135 Procunier Safety Chuck Co. 24,25		
Johnson I ool Co 120	Porter Machine Co 130		
Jones & Lamson Machine Co 12	Porter-Cable Machine Co 22		
Iones Mch. Tool Co. Cincinnati. 200	Pratte Whitney, Div. NBP Co. 46		
Jones Men. 1 on Co. Chiching. 200	Presiden Tool Co. 38		
	Precision 1 our Co		
Kamis Machinery Co 172	Printz Electric Co		
Kamis Wachinery Co 172	Procunier Safety Chuck Co24,25		
Kinsey Co., E. A 202			
Klauber Machinery Co	Progressive Tool & Cutter Co		
Koch Test Indicator 140	Down Marking C. 161		
The state of the s	Prunon Machinery Co 101		
	Putnam Tool Co		
L-W Chuck Co 103	Pyrometer Instrument Co 126		
L-W Chuck Co	DALT I AO		
Land, L. J. 201 Lang Machinery Co. 169 Lenney Mche, & Mfg. Co. 36 Lewitwaite Machine Co., T. H. 129	R & L Tools 8-9		
Land, La Janes Carrier Lico	Racine Tool & Machine Co 128		
Lang Machinery Co 109	Rasmussen Machine Co		
Lenney Mche, & Mig. Co 36	Paick Mfa Co. L.P. 160		
Lewthwaite Machine Co., T. H. 129	D. I. M. L. C. L. C. 131		
Libert Machine Co	Reliance Machinery Sales Co 171 Rickert Shafer Co 100		
Lincoln Electric Co	Rickert Shafer Co 100		
Lincom Electric Co	Ridge Tool Co. 115		
Linley Bros. Co. 147	Ridge Tool Co		
Linley Bros. Co. 147 Littell Machine Co., F. J. 114 Lovejoy Flexible Coupling Co. 134 Lucas & Son, J. L. 191	Discrib Marking Day		
Loveing Flexible Counting Co. 134	Riverside Machinery Depot 182		
Laveloy Ficatore Coupling Co. 194	Rivett Lathe & Grinder, Inc 4		
Lucas & Son, J. L 191	Robbins Engineering Co 61		
Luma Electric Equipment Co 145	Rockford Iron Works		
	Pockloid flod Works		
M D D. J 100	Rogers & Co., Samuel C 205		
MI-D Products	Rogers Mfg, Co., Dayton 119		
M-B Products	Rosenkranz, Weishecker & Co. 196		
McMahon Co., Frank	Para Operation Value Co. 00		
Machinery Dealers, Inc	Ross Operating Valve Co 90		
Machinery Dealers, Inc	Rotor Air Tool Co		
Mail Tool Company 83	Russell Boring Bar Co 134		
Marr-Galbreath Machinery Co 165	Russell Machine Co		
Martin Tool & Die Works, J. E. 124 Master Machine & Tool Co 121	Puthers Madiner Co 131		
Master Machine & Tool Co. 121			
IVIAMEE IVIACISME & 1 001 CO 121	Schauer Machine Co		
Meylan, A. R. & J. E 138	Scherr Co., George		
Midwest Equipment Co	Scheif Co., George		
Midwest Tool & Engineering Co. 132	Scott-Dansbach Machinery Co 163		
Miles Markinson Co. 176	Scott-Bansbach Machinery Co 163 Scully-Jones & Co20-192		
Miles Machinery Co	Segal Machinery Co. 182		
Modern Collet & Machine Co18-19	Sanga Falls Machine Co. 120		
Modern Machine Corp	Seneca l'ana iviacinne Co 120		
Molitor Machry, Co., Chas. A. 194	Service Co 170		
Manchause Frank K 170	Sheldon Machine Co 95		
Moornouse, Flank Parison 170	Siewek Tool Co. 28		
Morey Machinery Co. Inc 184	Simmura Machine Tool Corn 180		
Morrison Machine Products, Inc. 7	Scully-Jones & Co. 20-192		
Morton Machinery Co 168	Samaw, Inc. 31		
Motor Repair & Mfg. Co 194	South Bend Lathe Works 40		
Moyer, J. N 196	Speedway Mfg. Co		
Moyer, J. N 170	Stackbin Corp. 110		
	Speedway Mfg. Co		
National Machine Tool Co 114	C. I IM I' C. 150		
Nicholson & Co., W. H	Standard Machinery Co		
Nicholson & Co., W. Fl	Standard Machine Co 169		
Nielsen, Inc 123-143	Standard Pressed Steel Co 34-89 Standard Shop Equipment Co 135		
Norgren Co., C. A.	Standard Shop Equipment Co. 135		
Norton Broadway Machinery Co. 197	C. L. W 133		
I determ the man was interested from 155	Stanley Works		
	Star Machine & Engineering Co. 155		
O'Brien Machinery Co 164	Steege Machinery Co., W. L		
Odin Universal Corn 40	Sterling Products Co. Inc. 20		
Odin Universal Corp. 49 Ohio Machinery & Supply Co. 171 Oliver Instrument Co. 43	Second & Co. N. A.		
Onio reachinery or Supply Co 1/1	Strand & Co., IV. A		
Oliver Instrument Co 43	Strippit Corporation		
Oliver Machinery Co	Strand & Co., N. A. 15 Strippit Corporation 136 Strong, Carliele & Hammond Co. 193		
Oshoma & Saxton Mohy Co 100	Sturdimatic Tool Co		
On Markings Sales Inc. 162	Sun Machinery Co		
Ott Machinery Sales, Inc 162	Sun Machinery Co 199		
204			

Index of Advertisers-Continued

Sunnen Products Co	Wain Machinery Sales, Chas. E. 169
Sutton Tool Co	Walls Sales Corporation 118
Swedish Gage Co. of America 137	Walker-Turner Co. Inc 108
Tannewitz Works	Walton Co 141
Taylor Machine Co 145	Wardwell Manufacturing Co 120
Temco Electric Motor Co 99	Weldon Tool Co 3
Titan Tool Co 113	Wells Manufacturing Corp 107
Toman & Co	Wertman Machinery Co 166
Tomkins-Johason Co	Western Machine Tool Works 57
	Western Tool & Mfg. Co 136
United Machinery & Supply Co. 166 Universal Engineering Corp., 112-127	West Penn Machinery Co 167
Universal High Speed Tool Co 13	White Dental Mfg. Co., S. S 97
Universal Tool & Machine Co 130	White Machinery Co., A. D 195
Universal Power Corp 160	Whitney Metal Too I Co 17
Used and Rebuilt Machinery 161-202	Wigglesworth Machinery Co 166
Vacuum Cup Metal Pulley Co 140	Wilson, K. R 117
Valley Electric Corp 122	Wittek Manufacturing Co 87
Victor Machinery Co	Wodack Electric Tool Corp 126
Victor Machinery Exchange 186	Wolnick Machinery, Co 161
Vinco Tool Co	Wyzenbeek & Staff32-33
Vonnegut Moulder Corp	Yost Mfg. Co 160

Please say "Blue Book" when writing to advertisers.



+

4

GRIND YOUR CIRCULAR KNIVES AT LOW COST

Up to 20 in. Dia.

Any Degree of Bevel

UNUSUALLY LOW PRICE

Write for Bulletin C

S C ROGERS & CO. Butfale, N.)

Makers of Grinders for 50 Years

ROGERS & CUL & KNIFE RINDER





Because the two piece design of valve stem and disc permits the valve disc to find its own seatwith each operation continually improving seating surfaces.

HANNA UNITITE VALVES

are packless, easy to operate and deliver line pressure to the power unit instantly and efficiently. You can benefit from their advantages at no extra cost --- in fact prices applying for all sizes are unusually low.

Sizes 3/8" to 1 1/4"

Send Quickmail Coupon No. 44 for full information.

HANNA ENGINEERING WORKS

1763 ELSTON AVENUE

CHICAGO, ILLINOIS

CHICAGO PRESS BRAKE



With both efficiency and economy, this small powerful press brake can handle the work of a large machine, such as forming metal sections for stoves, refrigerators, soda fountains, steel boxes, store fixtures, etc. The price is very reasonable and installation costs are negligible.

> Send Quickmail Coupon No. 7 for Illustrated Bulletin and Low Price.

DREIS & KRUMP MFG. CO.

7440 Loomis Blvd.,

CHICAGO, ILL.

ullman Lathe Drives have made it possible for users of lathes, shapers, milling and screw machines to modernize their cone pulley equipment at surprisingly low cost.

These units are easily installed and are efficient and dependable. They eliminate countershaft and overhead belting. permit easy and instantaneous control, and use less power. Made in sizes for motors from 1/2 to 71/2 H. P.



Advantages

Easy to Install

Increased Efficiency

at Low Cost

Safe in Operation

Instant Control

Belt Shifting and

Adjustment Easy Durable Construction

Less Floor Space

Required

Cleaner, Brighter Plant to Work In

WRITE FOR CATALOG. Use Quickmail Coupon No. 4

The Cullman Wheel Co.

1359 Altgeld Street,

Chicago, Illinois

ncy on ! d d ter